CANADIAN JOURNAL OF CHEMISTRY / JOURNAL CANADIEN DE CHIMIE

VOLUME 54

SUBJECT INDEX / INDEX DES MATIERES

Acetals, redn. with cobalt carbonyl cats., 685

Acetone, reacn. with anilines to form anils, cat. by transn. metal complexes, kin. and mechm., 3895

Acetonitrile, mixts. with H_2O, dens. at various temps., expansivities, energy–vol. relns., 2813

E-Acetophenone, ^{15}N-enriched, ^{15}N–^{13}C coupling consts., 790

Acetophenones, ω-bromo- and ω-chloro- variously substd., reacn. with trialkylphosphites, kin. and mechm., Hammett correlns., 3626

α′-Acetoxyenone, synth. by Mn(III) oxidn. of α,β-enones, 3830

Acetoxylation, select. of α,β-enones by Mn(III), prods. and mechm., 3830

Acetylation, Friedel–Crafts of anthracene and 9-Me- and 9,10-diMe-derivs., exptl. parameters affording max. yields, mechm., 1777

Acetylcholinesterase, synth. of spin-labelled inhib. for, 3545

1-*O*-Acetyl-3,4-di-*O*-isopropylidene-2,5-anhydro-D,L-allose, nmr, reacn. with Wittig reags., 2940

Acetylene(s), acid-catd. rearrs., synth. homosafranic acid, 2310; Diels–Alder reacn. with steroid, 2,4-dienes and retro-Diels–Alder reacns. of adds., 3508; phenyl substd., addn. of arenesulfenyl chloride, kin. and mechm., 3045

Acidity, amines in gas phase by flowing afterglow technique, 1624; H^+ transfer between org. acids in aq. soln., electrostatic model for substit. and solvent effects on thermo., 1296; org. acids and phenols, effect of molec. complexing by a potentiometric method, 2141; substitd. phenylazobenzaldoximes in $EtOH/H_2O$, Hammett correlns. and substit. effects, 3260

Acidity constants (pK_a), detn. by effect on rate of a reacn. of known kin., 673

Acidity functions, aliphatic carboxylic acids from nmr data, 3464; for deprotonation of heterocyc. quaternary salts in H_2O + DMSO mixts., 900; H^- for HCl in H_2O and EtOH, from pK_a data of trinitrobenzene–phenoxide σ-complexes, 2436; in H_2O/CF_3CO_2H media, 440

Activity coefficients, of electrolytes in aq. soln., calcn. from simplified form of Stokes–Robinson eqn., 9

Acyl amines, δ,α-unsatd., acid catd. cyclizn., in morphinan and hasubanan synth., 883

Adamantane, calcn. of self diffn. in cryst., 783; matrix with 5-membered heterocyc. molec. dopants, esr of rads., mechm. of rad. formn. during radiol., 1971; matrix for radiol. formn. of free rads. from alkenes, esr of rads., 1405; rotn. in solid state, calcns. of configns., detn. of phase transn., 769

2-Adamantanethiol, in free rad. chain redn. of adamantanethione, kin. and mechm., 3407

Adamantanethione, free rad. chain redn. by 2-adamantanethiol, kin. and mechm., 3407

Addition, arenesulfenyl chlorides to alkenes, effect of alkene struct. on kin. and nature of prods., 1253; thiyl rads. to C=S bond during chain redn. of adamantanethione by 2-adamantanethiol, kin., 3407

Adiabatic reactions, theor. of entropy prodn., 1995

Adrenalin, complexes of and reacn. with Cu(II) in aq. solns., uv-vis and Raman spect., effect of p*H*, 3815

Adsorption, polarizable species on silica, theory of displacements of ir band due to OH, 1388; pyridine on ion-exchd. zeolite Y, adsorpn. mode from laser Raman spect. and effect of ion-exch. on spect., 586; of 16 R_4NX salts at Hg/electrolyte interface from electrocapillary data, calcn. ΔG_{ads}, 2488

$A^{(1,3)}$ effect, in inositol nitronates, 2038

Albumin, human, synth. peptide deriv. to mimic binding to, and equil. with, Cu(II), 1300

Alcohols, confign. by ^{13}C and ^1H nmr, 2432; partial molal sp. heat and vol. of dil. aq. solns., 624; tertiary, nmr shifts of derived trichloroacetylcarbamates, 189

Aldehydes, clathrate hydrates, characterizn. by dielec. props. and nmr, 3085

Alkali halides, model interionic potls. in cryst., comp. with exptl. data, 3839

Alkali metal cations, influence of identity of cation on extracn. of HSCN from aq. solns. by *i*-BuCOMe, 19

Alkali metals, pulse radiol. of solns. in $EtNH_2$, formn. of Na^-, 3672; solns. in $EtNH_2$ and THF, correln. of opt. and esr spect., 3110

Alkaloids, ^{13}C nmr of isoquinolines, 2252; *Corydalis ochroleuca*, fumaramine and bicucullinine, struct., 471; denudatine, synth. of C,D ring systems in a model compd., 3307; haplophytine, cryst. struct. and spect., 726; *Lycopodium*, isoln., characterizn., cryst. and molec. struct. of magellanine, 2893; *Lycopodium*, isoln., characterizn., cryst. and molec. struct. of paniculatine, 2900; of *Nauclea diderrichii*, struct., 1262; *Ormosia*, synth. of ormosanine, piptanthine, and panamine, 97; thiaspirane Nuphar, ^{13}C nmr of sulfoxides, 3860

Alkanes, atomic charges, induct. effects, carbonium ion stabil., ^{13}C nmr chem. shifts, from MO calcns., 2839; calcn. ΔH_f^0 from a modified bond additivity scheme, 2085

Alkenes, reacn. with hydroxyoxadiazolines, prepn. of esters, 1341

Alkoxide ions, kin. and mechm. of reacn. with CH_2CF_2 in gas phase by ion cyclotron resonance, 1839

Alkylammonium chloride, cryst. struct. and phase changes from X-ray data, 765

Alkylperoxy radicals, autoxidn., inhibn., 382; formn. in hydrocarbon glasses at low temp. by reacn. of alkyl rad. with O_2, esr detecn., esr detecn. of prods. of

photol. of RO_2, 3833; reacn. with nickel dialkyldithiocarbamates and dialkyldithiophosphates, 390
Alkynes, reacn. with hydroxyoxadiazolines, prepn. of esters, 1341
2-Alkynes, isomerizn. on K intercalates, 2110
Aluminum, polynuclear hydroxy cations in aq. soln., formn. and props., 1910; polynuclear hydroxy cations, effects of aging on chem. props., 1528; vp of $KAlF_4$ over $K_3AlF_6 + KAlF_4$ melts, thermo. parameters, 3342
Aluminum bromide, conducts. and viscs. of aq. solns. at 25 °C, 3732
Amides, *N,N*-disubstd., alkyln. of derived carbanions, 1098
Amidine(s), dipole moments, ΔH_f, H-bonding, struct., 610
Amido free radial, Σ and Π, formn. in photol. of nitrosamines, reactivity, 3517
Amines, basic ionizn. consts. and thermo. fns. for various amines in H_2O, 3607; complexes with PbX_2, prepn., phys. and spect. props., 3430; equil. and rate studies on protonation reacns. in gas phase by flowing afterglow method, acidity equil., 1624; mass spect. fragmentn. mechms. for $C_6F_5N(CH_3)_2$, 1478
Aminium radicals, reacns. and stereochem. control in synth. of azacyclic compds., 2385
Amino acids, acylation by succinimidyl esters of fatty acids, 733; ^{13}C chem. shift predicn., 1226; new quaternizn. methods, 3310
Aminodithiocarboxylic acid complexes, structs. from spect. data, 2827
3-(4-Aminoimidazol-5-yl)-4*H*-1,2,4-oxadiazol-5-ones, synth. from 8-oxo-8*H*-1,2,4-oxadiazolo[2,3-*i*]purines, 2804
Ammonia, adsd. on zeolite, radiol. and esr study of intermeds., 1678
Ammonium ion, ir spect. in various cryst. sites, polycryst. NH_4ReO_4 and $(NH_4)_2CuCl_4 \cdot 2H_2O$, 892
Analgesics, synth. of 14-hydroxymorphinans and isomorphinans, 429
2,5-Anhydroallose derivatives, carbocyc. analogue, synth., 849
Anhydro sugars, ^{13}C nmr, confign. effects on chem. shifts, use of J_{C-H} in assigns., 2301
1,6-Anhydro-2,3,4-tri-*O*-methyl-6,6-di-*C*-phenyl-β-D-glucopyranose, synth., 1708
Anilide(s), and phenyl esters, nitrn. in H_2SO_4 and in $(AcO)_2O$, mechm., 560
Aniline(s), nmr, ^{15}N–^{13}C coupling consts., 833; reacn. with acetone to form anils, cat. by transn. metal complexes, kin. and mechm., 3895
[4]Annulene (cyclobutadiene), vibrnl. assigns. of ir in Ar matrix, 2679
Anthracene, and 9-Me- and 9,10-diMe-derivs., Friedel–Crafts acetyln., exptl. parameters affording max. yields, mechm., 1777
Anthranilic acid, DTA, ir, and X-ray study of phase transn. near 100 °C, 2509
Anthraquinone sulfonate, photol, in aq. soln., kin. and mechm., 512, 516; radiol. in aq. soln., kin. and mechm., 505, 516
Antibiotics, antitumor, synth. of 5,8-quinolinediones as derivs. of streptonigrin, 2653
Antimony, prepn. and structs. of compds. $Cd_{2-x}Sr_xSb_2O_7$ ($0 \leq x \leq 2$), 1665
Antimony(III) chloride, activator of 2,3-dichloropropanol for formn. of stable colored complex with retinol, anal. of vitamin A, 1757; nqr, temp. and press. effects, intermolec. bonding, 2266
Aquation (see Hydration)
Arenesulfenyl chlorides, addn. to acetylenes, effect of phenyl substits. on kin., 3045; addn. to alkenes, effect of alkene struct. on kin. and nature of prods., 1253
Arenethiolate, bridged complexes with Ir(III), prepn. and characterizn., 1860
Aromaticity, predicn. from extension of Hückel rules to polycyc. conjd. non-alternant hydrocarbons, 1789
Arsenic, $CaK_2As_2O_7$, cryst. struct., 3319; effects of As-containing substits. on orientn. during nitrn. of analides, 560; $FeAsO_4$ amorphous solids of various compns., prepn. and use in ion exch., 2534; mass spect. fragmentn. mechms. for $C_6F_5As(CH_3)_2$, 1478
Arsenic(III) chloride, nqr, temp. and press. effects, intermolec. bonding, 2266
Arsine(s), di-*t*-, metal carbonyl derivs., prepn. 7-coord. complexes, props., structs. from nmr, 2548; prepn., Mössbauer spect. and bonding of $Fe_2(CO)_6$ complexes with fluorocarbon-bridged ligs., 3185
Aryl esters, hydrol. catd. by a steroid as a model enzyme, kin. and mechm., 2745
Aryl imino ethers, prepn., 647
Arylsulfonyltetrazoles, condensing reags. for polynucleotide synth., 670
Association, intermolec., in $AsCl_3$ and $SbCl_3$ from nqr, 2266; org. acids and phenols with π donors, effect on ionizn. consts. from potentiometric data, 2141
Asymmetric induction, during Sommelet rearr. of chiral sulfonium ylides, 193
Atom reactions, of hot H or D, in gas phase radiol. of $H_2S + D_2S$ mixts., 2767
Atom recombination, trajectory calcns. for I and Br atoms, 1535
Aza-aromatic compounds, substd., polycyc., reln. electrochem. redox potls. to excited state energies, 1454
Azabicyclic ketones, bridged, synth., 3569
Azacyclic compounds, synth. via aminium rads., 2385
Azide ions, nucleophilic substitn. reacn. with chlorodithioformate esters, kin. and mechm. in aq. $(CH_3)_2CO$, 1906
Aziridines, cycloaddn. to perfluoroalkenes, synth. of fluorinated pyrroles, 218; diethylenic, stereospecific synth., therm. rearr. to azepines, 1571; 2-vinyl-, prepn., stereochem. from nmr, 1582
Azo compounds, α-hydroxy, induced decompn., mechm., 1349
Azo oximes, ionizn. consts. for substd. phenylazobenzaldoximes in $EtOH/H_2O$, Hammett correlns. and substit. effects, 3260

Barium sulfate, reacn. with Na_2CO_3 in aq. suspension at 25 °C, thermo. parameters, 3872
Basicity, aliphatic carboxylic acids from nmr, acidity fns., 3464; aprotic dipolar solvents from calorimetric data, 2101; carbonyl compds. from CNDO II MO calcns., 297; detn. for substd. pyridines from substit. effect on ν(OH. . .N) in MeOH complexes, correln. with Taft–Ehrenson coeffs., 2021; ketones in H_2SO_4 from protonation studies using ^{13}C nmr, 718

Benzaldehyde(s), substd., solvent effects on internal rotns. by ^{13}C nmr, 3267
Benzene(s), substd., dielect. relaxn., reln. to macro. visc., 1418
Benzene sulfonyl fluorides, ^{1}H and ^{19}F nmr, long range coupling consts., conformns., 3564
Benzimidazole, cryst. struct. of complex fluoroborate, 2482
Benzimidazole complex cation, vibrnl. spect. and H-bonding, 2470
Benzobicyclo[2.2.1]heptenes, 7-spiro derivs., synth., 3955
Benzonitrile, mixts. with propylene carbonate, soly. of AgX in, effect of charge distribn. in nitrile on soly. and ion solvn., 1487
Benzonorbornadiene, prepn. of derivs. fully deuterated in aromatic ring under high temp. – dil. acid condns., 2201
Benzonorbornenes, 7-spiro derivs., synth., 3955
Benzophenone(s), *o*-substd., conformns. from MO calcns., 226
Benzothiazoline, derivs., prepn. of spiro pyrazolino derivs., 993
Benzothiophene, and 2,3-dihydrobenzothiophene, kin. of hydrodesulfurizn. catd. by Co-promoted MoS_2, 1507
1,2,3-Benzotriazine, synth., 290
Benzoxazole-2-thione, complexes with Co(II) and Ni(II) halides, prepn., spect. and mag. props., structs., 85
Benzoylacetanilide(s), substd., substit. effects on polarographic redn., 1205
Benzyl fluoride(s), substd., exptl. (^{1}H nmr) and calcd. (MO, *ab init.* and MINDO/3) conformns. and long range coupling consts., 1322
Benzyl nitrate(s), substd., kin. of hydrol. and detn. $\Delta C_p^{\ddagger}$, mechm., 3614
Benzylsulfonium perchlorates, substd., asymm. induction during Sommelet rearr., 193
Berzelianite, cryst. struct., 841
Biacetyl, rad. anion, photochem. formn., effect of solvent and temp. on *cis–trans* equil. from esr, 3637
Bicucullinine, struct., 471
Bicyclo[2.2.1]heptane(s), prepn. polydeuterated derivs., 2213
Bicyclo[2.2.1]heptenes, 7-spiro derivs., synth., 3955
Bicyclo[2.2.2]octadiene, incorpn. into ring A of steroids, 3508
Bicyclo[2.2.2]octanes, -octenes, and several Me derivs., ^{13}C nmr spect., 917
Bicyclo[2.2.2]octanols, and -octenols, ^{13}C nmr spect., 917
Bilayers, struct. of phytol–lecithin by ^{13}C nmr, 2059
1,1′-Binaphthyl, interconversn. of enantiomers catd. by C surfaces, kin. and mechm., 548
Bird's nest fungi, metabolites of *Cyathus bulleri*, synth. of cybullol and geosmin, 3276
1,1-Bis(dimethylamino)ethylene, adds. with BX_3, hindered rotn. from nmr chem. shifts, 1130
Bis(dimethylglyoximato)cobalt(II), pyridine complex, reacn. with $ClCH_2OCH_3$, lig. *O*-alkyln., 1425
Bis(dimethylglyoximato)cobalt(III) complexes, prepn., props. and struct., 1875
1,1-Bis(diphenylphosphino)-2,2-dimethylhydrazine, cryst. and molec. struct., 738
Bis-homo-anhydro-*C*-nucleosides, synth., 2940
Bisindolylamine derivatives, synth., 1020
1,3-Bissulfonium ylides, prepn., kin. and thermo. stabils., struct. and bonding, 2847
B,B-bis(*p*-tolyl)boroxazolidine, cryst. and molec. struct., 3130
2,2′-Bithienyl, and 5,5′-dimethyl deriv., charge-transfer complexes with $(CN)_2C{=}C(CN)_2$, prepn., spect., formn. consts. and thermo. fns., 3705
Biuret, complex with Cu(II), lig. exch. with EDTA, kin. by stopped flow tech., mechm., 3743
Bond dissociation energy, $D[C_6H_5{-}I]$ by pyrol. in toluene carrier, 2981; $D[C_2H_5Zn{-}C_2H_5]$ by $PhCH_3$ carrier method, 482
Bond energies, calcn. of mean values for alkanes from a modified bond additivity scheme, 2085
Borane, add. with $(CH_3)_3N$, spin–lattice relaxn. from ^{1}H nmr, 1087
Born–Oppenheimer separation, adiabatic coupling correcn. to calcd. energy for H_2, 651
Boron, BH_4^- and BH_3CN^-–phosphine complexes with Ru(II), prepn., 320; cryst. and molec. struct. of *B,B*-bis(tolyl)boroxazolidine and *B,B*-diphenylboroxazolidine, 3130; cryst. and molec. struct. of 8,8-dimethyl-3,5-diphenyl-2,4,6-trioxa-1-azonia-3-bora-5-boranatabicyclo[3.3.0]octane, 3142; cryst. and molec. struct. of tribromo-*m*-carborane, 1771; equil. among BX_3 (X = I, Br, Cl, F, SCN) and BR_3 (R = C_3H_7, C_4H_9) from ^{1}H and ^{11}B nmr, 2996; prepn., mass and other spect. props. of $BX_n(NCS)_{3-n}$ (X = Cl, Br, I; n = 1, 2), 2135; (salicylaldehydato)diphenyl-, cryst. and molec. struct., 1168
Boron trihalides, adds. with $((Me)_2N)_2C{=}O$ and $((Me)_2N)_2C{=}CH_2$), hindered rotn. from nmr chem. shifts, 1130; adds. with $((Me)_2N)_2C{=}S$ and $((Me)_2N)_2C{=}Se$, prepn., ionic and covalent equil. from nmr, 1121
Branched chain sugars, synth., reacn. of 1,2:5,6-di-*O*-isopropylidene-α-D-*ribo*-hexofuranos-3-ulose with NaCN and methyl nitroacetate, 543
Bridged azabicyclic ketones, synth., 3569
Brillouin spectroscopy, micelle mol. wt. of lecithin, 3070
Bromate, oxidn. of malonic acid catd. by Ce(III)/Ce(IV), description of exptl. and theoret. kin. of oscillating reacn., 2628
Bromine, intercalated in graphite, emf of concn. cell based on therm. grad., 3541
Bromine atom, trajectory calcns. for recombination, 1535
Bromohydrins, steroid A-ring derivs., synth., 2865
Bromo(methyl)silanes, and germanes, ESCA, binding energies, 3876
Bromorhodate complexes, prepn., reacn. with CO, homog. cats. for hydrogn., 313
Bromosteroids, synth. and spect., 2865
Bullatenone, synth. of analogue, 415
Butaclamol hydrobromide, a benzocycloheptapyridoisoquinoline neuroleptic, cryst. and molec. struct., 2715
1,4-Butanediol monoacetate, synth., 935
1-Butanol, and hydrates, self-assocn. in org. solvents from distribn. and isopiestic data, thermo. quantities, 3917
2-Butene, *cis*-, photol. of mixts. with SF_6 and other gases in vac. uv, kin. and mechm., 2296
Butenolides, synth. from citraconic anhydride and acetophenone, 415
t-Butyl alcohol, chromic esters, 572; expansibility in H_2O

by dilatometry, 3800; and hydrates, self-assocn. in org. solvents from distribn. and isopiestic data, thermo. quantities, 3929; mixt. with H_2O as medium for study of kin. of alk. solvol. of $ClCH_2CO_2^-$, 1687
t-Butylazodiphenylcarbinol, hydro-*t*-butyln. of unsatd. compds. with, 1345
Butyl dixanthogen, therm. decompn. in soln., mechm., 66
1-*t*-Butyl-4-methyl-4-nitro-1,4-dihydrophenyl acetate, formn. during nitrn. of *p*-*t*-butyltoluene, rearomatizn. reacns., 3978
5-*t*-Butyl-2-methyl-2-nitro-1,2-dihydrophenyl acetate, formn. during nitrn. of *p*-*t*-butyltoluene, rearomatizn. reacns., 3978
Butyl radical, and $C_4H_9O_2$, radiol. and photol. formn. in hydrocarbon glasses, photol. of rad., prod. detecn. by esr, 3833
p-*t*-Butyltoluene, addn. of $AcNO_3$ during nitrn., kin., 3978

Cadmium, photosensitizn. of decompn. of cyc.-C_5H_{10} by $Cd(^3P_{0,1})$, kin. and mechm., 77; prepn. and structs. of compds. $Cd_{2-x}Sr_xSb_2O_7$ ($0 \leq x \leq 2$), 1665
Cadmium(II), anionic complexes CdX_2Y^- (X, Y halogens), prepn., Raman spect., force const. calcns. and vibrnl. assigns., 3641
Cadmium(II) chloride, detn. and correcn. of ΔH_{hydr} for $CdCl_2 \cdot 2.5H_2O$ by Bunsen ice calorimeter, 3163
Cadmium dipotassium diphosphate, cryst. struct., 3319
Calcium dipotassium diarsenate, cryst. struct., 3319
Calorimetry, Bunsen ice calorimeter for detn. ΔH_{hydr} for several inorg. salt hydrates, 3163; ΔH_{soln} of HCl in five aprotic dipolar solvents, detn. basicity of solvents, 2101; ΔH_{soln} for hydrocarbons in cyc.-C_6H_{12} and DMF, calcn. ΔH(vap. → soln.), intra- and intermolec. interacns., 3857; modificns. to Picker dynamic flow instr., test of system by detn. ΔH^E_{mix} for CCl_4 + *n*-alkane mixts., 1952
d-10-Camphorsulfonic acid, and $nPrNH_3$ and $nBuNH_3$ salts, use in calibrn. of spectropolarimeters, 3200
Cane sugars, cat. of inversion by $InCl_3$, 703
Carbamates, cyclizn., 24
Carbanions, geom. by ^1H and ^{13}C nmr, 1464
Carbanions from *N*,*N*-disubstituted amides, alkyln., 1098
Carbene complexes, cyc. germoxycarbene complexes with Mn and Re, prepn., props. and reacns. with nucleophiles, 2557
Carbocations, and carbanions, conformnl. anal. by MO calcns., 963
Carbohydrates, photoamidn. of 2,3,4,6-tetra-*O*-acetyl-1-deoxy-D-*arabino*-hex-1-enopyranose, 91
Carbon, ^{13}C isotope effect on vp of CS_2, 3007; cat. in interconversn. of 1,1′-binaphthyl enantiomers, kin. and mechm., 548
Carbon disulfide, ^{13}C and $^{33,34}S$ isotope effects on vp., 3007
Carbonium ions, calcns. on out-of-plane bending consts. in series XCH_2^+, 795
Carbon monoxide, adsd. on zeolite, radiol. and esr study of intermeds., 1678; reacn. with Rh(III) complexes, kin., 313
Carbonyl ylides, intermeds. in gas phase thermol. of 2-vinyloxirane, 3364
Carboxylic acids, aliphatic, basicity from nmr, acidity fns., 3464; ionizn. consts. in H_2O and D_2O by quinhydrone electrode, 2879
5-Carboxymethyluridine, synth., 1445
3-Carene, dehydrogn. of vap. over Cr_2O_3, Cr_2O_3–Al_2O_3 and over each doped with K^+ or F^-, prods. and mechm., 3458
Caryophyllene epoxide, opening in hydroxylated species, 1372
Catalysis, acetal redn. by cobalt carbonyls, 685; by acid in ring expansn. of cyclobutanone derivs. in FSO_3H and H_2SO_4, 12; by C surfaces of interconversn. of 1,1′-binaphthyl enantiomers, kin. and mechm., 548; dehydrogn. of 3-carene vap. over Cr_2O_3, Cr_2O_3–Al_2O_3 and over each doped with K^+, prods. and mechm., 3458; heterog. of hydrodesulfurizn. of benzothiophenes by Co-promoted MnS_2, kin., 1507; homog., by Co(II), Zn(II), and Ni(II) thiourea complexes of reacns. of acetone with anilines and transimination of prod. anils, 3895; homog. hydrogn., Rh(III) complexes as cats., 313; Lewis acids in Diels–Alder reacns., 3304; pyrol. of $Zn(C_2H_5)_2$ by ZnO, 482; SO_2 oxidn. by vanadia, kin. and mechm. of diluent gas effect, 665
Catechols, and derivs., oxidn. by KO_2 in THF, esr of semiquinone rad. anions, 1837
(±)Cedrene, synth., 1991
(±)Cedrol, synth., 1991
Cellobiose octaacetate, cryst. struct., 1365
Ceric ammonium nitrate, use as oxidant in pyrrole chem., 411
Cerium, cat. of oxidn. of malonic acid by BrO_3^- by Ce(III)/Ce(IV), description of exptl. and theoret. kin. of oscillating reacn., 2628
Cesium, organo-, hydrogenol., derivn. of acidity fn. for H_2, 3949
Charge storage, and other elect. props. of polyacene quinone rad. polymers, 1841
Chasmanine, synth. of aromatic intermed., 1039
Chemical activation, alkyl substd. cyc.-C_4H_{10} by CH_3-($^3B_1$), decompn. and stabilizn. of excited molecs., attempt to detect decompn. from non-random vibrnl. states, 943
Chemical ionization, halobenzenes and halotoluenes, energy effects, 3439
Chemical ionization mass spectra, formate esters, 2029
Chemically induced dynamic nuclear (and electron) polarization, during photol. tetrafluoro-*p*-benzoquinone in dioxane, 979
Chemical shifts, effect of *p*-orbital deformn. in cyclophanes, 3412
Chiral diazene, (−)-(*S*)-1-diphenylmethyl-2-(2-butyl)diazene, thermol., stereochem. and cage effects, CIDNP, mechm., 2639
N-Chloramines cyclizations, in synth. of bridged azabicycloketones, 3569
Chlorination, benzylic sulfides in aq. HOAc, 498
Chloroacetic acid, solvol. in alk. H_2O + *t*-C_4H_9OH, kin. and mechm., 1687
Chlorodeoxy sugars, select. dechlorn., nmr of sugars and redn. prods., 3783
Chlorodithioformate esters, nucleophilic substitn. by N_3^- in aq. $(CH_3)_2CO$, kin. and mechm., 1906

o-Chlorophenol, phys. and thermo. props. of binary mixts. with *N*,*N*-dimethylaniline, aniline, *m*-toluidine, and pyridine, 3125
2-Chloropropane, photol. of vap. at 147 and 123.6 nm, mechm., 3470
Chromia, and Cr_2O_3–Al_2O_3, cat. for dehydrogn. of 3-carene vap., effect of K^+ and F^- dopants on prods., mechm., 3458
Chromic complexes, enthalpies of formn. in aq. soln., 1383
Chromic esters, of *t*-butyl alcohol, detn. by nmr, 572
Chromic ion, enthalpy of formn. in aq. soln., 1383
Chromium, Na salt of tricarbonyl(acetophenone)chromium *p*-tosylhydrazone, thermol. in pyridine, prods. and mechm., 448; quantum yield of photosolvn. of *trans*-$[Cr(en)_2NCSF]^+$ and *trans*-$[Cr(NH_3)_2(NCS)_4]^-$ in mixed aq. solvents, 3794
Chromium(III), photol. of *trans*-$[Cr(en)_2Br_2]^+$, stereochem. of prods., 2335; stereochem. of photoaqn. prod. of *trans*-$[Cr(en)_2Cl_2]^+$, 2335; variation of spin–lattice relaxn. times for various solutes and solvents in presence and absence of Cr(III) complexes, diffn. and 2nd coordn. sphere mechms. governing T_1, 1332
Chromyl chloride, oxidn. of cyc.-C_6H_{10} and 1-Me deriv., prods. and mechm., 3383
CIDNP, thermol. of 1-diphenylmethyl-2-phenyldiazene, detn. mechm., 2639
Cinnamic acid, dissocn. const. from emf data, 1916
Circular dichroism, polypeptides, effect of solvent and temp., 70; in study of struct. of polypeptide DNA complexes, 3884
2-(*N*-Citraconimidyl)-crotonic acid, synth., 2862
Clathrate hydrates, of CH_3CHO and C_2H_5CHO, characterizn. by nmr and dielec. props., 3085; of ethylene oxide-d_4, guest and host motions by nmr, 3677
Cobalt, cyclopentadiene cyclopentadienyl-, substd., electrochem. synth., 3350; promoting agent for MoS_2 catd. hydrodesulfurizn. of benzothiophenes, 1507
Cobalt(II), *β*-alanine complexes, prepn., mag. and spect. props., 2426; benzoxazole-2-thione complexes, prepn., spect. and mag. props., structs., 85; high-spin complexes with O_2, prepn. and props., 3424; oxidn. $(C_5H_6)Co(C_5H_5)$ by various methods, electrochem. synth. trisubstd. derivs., 3357; pyridine bis(dimethylglyoximato)-, reacn. with $ClCH_2OC_6H_5$, lig. *O*-alkyln., 1425
Cobalt(III), complexes reld. to vitamin B_{12}, prepn., props., struct., 1875; (dimethylsulfoxide)pentaammine-, lig. substitn. reacns. in DMSO, effect of press. on kin., mechm., 3685; quantum yield of photosolvn. of $[Co(CN)_6]^{3-}$ in mixed aq. solvents, 3794
Cobaltacene anions, electrochem. genern. and synth. of substd. $(C_6H_6)Co(C_6H_5)$, 3350
Cobalt carbonyls, cats. for redn. of acetals, 685
Cobalt(II) cobaloxime(s), lig. *O*-alkyln. by electrophilic alkyl halides, 1425
Cobalticinium salts, trisubstd., electrochem. synth., 3357
Coccinellidae, synth. of defensive substances, 1494
Coccinelline, synth., 1494
Compressibility, liq. mixts. of H_2O + glycerol, 2249
Concentration fluctuations, as interpretn. of ultrasonic velocity and absorpn. for MeOH + H_2O, *n*-PrOH + H_2O, and MeOH + *n*-$C_8H_{17}OH$ solns., 355
Conductance, aq. solns. of $InBr_3$, $In(NO_3)_3$, and $AlBr_3$ at 25 °C, 3732; detn. basic ionizn. consts. and thermo. fns. for amines in H_2O, 3607; detn. basic ionizn. consts. and thermo. fns. for methoxyamines in H_2O, 3600; Simonini complexes $(RCO_2)_2AgI$, 2612
Conductivity, in conc. electrolyte solns., effect of ion hydrn., semi-empir. correlns., 2953; electrolytes in hexamethylphosphotriamide and in mixts. with H_2O, 3060
Configurations, MO calcns. for adamantane and hexamethylenetetramine in solid, 769
Conformations, axial/equat. NH–O bonds, piperazine ring distortion from nmr, 566; carbocations and carbanions, anal. by MO calcns., 963; CFH_2 grp. in substd. benzyl fluorides from ^1H nmr and MO calcns., 1322; deducns. from neg. values of five-bond H coupling consts., 2235; deoxynitroinositols, 2038; effect of 4-*t*-Bu grp. on ionizn. consts. of cyclo-hexyl compds., 1899; and H-bonds in *α*-diazoketones from ir in CCl_4/MeOH mixts., 2445; helical for a 1,2,3-triketone by variable temp. nmr, 210; low energy, for $PhCH_2$–Cl, –Br, and –I from nmr, 3210; *p*-$NO_2C_6H_4CO_2H$ and ionic derivs., from nmr in liq. crysts., 500; NO_2 grp., MO calcns., 2526; OH grps. in bromoresorcinols, 2228; OH grp. in derivs. of 2-trifluoromethylphenol, 2243; in pencolide by nmr, 2862; planarity of phenol in H-bonded complex, 3666; substd. benzene sulfonyl fluorides from nmr, 3564; *o*-substd. benzophenones from MO calcns., 226; 2-substd. cyclohexanones from nmr, 2759; 2-thiophenesulfonanilides from dipole moments, 1672; 1,2,4-trithiolane and tetraMe-derivs. from vibrnl. and photoelectron spect., 146; vinylthiophene and vinylfuran, calcd. and exptl., 3216
Convergine, synth., 473
Cope rearrangement, dialkenylazepines to dihydroazepines, phenylvinylazepines to 2-pyrrolines, 1571
Copper(II), *β*-alanine complexes, prepn., mag. and spect. props., 2426; complexes with biuret, oxine, or salicylic acid, lig. exch. with EDTA, kin. by stopped flow tech., mechm., 3743; complexes of and reacn. with adrenalin in aq. solns., uv-vis and Raman spect., effect of p*H*, 3815; effect on ^{13}C nmr relaxn. rates in imidazole, 617; equil. between Cu(II) and peptide deriv., equil. of Cu(II) with human albumin, 1300; prepn. and cryst. and molec. struct. of $[Me_3Ga_2(N_2C_4H_5)_3CuO]_2$, 343
Copper selenides, cryst. structs. from X-ray data, 841
Coupling constants, between OH and ring H in bromoresorcinols, 2228; between OH protons and ring protons or F nuclei in derivs. of 2-trifluoromethylphenol, 2243; between proximate H on different benzene rings in 2,2′-dihydroxy-4-methoxybenzophenone and between OH protons H-bonded to the same carbonyl grp., 2231; effect of valence angle on values, from MO calcns., 2884; F–H and F–F in substd. benzene sulfonyl fluorides, 3564; long range in acyc. conjugd. molecs., prox. or through-space couplings, 2235; long-range in phenol, effect of self-assocn. in phenol, 3666; long range, substd. benzyl fluorides by ^1H nmr and MO calcns., 1322; long range in vinylfuran and vinylthiophene, 3216; Pt–P in Pt(II) phosphine complexes, variation with solvent, concn., and temp., 2733
Crosslinked lithiated polymers, in synth. of polymer-bound trityl chloride, 935

Cryoscopy, non-electrolytes in CF_3COOH as solvent, 3031
Crystal defects, interpretn. from model interionic potls. in alkali halide crysts., 3839
Crystal structure, benzimidazole benzimidazolium fluoroborate, 2482; binuclear Cu complex $[Me_3Ga_2(N_2C_4H_5)_3CuO]_2$, 343; *B,B*-bis(*p*-tolyl)boroxazolidine and *B,B*-diphenylboroxazolidine, 3130; butaclamol hydrobromide and dexclamol hydrobromide, absol. confign. of latter, 2715; $CaK_2As_2O_7$ and $CdK_2P_2O_7$, 3319; cellobiose octaacetate, 1365; $CH_3Hg(S_2CN(C_2H_5)_2)$, 3077; complex of $Mo(CO)_6$ with 2,2′-bis(dimethylarsino)-dodecafluoro(bi-1-cyclopenten-1-yl), 2871; Cu selenides of various composns., 841; *trans*-dichloro(bis(isopropyl)sulfoxide-*S*)(1-methylcytosine-*N*)platinum(II), 53; 2′,3′-dimethyl-3,5-diiodo-D,L-thyronine, implicns. for hormonal potency, 1317; 8,8-dimethyl-3,5-diphenyl-2,4,6-trioxa-1-azonia-3-bora-5-boranatabicyclo[3.3.0]-octane, 3142; 5,6-dimethylenebicyclo[2.2.1]hept-2-ene molybdenum tricarbonyl, 1958; glycylglycyl-L-histidine-*N*-methyl amide, a compd. to mimic the Cu-transport site of human albumin, 1309; haplophytine, 726; hippocasine oxide hydrochloride, 1807; 2-hydroxymethyl-5-phenacyloxy-4*H*-pyran-4-one (phenacylkojate) and bis(phenacylkojate)sodium chloride, 2723; imidazole imidazolium perchlorate, 2465; K[Pt(2,6-lutidine)Cl_3], 1002; magellanine, a new *Lycopodium* alkaloid, 2893; $(NH_4)_4P_2O_7$, 2025; paniculatine, a new *Lycopodium* alkaloid, 2900; perhydroazabenzanthracenes, and perhydroazacyclopentaanthracenes, 1512; and phases of alkylammonium chlorides, 765; phosphinohydrazine $[(C_6H_5)_2P]_2NN(CH_3)_2$, 738; (salicylaldehydato)diphenylboron, 1168; salicylaldehydatogallium dimethyl dimer, 1278; thiamine iodide, 3001; tribromo-*m*-carborane, 1771; usnic acid – amine condensn. prods., 2795
Cybullol, isoln. from *Cyathus bulleri*, proof of struct., 910; total synth., 3276
Cyclic sulfinate esters, synth. from reacn. of sulfoxides with thionyl chloride, 3012
Cyclization, electrochem. redn. of 1,3-diketones to form 1,2-cyclopropanediols, 1197
Cyclobutadiene ([4]annulene), vibrnl. assigns. of ir in Ar matrix, 2679
Cyclobutane(s), alkyl substd., chem. activn. with CH_2-($^3B_1$), attempt to detect decompn. from non-random vibrnl. states, 943; protonation of, 1722
Cyclobutanol, oxidn. by RuO_4 and RuO_4^{2-}, prods. and mechm., 2124
Cyclobutanone, molec. struct. from nmr in nematic phase, 657
Cyclobutanone rearrangements, acid catd. ring expansn. in FSO_3H and H_2SO_4, 12
Cyclohepta-2-enones, and -2,4-dienones, and substd. derivs., formn. by acid cat. in FSO_3H and H_2SO_4 from bicyc. cyclobutanone derivs., 12
Cyclohexane, detn. of V^E for mixts. with $(C_2H_5)_2CO$ or C_6H_5CN, 2280
Cyclohexanol, and cyc.-C_5H_9OH, *cis* and *trans* 2-substd., photoelectron spect., detectn. of H-bonds, 1929; and hydrates, self-assocn. in org. solvents from distribn. and isopiestic data, thermo. quantities, 3929
Cyclohexanone(s), 2-substd., synth., conformns., lin. free energy relns., 2759; 3,3,5,5-tetramethyl-, stereochem. of redn. by $NaBH_4$, 3536
Cyclohexene, and 1-Me deriv., oxidn. by CrO_2Cl_2, prods. and mechm., 3383
Cyclohexyl radicals, reacn. with peroxyacids, stereoselectivity, 905
η^5-Cyclopentadienyldicarbonyl(thiocarbonyl)manganese-(I), and carbonyldithiocarbonyl-, vibrnl. spect. and assigns., effect of state of aggregn. on spect., 110
Cyclopentane, decompn. photosensitized by Cd($^3P_{0,1}$) atoms, kin. and mechm., 77
Cyclopentanol(s), *cis*- and *trans*-2-amino- and *cis*- and *trans*-2-(*N,N*-dimethylamino)-, detectn. intramolec. H-bonds by photoelectron spect., 642
Cyclopentenes, synth. of specifically substitd. via Diels–Alder reacn., 2925
Cyclopentyl radical, formn. in Cd($^3P_{0,1}$) photosensitized decompn. cyc.-C_5H_{10}, unimolec. decompn. kin., 77
Cyclophanes, ^{13}C nmr, conformns., steric and electronic effects on chem. shifts, 3412
1,2-Cyclopropanediols, prepn. by electrochem. redn. of 1,3-diketones, 1197
Cyclopropanol, steroid, synth. and spect., 2865
Cyclopropyl bromides, substd., ΔC_p^* for hydrol., 1246
Cyclopropyl chloride, bromide and cyanide, ^1H nmr in nematic liq. phase, structs., 2788
p-Cymene, addn. of $AcNO_3$, nitrn., aromatizn. of adds., 423
Cysteine, use in protecn. and repair of inactivd. papain by H_2O_2, 242

1,10-Decanediol monoacetate, synth., 935
Defensive substances of ladybug, synth., 1494
Density, aq. electrolytes, 3315; aq. H_2SO_4 and H_3PO_4, 3152; binary mixts. of org. liqs., 3125; $CH_3CN + H_2O$ mixts. at various temps., expansivities, energy–vol. relns., 2813; effect of solutes on temp. of max. dens. of H_2O, 3073; partial molal vols., dil. aq. solns. alcohols, 624
Denudatine, synth. of C,D ring system in a model compd., 3307
Deoxynitroinositols, equil. of epimers, 2038
Deoxyribonucleic acid, interacn. with lysine polypeptides from circ. dichroism and electron microscopy, 3884
Deoxy sugars, synth. from L-rhamnose, hydrogenol. of unsatd. halide, 2411
Depsipeptide, isoln. from *Pithomyces chartarum*, struct. of pithomycolide, 1360; isoln. from *Pithomyces maydicus*, struct., 1355
Deuterated indazoles, synth., 1329
Deuterated water, ionizn. const. 298 K to 523 K, 3553; volumes and heat capacities of R_4NBr in, 2163
Deuteration, multiple of bicyclo[2.2.1]heptanes, method and mechm., 2213; partial of norbornadiene and benzonorbornadiene by hydrn.-exch. mechm. under high temp. – dil. acid condns., 2201
Deuterium exchange, norbornanones, *exo*, *endo* protons, comparison of rates as mechanistic criterion, 678
Dexclamol hydrobromide, a benzocycloheptapyridoisoquinoline neuroleptic, cryst. and molec. struct., 2715
Dialdehydes, sym., monobound to diol polymers, use in synth., 3824

4,6-Diamino-1-aryl-1,2-dihydro-*s*-triazines, substd., hindered rotn. from nmr, 3757
α,ω-Diaminocarboxylic acids, ionizn. equil. and titrns. using nmr, 3392
3,5-Diamino-1,2,4-triazoles, alkyln., prod. studies, 3620
cis-1,2-Dianisyl-2-phenylvinyl-2-^{13}C bromide, and *trans*-, reacn. with HOAc–AgOAc, mechm. from absence of isotopic scrambling, 604
Diarylmethyl radicals, esr assigns. and coupling consts., MO calcn. of spin dens., 1744
Diaryl sulfones, synth., 3056
Diatomic molecules, calcn. of rotnl. and vibrnl. relaxn. times for pulse-heated H_2, effect of init. temp., 2372
Diazafluorenones, isomeric, electronic spect., transn. assigns. and MO calcns., 1870
Diazene(s), 1-diphenylmethyl-2-phenyl- and (−)-(*S*)-1-diphenylmethyl-2-(2-butyl)-, thermol., stereochem. and cage effects, CIDNP, mechm., 2639; α-hydroxy, synth. applicn. of, 1345
α-Diazoketones, H-bonds and conformns. from ir in CCl_4/MeOH mixts., 2445
Diazomethylphosphonates, synth. of double pyrazolines with norbornadiene, 44
Dibenzobicyclo[2.2.2]octatriene, oxidn. by $Pb(OAc)_4$, $Pb(OAc)_4$/HF, $Tl(OAc)_3$, and $Hg(OAc)_2$, kin. and mechm., 2004
1,2-Dibromotetrafluoroethane, vap., liq., and polycrysts., ir and Raman spect., assigns. and isomeric structs., 2220
Di-*t*-butyl peroxide, therm. decompn. in shock wave, unimolec. kin., 581
trans-Dichloro(bis(isopropyl)sulfoxide-*S*)(1-methylcytosine-*N*)platinum(II), cryst. and molec. struct., 53
trans-Dichloro(dimethylsulfoxide)(4-picoline)platinum-(II), synth. and isomerizn., 3224
2,3-Dichloropropanol, formn. of stable colored complex with retinol after activn. with $SbCl_3$, anal. of vitamin A, 1757
Dielectric absorption and dispersion, clathrate hydrates of aldehydes, 3085
Dielectric constant, partially miscible liqs. near crit. point, thermo. considerations and expts. with nitrobenzene + 2,2,4-trimethylpentane, 1139
Dielectric properties, for H_2O and $\bar{V}$ of aq. solns. of electrolytes, 824
Dielectric relaxation, substd. benzenes, reln. to macro. visc., 1418
Diels–Alder reaction, intramolec. reacn. in synth. of (±)cedrene and (±)cedrol, 1991; olefins to cyc.-C_5H_5 compds. of Pt, 2068; orientn. control with Lewis acids, use of bifnl. aliphatic dienophiles, 3304; steroid 2,4-dienes with acetylenes, 3508; use in synth. 2,3-oxazabicyclo[2.2.1]heptane from cyclopentadiene and 3,5-dinitronitrosobenzene, 867
Diethyl ketone, detn. of V^E for mixts. with cyc.-C_6H_{12}, 2280; excess vols. of mixts. with various alcohols, 2676
Differential thermal analysis, phase transn. in anthranilic acid near 100 °C, 2509
Diffusion, calcn. of self-diffn. in cryst. adamantane, 783
1,1-Difluoroethylene, kin. and mechm. of reacn. with RO^- in gas phase by ion cyclotron resonance, 1839
2,3-Dihydrobenzothiophene, and benzothiophene, kin. of hydrodesulfurizn. catd. by Co-promoted MoS_2, 1507
3α-Dihydrocadambine, struct., 1262
Dihydro-3(2*H*)-furanones, Me-substd., synth. and ^{1}H and ^{13}C nmr, 1449
Dihydro-5[(*Z*)-5′-hexadecenyl]-2(3*H*)-furanone, synth., 136
1,4-Dihydronaphthalene, dehydrogn. by tetrachloro-*p*-benzoquinone, kin. and mechm., 2261
Dihydropyridine(s), reacn. with flavins as model for coenzyme regenern. activity, kin. and mechm., 2974
Dihydrothiopyrans, from reacn. of vinylphosphonium salts with β-mercaptoaldehydes and ketones, 1923
Diimide, detn. of ΔH_f from mass spectrometry, 1
1,3-Diketones, electrochem. redn., prepn. of 1,2-cyclopropanediols, 1197
1,4-Diketones, prepn. by oxidative cleavage, 3113
Dimethylbenzylanilinium chloride, decompn. kin in EtOH or aq. EtOH and higher alcohols, mechm., 1886
2′,3′-Dimethyl-3,5-diiodo-D,L-thyronine, cryst. and molec. struct., implicns. for hormonal potency, 1317
8,8-Dimethyl-3,5-diphenyl-2,4,6-trioxa-1-azonia-3-bora-5-boranatabicyclo[3.3.0]octane, cryst. and molec. struct., 3142
5,6-Dimethylenebicyclo[2.2.1]hept-2-ene molybdenum tricarbonyl, cryst. and molec. struct., 1958
1,3-Dimethylethyleneurea, solvn. of electrolytes from ^{1}H nmr, 3492
2,6-Dimethyl nitrate, and 2,4-deriv., kin. of hydrol. and detn. ΔC_p^*, mechm., 3614
N,*N*-Dimethyl-*N*′-phenylformamide, and derivs., complexes with phenols, dipole moments, ΔH_f, H-bonding, struct., 610
Dimethyl sulfide, 7-coord. fluxional complexes with WF_6 and MoF_6, prepn., struct. from nmr, 2343
Dimethylsulfoxide, lig. substitns. with $Co(NH_3)_5(DMSO)^{3+}$, effect of press. on kin., mechm., 3685; mixts. with CH_3NO_2, solvents for studies of Ni(II) complex formn. kin., 706; mixts. with H_2O and with MeOH, effect of compn. on ionizn. consts. of amines and carboxylic acids from emf data, 1899
2-(2′,4′-Dinitrophenylamino)-2-deoxy-D-glucose, therm. decompn. in alk. soln., prod. anal. and mechm., 1394
1,4-Diols, dehydrn. of 1,1′-ethylenedicyclopentanol, 2314
Dioxane, mixts. with H_2O as solvent for detn. ΔH_{soln} for several salts, single ion ΔH_{transf} H_2O to H_2O + dioxane, 3487
Dioxygen, high-spin Co(II) complexes, prepn. and props., 3424
B,*B*-diphenylboroxazolidine, cryst. and molec. struct., 3130
Diphenylethylene sulfone, and stilbene, from phenylmethanesulfonyl chloride and base, 2652
1,4-Diphenyl-4-methylpentanetrione, synth., helical conformn. from variable temp. nmr, 210
Dipole moment, amidine complexes between phenols and substd. *N*,*N*-dimethyl-*N*′-phenylformamides, 610; calcd. for various $Mo(CO)_{6-n}L_n$ for various ligs. and values of *n* from electron donor props. of ligs. detd. from ir, 1612; diazafluorenones, exptl. and MO calcn., 1870; 2-thiophenesulfonanilides, conformns., 1672
cis-Dipropenylaziridine, stereospecific synth., therm. rearr. to *cis*-dihydroazepine, 1571
2,2′-Dipyrroketone, from dipyrromethanes by oxidn. by $Ce(NH_4)_2(NO_3)_6$, 411

Dipyrroles, synth. of 2,2′-, 2,3′-, and 3,3′-, by Raney Ni redn. of thienodipyrroles, 1083
2,2′-Dipyrromethane, oxidn. to dipyrroketones by $Ce(NH_4)_2(NO_3)_6$, 411
Diterpene alkaloids, synth. of aromatic intermed. leading to chasmanine, 1039; synth. of C_2D ring system of denudatine in a model compd., 3307
Diterpenes, lactone derived from dihydropimaric acid, revisn. of struct., 418; synth. of methyl lambertianate, 141
Dixanthogen, butyl,therm. decompn. in soln., mechm., 66
DNA cleavage, rates by 5,8-quinolinequinones, 2653

EDTA (ethylenediamine tetraacetic acid), lig. exch. with Cu(II) complexes, kin. by stopped flow tech., mechm., 3743
Electrochemical redox potentials, reln. to spect. excited states for aza-aromatic derivs., 1454
Electrochemical synthesis, substd. $(C_6H_6)Co(C_6H_5)$, 3350, 3357
Electrochemistry, adsorpn. of 16 R_4NX salts at Hg/electrolyte interface from electrocapillary data, calcn. ΔG_{ads}, 2488; charge storage and other elect. props. of polyacene quinone rad. polymers, 1841; concn. cell based on therm. grad. between two electrodes of Br_2 intercalated in graphite, 3541; detn. ΔG_f^0 and ΔH_f^0 of In^{3+}(aq.) from emf data, 703; redox potls. of metal phthalocyanines in non-aq. media, 2514; redn. of 1,3-diketones, prepn. of 1,2-cyclopropanediols, 1197; use of concn. cell for detn. ionizn. const. D_2O in range 298 K to 523 K, 3553
Electrolytes, aq., heat capacities and dens., 3315; aq. solns., $\bar{V}$ and a struct. model, 824; conc. aq. solns., effect of ion hydrn. on conduct., semi-empirical correln., 2953
Electrolyte solutions, calcn. of activity coeffs. from simplified form of Stokes–Robinson eqn., 9
Electron(s), effect of press. on reacn. rates in liq. alcohols, 1177; ranges and mobilities in liq. hydrocarbons from radiol., mobility model for general liqs., 744; reacns. in HX gases, kin. and mechm., 3580; reacn. rates in liq. alcohols, temp. effect, 1497; solvd. in $EtNH_2$ and THF, correln. of esr and opt. spect., 3110; solvd., formn. and decay during pulse radiol. of liq. n-C_3H_7OH from absorpn. spect., 531; solvd., formn. yield and opt. spect. in N_2H_4 following pulse radiol., 2807; solvd., and ion pairs, formn. in pulse radiol. of solns. of alkali metals in $EtNH_2$, 3672; solvd., opt. absorpn. parameters in ethers, temp. effects, 3693; trapped in irrad. aq. glasses, ir absorpn., 367
Electron affinity, amines in gas phase by flowing afterglow method, 1624
Electronic spectrum (see also Uv spectrum), β-alanine complexes of Co(II), Ni(II), and Cu(II), 2426; CF_3NO in gas and liq., anal. and struct. of excited state, 2658; diazafluorenone isomers in soln., transn. assigns. and MO calcns., 1870; metal complexes with S,N-containing ligs., 2827
Electron microscopy, in study of struct. of polypeptide DNA complexes, 3884
Electron paramagnetic resonance (see Esr)
Electro-optical parameters, calcn. for X_2CZ molecs. (X = H, F, Cl, Br and Z = O, S), 1550
Electrostatic energies, calcn. for pyrochlores and defect fluorites, 2316
Enamines, conjugative and inductive effects of substits. on ionizn. potls. from photoelectron spect., 1521; intramolec. acyln., 1512
Entropy, theor. of prodn. in chem. reacns., 1995
Epimerization, base-catd., in deoxynitroinositols, 2038
Epiramulosin, synth. and confign., 3419
Epoxide cleavage, acid catd. opening in synth. of morphinans and hasubanans, 883
Epoxide opening, by intramolec. displacement by hydroxy, steric effects in medium ring compds., 1372
ESCA, bromo- and iodosilanes and germanes, core binding energies, 3876
Esr, alkali metals in $EtNH_2$ and THF, correln. with opt. spect., 3110; alkyl and alkylperoxy rads. in hydrocarbon glasses, 3833; *cis* and *trans* biacetyl rad. anion, effect of solvent and temp. on equil., 3637; diarylmethyl rads., assigns. and coupling consts., 1744; free rads. from radiol. of alkene + adamantane matrix system, 1405; high-spin Co(II) complexes with O_2, 3424; intermeds. in radiol. liq. H_2O by spin trapping technique, 275; kin. study of formn. and decay of free rads. Me_3GeO_2 and Ph_3GeO_2, thermo. parameters of equil. with dimers, 2669; monoperchlorato complexes of $Mn(H_2O)_6^{2+}$ in aq. $HClO_4$, 878; paramag. species adsd. on type H–Y zeolites, adsd. CO, H_2O, NH_3, 1678; rads. formed in adamantane doped with 5-membered heterocyc. molecs., 1971; semiquinone rad. anions formed in KO_2 oxidn. of catechol derivs. in THF, 1837
Esters, from rad. chain reacns. of hydroxyoxadiazolines with unsatd. compds., 1341
Ethane, 1,2-dibromotetrafluoro-, vap., liq., and polycrysts., ir and Raman spect., assigns. and isomeric structs., 2220; reacn. with CH_3, curved Arrhenius plots at high temp., 3175
Ethanol, effect of press. on electron reacn. rates in, 1177; effect of temp. on electron reacn. rates, 1497; reacn. with O, kin. and mechm., 984
Ethers, solvd. electron spect. in, temp. effects, 3693
Ethoxide ion, E2 elimn. reacn. with 9-(4-substd. benzyl)-fluorene-9-trimethylammonium ions, H/D and N isotope effects, Hammett correlns., kin. and mechm., 2339
Ethylamine, esr and opt. spect. of solns. of alkali metals, assign. of spect., 3110
Ethyl azidoacetate, reacn. with thiophene-2,3-dialdehyde, 1066; reacn. with thiophene-2,5-, -2,4-, and -3,4-dialdehyde, 1074
Ethyl azidoformate, formn. of iminocarboxylic acids by reacn. with heterocyc. thiones, prods. and mechm., 3879
Ethylene, oxidn. in MeOH solns., cat. by Pd(II), kin. and mechm., 1726; polymerizn. induced at high press. by CO_2 laser radn., 2341
N,*N*′-Ethylenebis(salicylideneiminato)cobalt(III) complexes, prepn., props. and struct., 1875
1,1′-Ethylenedicyclopentanol, dehydrn., 2314
Ethylene sulfites, conformn. and stereochem. by ^{13}C nmr, 1428
Ethyl radical, Arrhenius parameters for $C_2H_5 + C_6H_5CH_3$, 482, 1814
Ethyl sulfide, photodecompn., quantum yields, rad. reacns. and prim. process, 1290

Evaporation, effect of oily monolayer on H_2O surface on rate using an interferometric method, 2739
Exchange, H/D, stereoselective of 4',1''-dimethyl-1,2,3,4-dibenzylcyclohepta-1,3-diene-6-one in MeOD, 3809
Exciplexes, between excited singlet ketones and CCl_4, from kin. of fluoresc. quenching, 760
Excited states, sing. and trip. for polycyc. aza-aromatic derivs., reln. to electrochem. redox potls., 1454
Expansibility, app. molal, $NR_4^+X^-$ in H_2O and urea–H_2O mixts., 2163; *t*-butanol–H_2O mixts. by dilatometry, 3800; partial molal of H_2O, effect of solutes, 3073

Fatty acid esters, succinimidyl, for amino acid acylns., 733
Ferric hexafluoroacetylacetonate, γ-radiol. of toluene solns., kin. and mechm., 2116
Fission, ^{238}U by 20–85 MeV ^1H, formn. cross sections for some Ag, In, Pd, and Cd nuclides, 2349
Flames, mechm. of ionizn. of and emission from small amts. of hydrocarbons in H_2 in O_2 diffn. flames, 2919
Flash photolysis, resonance absorpn. tech. in the study of Ge($4^3P_{0,1,2}$), 4
Flash thermolysis, allyl sulfides for prepn. of thiones, 537
Flavin mononucleotide, reacn. with dihydropyridines, kin. and mechm., model for nicotinamide coenzyme regenern. activity, 2974; regenerating agent for nicotinamide coenzyme in prep. oxidoredns., 2969
Fluid mechanics, theory of pairs of hard spheres in a flowing visc. fluid, 3769
Fluorescence, deconvoln. proceds. to obtain nanosec. lifetimes with nanosec. flash lamps, 3246; ketones in soln., quenching by CCl_4, exciplex mechm., 760
Fluorinated pyrroles, synth. by (2 + 3) cycloaddn. of aziridines to perfluoroalkenes, 218
Fluorites, calcn. of Madelung energies, 2316
Formates, chem. ionizn. mass spect., 2029
Free radicals, Σ and Π amido-, formn. in photol. of nitrosamines, reactivity, 3517; C_5–C_7 alkyl, ionizn. potls., ΔH_f of ion, and H^- affins., 990; esr of rads. from radiol. of alkene + adamantane matrix system, 1405; kin. and thermo. parameters of equil. of Me_3GeO_2 and Ph_3GeO_2 rads. with dimers, 2669; rate const. for reacn. CF_3 + NO, 1234
Friedel–Crafts acetylation, anthracene and 9-Me- and 9,10-diMe-derivs., exptl. parameters affording max. yields, mechm., 1777
Fulvic acid, complex with Mn(II), struct. and equil. from ion exch. and nmr, 1239
Fumaramine, struct., 471
Fungal metabolites, synth. of cybullol, 3276
Furan, in adamantane matrix, esr of rads. formed during radiol., mechms. of rad. formn., 1971; ir spect. of gas, liq., soln., and cryst., assigns. in C–H stretching region, 2451; molec. motions in crysts. from pulsed nmr, cryst. struct. models, 2773; 2-phenyl-, conj. effects of substits. in phenyl ring on ^{13}C nmr, 1827
Furano-diterpene(s), synth., 141
3-Furenone, 2,3-dihydro-, substd., synth., 415
2-Furfuraldehyde, photo-excited luminesc., spect., lifetime, quantum yield of $^3n\pi^*$, 3089; photol. of vap. at 253.7 nm, kin. and mechm., 3095
Fused salts (see Molten salts)

Gallium, cryst. and molec. struct. of salicylaldehydatogallium dimethyl dimer, 1278; prepn. and cryst. and molec. struct. of $[Me_3Ga_2(N_2C_4H_5)_3CuO]_2$, 343
Gas chromatography, on polystyrene-coated glass beads, effect of col. and sample condns. on V_{ret}, 3496
Geosmin, synth., 3276
(−)-Geosmin, abs. confign., 910
Germane(s), bromo- and iodomethyl, ESCA, binding energies, 3876
Germanium, cyc. germoxycarbene complexes with Mn and Re, prepn., props. and reacns. with nucleophiles, 2557; Me_3GeO_2 and Ph_3GeO_2 free rads., formn., esr kin. study of decay and equil. with dimers, 2669
Germanium atoms, collisional removal of Ge($4^3P_{0,1,2}$) by added gases, 4
α-D-Glucofuranose, synth. of 3-*C*-cyano-1,2:5,6-di-*O*-isopropylidene, 543
Glutathione, radiol. of aq. solns. of reduced form, kin. and mechm., 1092
Glyceraldehyde, hydroxymethyl acetonide, synth. of oxazolidine and thiazolidine derivs., 1260; 2-mesyloxymethyl acetonide, reacn. of O and S anions with oxazolidine and thiazolidine derivs. of, 2089
Glycerol, mixts. with H_2O, compressibility, 2249
Glycylglycyl-L-histidine-*N*-methyl amide, a compd. which mimics the Cu-transport site of human albumin, cryst. and molec. struct., 1309
Graphite, intercalated with Br_2, emf of concn. cell based on therm. grad., 3541; intercalation of metals from CCl_4 solns., 2505
Graphite intercalates, K, reacn. with hydrocarbons, 2110
Graph theory, to extend Hückel rules to predicn. of aromaticity in polycyc. conjd. non-alternant hydrocarbons, 1789
Grignard reagents, action on hexuronic esters, 1708
Guanazoles, 1-alkyl-, synth., 3620
Guanidinium salts, prepn., 488

N-Haloamide(s), thermol., γ-lactone synth., 136
Halobenzenes, chem. ionizn. reacns. with H_3^+ and CH_5^+, 3439
Halotoluenes, chem. ionizn. reacns. with H_3^+ and CH_5^+, 3439
Hammett relations, in E2 elimn. reacn. of EtO^- with $R(Me)_3N^+$, substit. effects, H/D and N isotope effects, 2339; ionizn. consts. of substitd. phenylazobenzaldoximes, 3260; in reacn. variously substd. ω-chloro and ω-bromoacetophenones with trialkylphosphites, 3626
Haplophytine, cryst. struct. and spect., 726
Hasubanans, synth., 883
Heat capacities, app. molal, $NR_4^+X^-$ in H_2O, D_2O and urea–H_2O mixts., 2163; aq. electrolytes, 3315
Heat capacity of activation, hydrol. of substd. cyclopropyl bromides from kin., 1246
Heavy metal ions, complexing with tannic and humic acids as model for complexing in natural waters, 2600
Heavy water (see Deuterated water)
Helium, simple variational calcn. of energies of very highly excited states of atom, 1543
Heptanal, photo-oxidn. of liq., inhibn. by alcohols, kin. and mechm., 2288
1,7-Heptanediol monoacetate, synth., 935

Heptylsulfates, alkali metal, chem. relaxn. in aq. soln. from ultrasonics, 1162
Heterocyclic quaternary salts, deprotonation equil. in H_2O + DMSO mixts., detn. of acidity fns., 900
Hexamethylenetetramine, rotn. in solid state, calcns. of configns., 769
Hexamethylphosphotriamide, conduct. of electrolytes in and in mixts. with H_2O, 3060
1-Hexene, Hg-photosensd. decompn. of vap., mechm. of prim. decompn., 3117
Hex-2-enopyranosides, synth. of 2,3,6-trideoxy derivs., 2411
Hex-5-enopyranosides, synth. and select. hydrol., 1708
Hex-2-enopyranosid-4-uloses, synth., 2411
Hexylammonium chloride, chem. relaxn. in aq. soln. from ultrasonics, 1162
Hindered rotation, aryl grp. in substd. 4,6-diamino-1-aryl-1,2-dihydro-*s*-triazines from nmr, 3757; Me grps. and cations in tetramethylphosphonium halides from ^1H nmr, 1985
Hippocasine, isoln. from ladybugs, detn. struct., 1807
Hippocasine oxide, isoln. from ladybugs, detn. struct., 1807
Hippodamine, synth., 473
Homosafranic acid, synth., 2310
Hückel rules, for prediction of aromaticity, extension to polycyc. conjd. non-alternant hydrocarbons, 1789
Humic acids, detn. of nature and number of heavy metal ion complexes at equil. in aq. soln. by dialysis, ultrafiltrn. and at. absorpn., model for complexing in natural waters, 2600
Hydrates, of *t*-C_4H_9OH and cyclohexanol, thermo. quantities of self-assocn. in org. solvents from distribn. and isopiestic data, 3929; of 1-C_4H_9OH, thermo. quantities of self-assocn. in org. solvents from distribn. and isopiestic data, 3917; detn. ΔH_{hydr} for several inorg. salt hydrates by Bunsen ice calorimeter, 3163
Hydration, effect on elect. conduct. in conc. electrolyte solns., semi-empir. correlns., 2953
Hydrazine(s), acid-catd. cleavage, 1020; 1,1-bis(diphenylphosphino)-2,2-diMe-, cryst. and molec. struct., 738; pulse radiol., opt. spect. and yield of e^-_{solv}, 2807
Hydrazinium salts, prepn., 488
Hydrocarbons, non-benzenoid, SCF MO calcn. of electronic transns. and ionizn. potls., 3227; oxidn. in H_2 in O_2 diffn. flames, mechm. from ionizn. and emission data, 2919
Hydrodynamic interactions, theory of pairs of hard spheres in a flowing visc. fluid, 3769
Hydrogen, acidity fn. from hydrogenol. of organometallics, 3949; adiabatic coupling correcn. to calcd. energy for H_2, 651; stereoselect. exch. with MeOD of CH_2 adjacent to C=O in 4′,1″-dimethyl-1,2,3,4-dibenzylcyclohepta-1,3-diene-6-one, 3809; use in chem. ionizn. of formates, 2029; use in redn. of binary sulfates, prods., 3651; use in redn. of sulfates, prods., 3646
Hydrogenation, homog., Rh(III) complexes as cats., 313; select. of aliphatic nitro in the presence of benzyloxy, 3377
Hydrogen bond(s), in amidine complexes between phenols and substd. *N*,*N*-dimethyl-*N*′-phenylformamide, 610; in benzimidazole benzimidazolium fluoroborate from cryst. struct., 2482; benzimidazole complex cation, from ir, 2470; *t*-C_4H_9OH and cyclohexanol and their hydrates in org. solvents, thermo. of self-assocn., 3929; 1-C_4H_9OH and hydrates dissolved in org. solvents, thermo. of self-assocn., 3917; α-diazoketones in CCl_4/MeOH mixts. from ir, 2445; in $H_5O_2^+$ from ir, effect of neutral salts, 2193; imidazole complex cation from ir, 2458; imidazole imidazolium perchlorate from cryst. struct., 2465; intramolec. in bromoresorcinols from nmr, 2228; intramolec., detectn. by photoelectron spect. in isomeric 2-aminocyclopentanols and 2-(*N*,*N*-dimethylamino)cyclopentanols, 642; intramolec., in α-hydroxyketones from photoelectron spect., 3203; intramolec., in 7-norbornenols from photoelectron spect., 3206; intramolec. of the OH grp. in 2-trifluoromethylphenol derivs., 2243; piperazine acetone-d_6, NH_e–Cl_3CD *vs.* Cl_3CD–NH_a bonds from nmr, 566; in *cis* and *trans* 2-substd. cycloalkanols from photoelectron spect., 1929; two intramolec. H-bonds to the same carbonyl grp. from nmr, 2231
Hydrogen bromide, radiol. of mixts. with Xe, energy transfer from excited Xe to HBr, kin. and mechm., 3592
Hydrogen chloride, ΔH_{soln} in five aprotic dipolar solvents, detn. basicity of solvents, 2101; SCF–MO calcn. of elect. field grad. at Cl and of other phys. props., 1948
Hydrogen fluoride, $Pb(OAc)_4$–HF as fluorination reag. for 1-C_8H_{16}, mechm., 2417
Hydrogen halides, ir spect. of aq. solns., ir of H_3O^+, 3477; radiol., reacns. of electrons, kin. and mechm., 3580
Hydrogen molecule, accurate calcn. of rotovibrnl. levels by empir. non-adiabatic correcns. to potl. fn., 1865
Hydrogenolysis of unsaturated halides, synth. of deoxy sugars, 2411
Hydrogen peroxide, gas phase X-ray photoelectron spect., O 1s binding energy and bonding, 3811
Hydrogen sulfide, isotope effects in the gas phase radiol. of mixts. with D_2S, 2767
Hydrolysis, aryl esters, catd. by a steroid as a model enzyme, kin. and mechm., 2745; kin. and mechm. of esters retained in surfactant micelles in an aq. phase, 3658; maleimide, kin. from polarog. study, 1400; substd. benzyl nitrates, kin. and detn. ΔC_p^*, mechm., 3614; substd. cyclopropyl bromides, ion-pairs and ΔC_p^* from kin., 1246
Hydronium ions, ir spect. in aq. solns. HX, 3477
Hydroxy aluminum cations, polynuclear, formn. and props. in aq. soln., 1910
(±)-(4*a*,13*b*-*trans*)-(3-Hydroxy-13*b*(*H*)-*trans*)-3-*t*-butyl-2,3,4,4*a*,8,9,13*b*,14-octahydro-1*H*-benzo[6,7]cyclohepta-[1,2,3-*de*]pyrido[2,1-*a*]isoquinolin-3-ol hydrobromide, a neuroleptic, cryst. and molec. struct., 2715
3α-Hydroxy-5α-cholestan-6-one, synth. from 3-ketone, Ni cat., 2581
3α-Hydroxy-5α-cholestan-7-one, synth. from 3-ketone, Ni cat., 2581
α-Hydroxydiazene, synth. and rad. decompn., mechm., 1349
3-Hydroxyindoles, 2,3-diakyl, prepn. of dimers by air oxidn., 1015
α-Hydroxyketones, photoelectron spect., intramolec. H-bonds, 3203

Hydroxylation, anthraquinone sulfonate during its photol. in aq. soln., 512, 516; anthraquinone sulfonate during its radiol. in aq. soln., 505, 516
Hydroxyl groups, in silica, displacements of ir band caused by adsd. species, 1388
Hydroxymethyl glyceraldehyde acetonide, synth. of oxazolidine and thiazolidine derivs., 1260
1-Hydroxy-6-methyl-8-hydroxymethylxanthone, isoln. from *Cyathus intermedius* and synth. via photoenolisn., 1703
2-Hydroxymethyl-5-phenacyloxy-4*H*-pyran-4-one, (phenacylkojate), and NaCl-(phenacylkojate)$_2$, cryst. and molec. struct., 2723
4-Hydroxy-6-methyl-2-pyridone, reacns. with aldehydes, 270
2-Hydroxy-Δ^3-1,3,4-oxadiazolines, reacn. with unsatd. compds., 1341
(+)-(4*a*,13*b*-*trans*)-(3-Hydroxy-13*b*(*H*)-*trans*)-3-(2-propyl)-2,3,4,4*a*,8,9,13*b*,14-octahydro-1*H*-benzo[6,7]cyclohepta-[1,2,3-*de*]isoquinolin-3-ol hydrobromide, a neuroleptic, cryst. and molec. struct., 2715
1-Hydroxypropyl radical, formn. and decay during pulse radiol. of liq. *n*-C_3H_7OH from absorpn. spect., 531
N-Hydroxysuccinimide esters of fatty acids, for amino acid acyln., 733
Hypochlorite ion, oxidn. of NO_2^- in aq. soln., kin. and mechm., 3401

Imidates, prepn. from ketoxime carbonates, 647
Imidazole, cryst. struct. of complex perchlorate, 2465; effect of Mn(II)and Cu(II) on ^{13}C nmr relaxn. rates, 617
Imidazole complex cation, vibrnl. spect. and H-bonding, 2458
4-Imino-1,2,3-benzotriazine, approaches to synth., 290
Iminocarboxylic acids, prepn. by reacn. of heterocyc. thiones with N_3COOEt, prods. and mechm., 3879
Indazoles, monodeutero, synth., 1329
Indium, conducts. and visc. of aq. solns. of $InBr_3$ and $In(NO_3)_3$ at 25 °C, 3732; phase diagram Li + In from DTA and X-ray powder data, 1052
Indium(III) bromide, soly. and phase diagrams for system $InBr_3$ + NaBr + H_2O at 25 °C, 1884
Indium(III) ion, ΔG_f^0 and ΔH_f^0 from electrochem. data, 703
Indium trichloride, hydrol. const. from cat. of inversion of sugar, ternary systems with Et_2O + H_2O and *n*-BuOH + H_2O, 703
Indoles, air oxidn., formn. of dimers, 1015; ^{13}C nmr assigns., 2915; reacn. with phenylhydrazine, prepn. of bisindolylamine derivs., 1020
Indulin, 6B tetrasulfonate, synth. and spect., 2909
Intercalation of metals in graphite, use of solvents, 2505
Interferometry, use in detn. of mechm. of formn. of polarog. max. of 1st kind, 402; use in detn. rate of H_2O evapn. through surface monolayers, 2739
Interionic potentials, models for alkali halide crysts., comp. with exptl. data, 3839
Intermolecular interactions, from nmr medium shifts, calcn. using site-specific continuum model, 254
Internal rotation barriers, in $PhCH_2$–Cl, –Br, and –I from nmr, 3210
Intramolecular S_N2 displacement, hydroxy on epoxide, 1372
Inversion barrier, calcn. for NH_3 using geom. optimizn. method, 526
Inversion temperature, calcn. for noble gases from *pVT* and Joule–Thomson data, comparison with those predicted by theory, 2617
Iodine, addn. to norbornadiene-2,3-dicarboxylate, struct. of prods., 2013
Iodine(I), struct. of Simonini complexes $(RCO_2)_2AgI$ from ir and conduct., 2612
Iodine atom, trajectory calcns. for recombn., 1535
Iodinolysis, carbohydrate allylic sulfonates, 3986
Iodo(methyl)silanes, and germanes, ESCA, binding energies, 3876
Ion decomposition, $C_2H_5N^{+\cdot}$ from study of metastable peaks in various high resoln. mass spect., 1007
Ion exchange, $FeAsO_4$ amorphous solids of various compns. as exch. medium, 2534; props. and applicns. of $FePO_4$ as exch. material, 1892
Ionic dissociation, aq. H_2SO_4 and H_3PO_4 from ultrasonic absorpn. data, detn. equil. consts. and activity coeffs., 3152; cryoscopic studies in CF_3COOH, 3031
Ionization, heterocyc. compds. in H_2O + DMSO mixts., detn. of acidity fns., 900; methoxyamines in H_2O, thermo. fns., 3600; various amines in H_2O, thermo. fns., 3607
Ionization constants, amines and carboxylic acids in H_2O + DMSO and MeOH + DMSO mixts. from emf data, 1899; cinnamic acid in H_2O from emf data, 1916; detn. pK_a for pilocarpinic acid and for protonated quaternary N of pilocarpine, 2094; α,ω-diaminocarboxylic acids from nmr titrns., 3392; org. acids and phenols, effect of complexing with π donors by a potentiometric method, 2141; substd. phenylazobenzaldoximes in EtOH/H_2O, Hammett correlns. and substit. effects, 3260
Ionization potential, C_5–C_7 alkyl rads., 990; enamines from photoelectron spect., conjugative and inductive effects of substits., 1521; photoelectron spectry., effect of two allylic O-atoms on π-bond ionizn., 805
Ion–molecule reactions, CH_5^+ and $C_2H_5^+$ with 3-Me-C_4H_7-1 during γ-radiol. of CH_4 in presence of additives, 555; *t*-$C_4H_9^+$ from radiol. of neo-C_5H_{12} with various C_5H_{10}, kin., 3050; formn. *t*-$C_4H_9^+$ in CH_4, kin. and mechm., 1739; rate consts. for $X^- + CH_3Y \rightarrow CH_3X + Y^-$ for many X and Y in gas phase, comparison with results in soln. and effect of ionic solvn., 1643; $RO^- + CH_2CF_2$ in gas phase by ion cyclotron resonance, kin. and mechm., 1839
Iridium(I) complexes, lig. exch. kin. with grp. IV hydrides, entropy barriers and mechm., 3102
Iridium(III), dimeric arenethiolate complexes, prepn. and characterizn., 1860
Iron(II), bis[*o*-phenylenebis(dimethylarsine)]Fe(II) complexes, ^{57}Fe Mössbauer spect., struct. and bonding, 1285
Iron(III), detn. of unbound species by kin. study of reacn. with sulfosalicylic acid, 3192; $FeAsO_4$ amorphous solids of various compns., prepn. and use in ion exch., 2534; photol. $K_3Fe(C_2O_4)_3$ aq., C isotope effect in formn. of CO_2, effect of wavelength of excitn., mechm., 2577; ΔV^* for Cl^- exch. with Fe^{3+} and $FeOH^{2+}$ from press. effect on laser-induced temp. jump kin., 1820

Iron carbonyl(s), prepn. complexes with fluorocarbon-bridged ligs., Mössbauer spect., bonding, 3185
Iron(III) hexafluoroacetylacetonate, γ-radiol. of toluene solns., kin. and mechm., 2116
Iron(*trans*-σ-perfluoropropenyl) tetracarbonyl iodide, *cis*- and *trans*-, prepn., isoln., struct. from ir, 1700
Iron(III) phosphate, props. and applicns. as ion exch. material, 1892
Ir spectrum (see also Raman spectrum, Vibrational spectrum), adsd. species on silica, theory of OH-band displacements, 1388; aliphatic and cyc. ketones in soln. in nonpolar solvents, effect of temp. on ν_{CO}, interpretn. by anharm. and molec. assocn., 31; [4]annulene (cyclobutadiene) in Ar matrix, vibrnl. assigns., 2679; calcn. of electro-opt. parameters for X_2CZ molecs. (X = H, F, Cl, Br and Z = O, S), 1550; π^5-$C_5H_5Mn(CO)_2(CS)$, effect of state of aggregn., π^5-$C_5H_5Mn(CO)(CS)_2$ solid, 110; CF_2BrCF_2Br, vap., liq., and polycrysts., assigns. and isomeric structs., 2220; diazo and carbonyl stretch bands of α-diazoketones in CCl_4/MeOH mixts., H-bonds, 2445; Fe(*trans*-σ-CF=CFCF$_3$)$(CO)_4$I, detn. of *cis* and *trans* structs., 1700; haplophytine, 726; H_3O^+ in aq. solns. HX, 3477; $H_5O_2^+$ species, effect of neutral salts on H-bonds, 2193; influence of substits. on ν(OH. . .N) in MeOH complexes with substd. pyridines, use in detn. of basicity, 2021; malononitrile crysts., 3293; $(Me_2Sn)_2OCrO_4$, $(Me_2Sn)_2OCO_3$, $(Ph_2Sn)_2OCO_3$, and $[Me_2Sn(NCS)]_2O$, structs., 711; metal complexes with S,N-containing ligs., 2827; N, O, S, Se, and Te 5-membered heterocyc. compds. in gas, liq., soln., and cryst. states, C–H stretching assigns., 2451; NH_3D^+ in polycryst. NH_4ReO_4 and $(NH_4)_2CuCl_4 \cdot 2H_2O$, 892; normal mode anal. and vibrnl. assigns. for monosubstd. isothiazoles, 3850; $Pb(NCS)_2$ complexes, vibrnl. assigns., 1189; perfluoro- and fluoroalkyl complexes of Rh(III), 2077; Simonini complexes $(RCO_2)_2AgI$, 2612; trapped electrons in irrad. aq. glasses, 367; variation in ν_{CO} for $Mo(CO)_{6-n}L_n$ for various ligs. and values of *n*, interpretn. of $\Delta\nu_{CO}$ with L and *n* by empirical charge correln., lig. charge donor scale, 1603
Isomorphinans, 14-hydroxy-, synth., 429
Isopilocarpine, non-epimerizn. to pilocarpine, hydrol. to isopilocarpinic acid, 2094
Isopropyl bromide, solvol. and vp in EtOH/H_2O mixts., transn. state parameters, 3944
1-Isopropyl-4-methyl-4-nitro-1,4-dihydrophenyl acetate, formn. and rearomatizn., 423
Isoproterenol, synth. of structurally reld. compds., 3377
Isoquinoline, kin. and mechms. of formn. of complexes with Ni(II) in various solvents, 2540
Isoquinoline alkaloids, ^{13}C nmr, 2252; *Corydalis ochroleuca*, struct. of fumaramine and bicucullinine, 471
Isoquinolines, ^{13}C nmr, 2252
Isothiazoles, monosubstd., normal mode anal. of ir spect., vibrnl. assigns., 3850
Isothiochromanones, intermeds. in photol. of sulfoxides, 455
Isotope effects, ^{13}C and $^{33,34}S$ on vp of CS_2, 3007; in the gas phase radiol. of $H_2S + D_2S$ mixts., 2767; ionizn. of carboxylic acids in H_2O and D_2O, 2879; on partitn. fns. and thermo. fns. of UF_6, calcn., 160
Isotope exchange, intramolec. in CH_3ND_2 catd. by CH_3NHK, kin. by nmr, mechm., 3775
Isousnic acid, synth., 3721

cis-Jasmone, synth. from levulinic acid, 3869
Joule–Thomson coefficients, for noble gases, calcn. from several potl. fns., comparison with expt., 2617
Juvabione, and derivs., isoln. from *Abies balsamea*, 2365
Juvenile hormone, isoln. of juvabione and derivs. from *Abies balsamea*, 2365

γ-Keto esters, formn. of derivs., 1998
1,4-Ketols, prepn. by oxidative cleavage, 3113
Ketones, aliphatic and cyc., quenching of fluoresc. by CCl_4, exciplex mechm., 760; aliphatic and cyc. in soln. in nonpolar solvents, effect of temp. on ν_{CO} in ir, interpretn. by anharm. and molec. assocn., 31; protonation in H_2SO_4 by ^{13}C nmr, 718; synth. from lithiated amides, 1098; α,β-unsatd., quantum yields and mechms. of prim. photochem. processes, 2127
Ketoxime carbonates, pyrol., 647
Kinetic isotope effects, $^{13}C/^{12}C$ in oxidn. $C_2O_4^{2-}$ by MnO_4^-, 2573; H/D and N in E2 elimn. reacn. of EtO^- with various $R(Me)_3N^+$, substit. effects and Hammett correlns., mechm., 2339; model calcns. for S_N2 reacns., 1146
Kinetics data, optimized least squares treatment, 3330

γ-Lactones, synth. by *N*-haloamide thermol., 136
Ladybug defensive substances, isoln., characterizn., struct., 1807; synth., 473
Lambertianic acid, synth. of methyl ester, 141
Lanthanide iodides, complexes with 3-Me-pyridine-1-oxide, prepn., phys. and spect. props., ^1H nmr, struct., 3169
Lasers, TEA-CO_2, to initiate polymerizn. in high press. C_2H_4, 2341
Lead(IV) acetate, addn. to 1-C_8H_{16} by $Pb(OAc)_4$–HF reag., mechm., 2417; oxidn. of dibenzobicyclo[2.2.2]-octatriene, kin. and mechm., 2004
Lead(II) halides, complexes with S-, O-, and N-containing ligs., prepn., phys. and spect. props., 3430
Lead tetraacetate decarboxylation, 3-methyl-2-carboxy-norbornanes, mechm., 1222
Lead(II) thiocyanate, ir and Raman spect. and struct. of complexes, 1189
Least squares methods, applicn. to rate data, 3330
Lecithin, mol. wt. in toluene, 3070
Ligand exchange, Ir(I) complexes with grp. IV hydrides, kin. and mechm., entropy barriers, 3102
Linear free energy relationships, addn. of sulfenyl chlorides to phenyl substd. 1-phenylpropenes, 695; use in CF_3COOH, MeOH, and H_2O system for detn. formn. of esters and orthoesters, 202
Liquid crystals, ^1H nmr of cyc.-C_3H_5X (X = Cl, Br, CN) in nematic, molec. structs., 2788; use with nmr in study of conformns. of p-$NO_2C_6H_4CO_2H$ and ionic derivs., 500
Liquid mixtures, derivn. of new excess thermo. fns., 3559
Lithium, phase diagram Li + In from DTA and X-ray powder data, 1052

Lithium aluminum hydride, use in reducn. carbohydrate allylic iodides, 3986
Luminescence lifetimes, deconvoln. proceds. for use with nanosec. flash lamps, 3246
2,6-Lutidine complexes, cryst. and molec. struct. of K[Pt(2,6-lutidine)Cl_3], 1002
Lyotropic liquid crystals, ^{2}H-labelled surfactant, ^{2}H nmr, 2283
Lysine, ionizn. equil. from nmr titrns., 3392
Lysine polypeptides, interacn. with DNA from circ. dichroism and electron microscopy, 3884

Madelung energies, calcn. for pyrochlores and defect fluorites, 2316
Magellanine, new *Lycopodium* alkaloid, isoln., characterizn., cryst. and molec. struct., 2893
Magnetic properties, β-alanine complexes of Co(II), Ni(II), and Cu(II), 2426
Maleimide, hydrol. kin. from polarog. study, 1400
Malonic acid, oxidn. by BrO_3^- catd. by Ce(III)/Ce(IV), exptl. and theoret. kin. of oscillating reacn., 2628
Malononitrile, ir and Raman spect., 3293
Manganese, cyc. germoxycarbene complexes, prepn., props. and reacns. with nucleophiles, 2557; lig. substn. of *cis*-$Mn(CO)_4LBr$ by bidentate ligs., kin. and mechm., 2833
Manganese(I), η^5-$C_5H_5Mn(CO)_2(CS)$ and η^5-$C_5H_5Mn(CO)(CS)_2$, vibrnl. spect. and assigns., effect of state of aggregn. on spect., 110
Manganese(II), complexes with fulvic acid, struct. and equil. from ion exch. and nmr, 1239; effect on ^{13}C nmr relaxn. rates in imidazole, 617; monoperchlorato complexes in aq. $HClO_4$, stabil. consts. from esr line widths, 878
Manganese(VI), oxidn $C_2O_4^{2-}$ by MnO_4^-, mechm. from $^{13}C/^{12}C$ kin. isotope effect, 2573
Manganese(I) chloride, tricarbonyl-, phosphino- and thiophosphinatopyrazole complexes, prepn., phys. and spect. props., reactivity, 2697
Manganic acetate, select. acetoxidn. of α,β-enones, prods. and mechm., 3830
Mass spectrometry, characteristics of $C_2H_5N^{+\cdot}$ decompn. from metastable peaks, 1007; chem. ionizn. fragmentn. of halotoluenes and halobenzenes by H_3^+ and CH_5^+, 3439; detn. of $\Delta H_f(N_2H_2)$ and proton affin. of N_2, 1; high press., equil. between K^+ and ethylene diamine in gas phase, thermochem., 2594; ion cyclotron resonance study of kin. and mechm. of $RO^- + CH_2CF_2$, 1839; ionizn. potls., ΔH_f(ion) and H^- affins. for C_5–C_7 alkyl rads., 990; kin. and mechm. of ion–molec. reacns. leading to t-$C_4H_9^+$ from CH_4, 1739; struct. detn. of depsipeptide, pimaydolide, 1355; struct. detn. of depsipeptides, pithomycolide, 1360
Mass spectrum, $BX_n(NCS)_{3-n}$ (X = Cl, Br, I; n = 1, 2), 2135; CH_3SiH_3, CH_3SiD_3, and partially substd. compds., anal. of mixts., 599; formates by CH_4 and H_2 chem. ionizn., 2029; and fragmentn. mechms. for $C_6F_5M(CH_3)_2$ (M = N, P, As), $C_6F_5PX(CH_3)_2$ (X = O, S, Se), and $C_6F_5P(CH_3)_2 \cdot AuX$ (X = Cl, Br, I), 1478
Meisenheimer complexes, trinitrobenzene–phenoxide, acidity in aq. H_2SO_4, aq. and ethanolic HCl, pK_a, acidity fns., 2436
Mercury, adsorpn. of 16 R_4NX salts at Hg/electrolyte interface from electrocapillary data, calcn. ΔG_{ads}, 2488
Mercury(I), complexes with arenes, prepn., spect. props. and struct., 166; complexes with grp. VA and VIA donors, prepn., spect. props., 177
Mercury(II), attempted solvol. of $Ph_2C{=}CPhHgOAc$ and $Ph_2C{=}CPhHgBr$, formn. of $Ph_2C{=}CHPh$, kin. and mechm., 3038; MeHg(II) complexes with inorg. anions, nmr and Raman spect., formn. consts., structs., 2517; methyl-*N*,*N*-diethyldithiocarbamato-, cryst. and molec. struct., ir and Raman spect. and vibrnl. assigns., 3077
Mercury(II) acetate, oxidn. of dibenzobicyclo[2.2.2]-octatriene, kin. and mechm., 2004
Mesitylenesulfonyl triazolides, coupling reag. in diazonucleotide synth., 2689; use in nucleotide synth., 1714
Metacyclophane, 2,3,12,13-tetraselena[4,4]-, prepn., 238
Metal carbonyls, di-*t*-arsine derivs., prepn. 7-coord. complexes, props., structs. from nmr, 2548
Methacrylic acid, poly-, and Na and Rb salts, ΔH_{dlln} in H_2O from calorimetry, 1853
Methane, kin. and mechm. of ion–molec. reacns. leading to t-$C_4H_9^+$, 1739; pyrol., kin. and mechm. of sec. reacns., 3175; quantum mechl. derivn. of selection rules and intensities for ν_3 and ν_4 Raman bands, 2154; γ-radiol., ion–molec. reacns. with 3-Me-C_4H_7-1, 555; use in chem. ionizn. of formates, 2029
Methanol, effect of press. on electron reacn. rates in, 1177; effect of temp. on electron reacn. rates, 1497; mixts. with DMSO, effect of compn. on ionizn. consts. of amines and carboxylic acids from emf data, 1899; reacn. with O, kin. and mechm., 984; ultrasonic absorpn. and velocity for aq. solns. and of mixts. with n-$C_8H_{17}OH$, 355
Methoxyamines, basic ionizn. consts. and thermo. fns. in H_2O, 3600
7-Methoxynorbornene, *syn*- and *anti*-, photoelectron spect., 3206
L-*N*-Methylalanine, isoln. from depsipeptide, 1360
Methylamine-d_2, intramolec. isotope exch. catd. by CH_3NHK, kin. by nmr, mechm., 3775
Methylation, nucleophilic of α-substd. thiocarbonyl grp., mechm. from MO calcns. of configns., 118
N-Methylation, amines, amino acids and peptides, new method, 3310
1-Methylcyclohexene, and cyc.-C_6H_{10}, oxidn. by CrO_2Cl_2, prods. and mechm., 3383
2′-*O*-Methyl cytidine, synth. of derivs., 2689
Methylenecyclobutane, molec. struct. from nmr in nematic phase, 657
Methylene group, calcn. of out-of-plane bending force consts. in series XCH_2^+ and X = CH_2, 795
o-Methylenequinones, derivs. as intermeds. in flash thermol. of *o*-disubstd. benzenes, 3749
Methylfluorosilane(s), abstrn. H-atom by C_2F_5, kin. and mechm., 2359
Methyl group rotation, study by ^{13}C nmr spin–lattice relaxn., 2820
Methylisobutyl ketone, extracn. of HSCN from aq. solns. containing alkali metal cations, influence of ident. of cation on extracn. equil., 19
Methyl isocyanide, therm. isomerizn. in absence of self-heating, clarificn. of mechm., 2380

L-*N*-Methylleucine, isoln. from depsipeptide, 1355
Methylmercury(II) complexes, with inorg. anions, nmr and Raman spect., formn. consts., structs., 2517
3-Methyl-2-norbornane carboxylic acids, decarboxyln. with $Pb(OAc)_4$, mechm., 1222
3-Methylpyridine-1-oxide, complexes with lanthanide iodides, prepn., phys. and spect. props., ^1H nmr, struct., 3169
Methyl radical, reacn. with C_2H_6, curved Arrhenius plots for reacn. at high temp., 3175
Methylsilane, and D-derivs., mass spect., anal. of mixts. of partially deuterated species, 599
Micellar kinetics, in Na heptylsulfate and $C_6H_{13}NH_3Cl$ solns. from ultrasonics, 1162
Micelles, kin. and mechm. of ester hydrol. in aq. phase containing surfactant micelles, 3658
Michael addition, double utilizn. of ethyl acrylate in the synth. of *Ormosia* alkaloids, 97
Mobility, ionic, in hexamethylphosphotriamide and in mixts. with H_2O, 3060; model for electron mobilities in liqs., 744
MO calculation, *ab init.* and MINDO/3, conformns. and long range coupling consts. for substd. benzyl fluoride, 1322; *ab init.* and semiempir. for conformns. of vinylfuran and vinylthiophene, 3216; amino acid – nicotinamide adenine dinucleotide complexes, 59; assocn. depend. of long-range coupling consts. in phenol, 3666; atomic charges, induct. effects, carbonium ion stabil., ^{13}C nmr chem. shifts, alkanes, 2839; configns. of adamantane and hexamethylenetetramine in solid, 769; configns. of α-substd. thiocarbonyl grp., mechm. of nucleophilic methylation, 118; conformn. of NO_2 grp., 2526; conformn. of 1,2,3-triketones, comp. with expt., 210; conformnl. anal. of carbocations and carbanions, 963; conformns. of *o*-substd. benzophenones, 226; detn. of valence angle depend. of nmr H–H coupling consts., 2884; electron dens. in carbonyl compds., correln. with basicity, 297; electronic transns. and dipole moments of diazafluorenone isomers, comp. with expt., 1870; electronic transns. and ionizn. potls. of non-benzenoid hydrocarbons, 3227; energies and shapes of hydrides of elements of first two rows using a perturbational theory, 949; ΔH_f^0 for alkanes from a modified bond additivity scheme, 2085; INDO of $J(^{15}N,^{13}C)$ in aniline, 833; long-range coupling consts. in acyc. conjd. molecs., 2235; methylene grp. out-of-plane bending consts., 795; MINDO/3 and STO-3G MO calcns. of conformns. in $PhCH_2$–Cl, –Br, and –I, 3210; self-diffn. in cryst. adamantane, 783; single-centre SCF, elec. field grad. at Cl in HCl, other phys. props., 1948; spin dens. in diarylmethyl rads., 1744; tautomeric equil. in substd. 4-pyrazolinones, comp. with expt., 1752
Molecular crystals, models for thiophene and furan from pulsed nmr study of molec. motions, 2773
Molecular motion, guest and host molecs. in ethylene oxide-d_4 clathrate hydrate, 3677; in solid pyridinium halides by nmr, 3453
Molten salts, partial press. O_2 over molten V_2O_5 from emf data, thermo. data, 1967; vp of $KAlF_4$ over K_3AlF_6 + $KAlF_4$ melts, thermo. parameters, 3342
Molybdenum, 7-coord. $(CH_3)_2S$ fluxional complexes of MoF_6, prepn., struct. from nmr, 2343; cryst. and molec. struct. of 5,6-dimethylenebicyclo[2.2.1]hept-2-ene molybdenum tricarbonyl, 1958; di-*t*-arsine carbonyl derivs., prepn. 7-coordn. complexes, props., structs. from nmr, 2548; hexacarbonyl-, prepn., props. and cryst. struct. of chelated complexes with di-*t*-phosphine and -arsine derivs., 2871
Molybdenum carbonyls, calcn. of dipole moments for $Mo(CO)_{6-n}L_n$ for various ligs. and values of n from electron donor props. of ligs. detd. from ir, 1612; ν_{CO} in ir $Mo(CO)_{6-n}L_n$ for various ligs. and values of n, interpretn. of $\Delta\nu_{CO}$ with L and n by empirical charge correln., lig. charge donor scale, 1603
Molybdenum sulfide, Co-promoted, cat. for hydrodesulfurizn. of benzothiophenes, 1507
Monolayers, on H_2O surface, effect on rate of H_2O evapn. by an interferometric method, 2739
Monothiobiacetyl, synth. via flash thermol. of allyl sulfides, 537
Morphinans, 14-hydroxy-, synth., 429; synth. hasubanans, 883
Mössbauer spectrum, ^{57}Fe of bis[*o*-phenylenebis(dimethylarsine)]Fe(II) complexes, struct. and bonding, 1285; $Fe_2(CO)_6$ complexes with fluorocarbon-bridged ligs., bonding, 3185; $(Me_2Sn)_2OCrO_4$, $(Me_2Sn)_2OCO_3$, $(Ph_2Sn)_2OCO_3$, and $[Me_2Sn(NCS)]_2O$, structs., 711; organo-Te compds., 3234; ^{125}Te of organo-Te compds., struct. and bonding, 3737; triorganotin derivs. of P oxyacids, implicn. for structs., 2184
Mycosporin, isoln. from *Stereum hirsutum*, struct., 1105
Myrrhine, synth., 473

Naphthalene, 1,4-dihydro-, dehydrogn. by tetrachloro-*p*-benzoquinone, kin. and mechm., 2261
Naphthalenide, Li or Na, in redn. $C_6H_5NO_2$, formn. azo- or azoxybenzene, 1599
1,5-Naphthyridine, and 2,6-, ^1H nmr in nematic liq. cryst., struct. and orientn., 2783
Narcotic antagonists and analgesics, synth. of morphinans and hasubanans, 883
Natural waters, complexing of heavy metal ions from study of tannic and humic acid systems as models, 2600
Naucledérine, synth., 1262
Naucleonine and naucleonidine, struct. and synth., 1262
Nematic liquid crystal, solvent for nmr study of structs. of cyclobutanone and methylenecyclobutane, 657; struct. and orientn. of 1,5- and 2,6-naphthyridine in, from ^1H nmr, 2783
Neopentane, radiol. of vap., formn. of t-$C_4H_9^+$ and their reacns. with various C_5H_{10}, kin., 3050
Neothiobinupharidine, α- and β-sulfoxides, confign. by ^{13}C nmr, 3860
Nickel(II), β-alanine complexes, prepn., mag. and spect. props., 2426; benzoxazole-2-thione complexes, prepn., spect. and mag. props., structs., 85; complex formn. with murexide, kin. in mixed solvents, 706; complexes of formulae $NiM(NCS)_6$, $[NiL]_4[M(NCS)_6]$, $[NiL_6][M(NCS)_6]$, M = Sn(IV), Ti(IV), L = org. base, prepn., mag. and spect. props., struct., 1563; kin and mechms. of formn. of complexes with isoquinoline in various solvents, 2540
Nickel catalyst, Urushibara type A, hydrogn. of steroid diones, 2581

Nickel dialkyldithiophosphates and dialkyldithiocarbamates, reacn. with alkyl hydroperoxides, 390
Nickel di-*n*-butyldithiocarbamate, reacn. with alkylperoxy rads., 382
Nickel diisopropyldithiophosphate, reacn. with alkylperoxy rads., 382
Nicotinamide coenzyme, flavin mononucleotide as regenerating agent to permit use of coenzyme in select. stereospecific preparative oxidns. and redns., 2969; mechm. of regenern. by H transfer from model studies, 2974
Niobium(III), chloro complexes with bidentate ligs., prepn. and characterizn., 2948
Niobium pentachloride, vp of liq. and solid, detn. of ΔH and ΔS for fusion and sublimn., 1692
Nitration, *p*-*t*-butyltoluene, kin., formn. adds., 3978; substit. effects on orientn., 560
Nitric oxide, rate const. for reacn. with CF_3, 1234
Nitrite ion, oxidn. in aq. soln. by ClO^-, kin. and mechm., 3401
Nitro and nitronate groups, non-bonded interacns. of, 2038
Nitrobenzene, mixt. with 2,2,4-trimethylpentane, detn. dielec. const. near crit. point, 1139; redn. with Na or Li naphthalenide, formn. azo- or azoxybenzene, 1599
p-Nitrobenzoic acid, and ionic derivs., conformns. from nmr in oriented liq. crysts., 500
Nitrogen, N–H. . .N and N–H. . .F bonds in benzimidazole benzimidazolium salt from cryst. struct., 2482; N–H. . .N and N–H. . .O bonds in imidazole imidazolium salt from cryst. struct., 2465; proton affin. from mass spectrometry of N_2H_2, 1
Nitrogen compounds, org., redn. by $NaBH_2S_3$, prod. study, 871
Nitro group, stereochem. and protonation from MO calcns., 2526
Nitromethane, mixts. with DMSO, solvents for studies of Ni(II) complex formn. kin., 706
p-Nitrophenyl sulfate, acidol., as std. reacn. for detn. of acidity consts., 673
Nitrosamine(s), liq. phase photol., formn. and reacns. of Σ and Π amido free rads., 3517; photol., reacns. of alkenylnitrosamine rads., 2385
Nmr (general and theory), calcn. of medium shifts from site-specific continuum model, 254; ^{13}C-^1H decoupling in chem. shift assigns., 1449; conformnl. studies by dynamic nmr, struct. of 3,4-dihydro-1,6-benzodiazocine-2,5-dione and Me derivs., 1135; cyclobutanone and methylenecyclobutane in nematic phase, molec. structs., 657; effect of solute–solvent Van der Waal's interacns. on ^{13}C chem. shifts, theory and expt., 2045; effects of [acid] on ^1H and ^{13}C chem. shifts for $(Me)_4N^+$ and $(Et)_4N^+$ in aq. solns. of H_2SO_4, $HClO_4$, and H_3PO_4, use in elucidn. of liq. struct., 1439; exch. of H_2O of hydrn. on U(IV) in aq. soln., 303; MO calcns. of "through-space" spin–spin coupling consts., 800; 1,5- and 2,6-naphthyridine in liq. cryst., struct. and orientn., 2783; p-$NO_2C_6H_4CO_2H$ and ionic derivs., in oriented liq. crysts., conformns., 500; nuclear Overhauser effect, restricted rotn. in dicoumarols, 813; pulsed for study of molec. motions and interacns. in cryst. thiophene and furan, 2773; spin–lattice relaxn. for $(CH_3)_3NBH_3$ from ^1H nmr, 1087; spin–lattice relaxn. for various solutes and solvents in presence Cr(III) complex, mechm. governing T_1, 1332; spin–lattice relaxn. times for study of methyl grp. rotnl. barriers, 2820; use of pulsed Fourier transformn. mode as equivalent to c.w. INDOR, 3526; valence angle depend. of coupling consts., 2884; wideline ^1H of piperidinium salt crysts., molec. motions, 3483
Nmr (^1H), bromoresorcinols, intramolec. H-bonding, 2228; BX_3 adds. with $((Me)_2N)_2C{=}O$ and $((Me)_2N)_2C{=}CH_2$, evaluation of hindered rotn. from chem. shifts, 1130; clathrate hydrates of aldehydes, 3085; chem. shifts of trichloroacetylcarbamates for elucidn. of struct. of *t*-alcohols, 189; chromic esters of *t*-butyl alcohol, 572; $(CF_3COCHCOOC_2H_5)_4U$, effect of temp., 1433; conformnl. studies by dynamic nmr, struct. of 3,4-dihydro-1,6-benzodiazocine-2,5-dione and Me derivs., 1135; cyc.-C_3H_5X (X = Cl, Br, CN) partially oriented nematic liq. phase, structs., 2788; and D, guest and host motions in ethylene oxide-d_4 clathrate hydrate, 3677; of 4,6-diamino-1-aryl-1,2-dihydro-*s*-triazines, substd., hindered rotn. of aryl grp., 3757; dicoumarols and derivs., restricted rotn., OH differentn. by nOe, 813; dihydro-3(2*H*)-furanone derivs., 1449; 2,6-dimethylbenzoyl fluoride, "through-space" spin–spin coupling consts., 800; electrolytes in 1,3-dimethylethyleneurea, solvn. props. of solvent, 3492; fluxional 7-coord. metal carbonyl di-*t*-arsine complexes, structs., 2548; haplophytine, 726; $Hg(P(OMe)_3)_2^{2+}$, 177; ionic and covalent equil. in BX_3 adds. with $((Me)_2N)_2C{=}S$ and $((Me)_2N)_2C{=}Se$, 1121; ionizn. equil. from nmr titrns., 3392; lanthanide iodide complexes with 3-Me-1-pyridine-1-oxide, 3169; metacyclophane, 2,3,12,13-tetraselena[4,4]-, variable temp., 238; MeHg(II) complexes with inorg. anions, detn., formn. consts. and structs., 2517; metal complexes with S,N-containing ligs., 2827; Mn(II) complexes with fulvic acid, struct. and equil. from ion exch. and nmr, 1239; molec. motion in tetramethylphosphonium halides, 1985; negative five-bond and positive six-bond H coupling consts. in acyc. conjugd. molecs., 2235; negative "through-space" coupling between ^{19}F and H, 800; nuclear spin–spin coupling, 800; perfluoro- and fluoroalkyl complexes of Rh(III), 2077; phenol, conformns., coupling consts., effect of H-bonds, 3666; P–H nuclear Overhauser effects, 1918; pseudobases of pyrimidinium ions, 2681; solid pyridinium halides, 3453; spect. parameters for derivs. of $PhCH_2$–Cl, –Br, and –I, 3210; stereochem. of redn. of 3,3,5,5-tetramethylcyclohexanone, 3536; struct. of mycosporin, 1105; substd. benzene sulfonyl fluorides, coupling consts., conformns., 3564; substd. benzyl fluorides, conformns. and long range coupling consts., 1322; 2-substd. cyclohexanones, lin. free energy relns. among conformers, 2759; 1-thiobenzoyl-3,5-dimethylpiperazine, intermolec. H-bonds to $(CD_3)_2CO$ and CCl_3D, 566; through-space H coupling consts. in 2,2′-dihydroxy-4-methoxybenzophenone, 2231; 2-trifluoromethylphenol derivs., 2243; 1,3,5-triphenylpentadienyllithium, geom. and rotnl. barriers, 1464; variable temp. for detn. helical conformn. of 1,4-diphenyl-4-methylpentanetrione, 210; 2-vinylaziridines, stereochem. of ring and around the double bond, 1582; vinylfuran and

vinylthiophene, conformns. and long range coupling consts., 3216

Nmr (^{13}C), 17β-acetyl steroids, reassign. of chem. shifts, 3766; alkyl indoles, revision of assigns., 2915; amino acids related to glycine, predicn. of chem. shifts, 1226; anhydro sugars, confign. effects on chem. shifts, use of ^{13}C–^{1}H coupling consts. in assigns., 2301; antiperiplanar γ effects on ^{13}C shieldings, 3272; bicyclo[2.2.1]-heptanols, 1211; bicyclo[2.2.2]octane derivs., 917; carbonyl and thiocarbonyl compds., 280; chem. shift and T_1 data for revisn. of struct., lactone derived from dihydropimaric acid, 418; chlorodeoxy sugars and redn. prods., 3783; ^{13}C–^{15}N coupling in ^{15}N-enriched *E*-acetophenone oximes, 790; complexes of arenes with Hg_2^{2+} and Ag^+, 166; cyclophanes, conformns., steric and electronic effects on chem. shifts, 3412; dihydro-3(2*H*)-furanone derivs., 1449; effect of solute–solvent Van der Waal's interacns. on ^{13}C chem. shifts, theory and expt., 2045; fluxional 7-coord. metal carbonyl di-*t*-arsine complexes, structs., 2548; D-glucopyranose and 1,6-anhydro-β-D-glucopyranose derivs., 1708; hexahydroechinulins, revision of assigns., 2915; Hg-$(PPh_3)_2^{2+}$, $Hg(P(CF_3)Ph_2)_2^{2+}$, and $Hg_2(P(CF_3)Ph_2)^{2+}$, 177; indazole and its monodeutero derivs., 1329; ionizn. equil. from nmr titrns., 3392; isoquinoline alkaloids, 2252; ketones in H_2SO_4 for protonation studies, 718; 7-methyl-2-norbornyl acetates, 1222; norbornanols, 1211; nortricyclenes, 2013; P–C coupling, 1-, 2-, 3-, and 4-bond, 231; 2-phenylfuran and 2-phenylpyrrole and derivs., conj. effect of substits. on phenyl ring, 1827; phytol–lecithin bilayer struct., elect. field effect, 2059; 2- and 4-pyrones and thiopyrones, 2- and 4-pyridones, 280; relaxn. mechms. for imidazole, Mn(II)–imidazole, Cu(II)–imidazole, 617; relaxn. times for some organophosphorus compds., 1918; shielding effects, hydroxyl, nitrogen, and chlorine, 632; sign of $J(^{15}N,^{13}C)$ in aniline, 833; spin–lattice relaxn. times, anal. in study of rotnl. barriers in methyl grps., 2820; stereochem. depend. of ^{13}C shieldings in norbornane derivs., 1211; stereochem. depend. of shieldings, 917; stereochem. in morpholine derivs., 126; stereochem. of redn. of 3,3,5,5-tetramethylcyclohexanone, 3536; stereochem. of substd. ethylene sulfites, 1428; stereochem. of 1,3,5-trimethyl-4-piperidone, 2432; struct. of mycosporin, 1105; study of hydrol. and epimerizn. of pilocarpine, 2094; substit. chem. shift effects, 1660; γ- and δ-substit. effects on ^{13}C shieldings in norbornane derivs., 1211; substit. effects on chem. shifts, β, γ, and δ, a reinterpretn., 2985; β-substit. effects as fns. of *gauche* interacns. and dihedral angle, 632; δ-substit. effects on shieldings, 917; γ-substit. effects, upfield shift interpretn., 2985; substit. parameters, revisions for methyl indoles, 2915; *p*-substd. benzaldehydes, barriers to internal rotn., 3267; T_1 observns., struct. of phytol–lecithin bilayer, 2059; 4-thiazoline-2-thiones, effect of substits. on chem. shifts, 1660; thiocarbonyl compds., 1660; thiolane sulfoxides, configns., 3860; 1,3,5-triphenylpentadienyllithium, geom. and rotnl. barriers, 1464

Nmr (other nuclei), ^{11}B, equil. among BX_3 (X = I, Br, Cl, F, SCN) and BR_3 (R = C_3H_7, C_4H_9), 2996; ^{19}F, 7-coord. fluxional complexes of WF_6 and MoF_6 with $(CH_3)_2S$, 2343; ^{19}F, 2,6-dimethylbenzoyl fluoride, "through-space" spin–spin coupling consts., 800; ^{19}F, $Hg_2(PF)_{3n}^{2+}$ (n = 1, 2), $Hg_2(P(CF_3)Ph_2)^{2+}$, and $Hg(P(CF_3)Ph_2)_2^{2+}$, 177; ^{19}F, negative "through-space" coupling between ^{19}F and H, 800; ^{19}F, nuclear spin–spin coupling, 800; ^{19}F of perfluoro- and fluoroalkyl complexes of Rh(III), 2077; ^{19}F, substd. benzene sulfonyl fluorides, coupling consts., conformns., 3564; ^{2}H of lyotropic liq. cryst. surfactant solns. with ^{2}H-labelled hydrocarbon chains, 2283; ^{15}N–^{13}C coupling in ^{15}N-enriched *E*-acetophenone oximes, 790; ^{31}P, P–H nuclear Overhauser effects, 1918; ^{31}P, Pt(II) phosphine complexes, variation coupling consts. with solvent, concn., and temp., 2733; ^{31}P, relaxn. times for some organophosphorus compds., 1918; sign of $J(^{15}N,^{13}C)$ in aniline, 833

Nqr, $AsCl_3$ and $SbCl_3$, temp. and press. effects, intermolec. bonding, 2266

Noble gases, derivn. virial and Joule–Thomson coeffs. and inversion temps. from exptl. data, calcn. from several potl. fns., 2617

Non-alternant hydrocarbons, polycyc., conjd., extension of Hückel rules for aromaticity, 1789

Norbornadiene, 2,3-dicarbomethoxy-, addn. of iodine, struct. of prods., 2013; use in prepn. of polydeuterated norcamphor under high temp. – dil. acid condns., 2201

Norbornenes, 7-spiro derivs., synth., 3955; use in prepn. of polydeuterated derivs. of bicyclo[2.2.1]heptanes by hydrn.-exch. mechm., 2213

7-Norbornenol, *syn*- and *anti*-, intramolec. H-bonds from photoelectron spect., 3206

Normal coordinate analysis, $MClF_5$ and MF_6 with M = S, Se, Te, 817

Nortricyclane, use in prepn. of polydeuterated derivs. of bicyclo[2.2.1]heptanes by hydrn.-exch. mechm., 2213

Nortricyclenes, ^{1}H and ^{13}C nmr spect., 2013

Nqr (Nqr follows Nmr)

Nuclear fission, isomeric Rb prods. from reacn. of α-particles with ^{89}Y, sepn. of alkali metal from other prods., statistical interpretn. of trends, 153

Nucleophilic reactivity, in gas phase of many X^- ions in reacn. $X^- + CH_3Y \rightarrow CH_3X + Y^-$ where Y is a halogen by a flowing afterglow method, 1643

Nucleophilic substitution, new correln. of rates with nucleophile struct., 3312

Nucleophilic substitution reactions, model calcns. of kin. isotope effects, 1146

Nucleosides, synth., triazolopyridine and pyridone derivs., 1029

C-Nucleosides, carbocyc. analogues, synth., 849, 861; synth. of bis-homo-anhydro derivs., 2940; synth. of carbocyc. analogs of pyrazofurin-A, 2935; synth. of derivs. of 6-azauracil, 2925

Nucleotide synthesis, arylsulfonyltetrazoles as condensing agents, 670; phosphotriester route, mesitylenesulfonyl triazolide coupling, 1714

5,10,11,12,17,22,23,24-Octahydrotetrabenzo[*a*,*d*,*i*,*l*]cyclohexadecene, synth. of deriv. substd. in positions 11 and 23, 3548

1-Octene, and -1-^{13}C, fluorination by $Pb(OAc)_4$–HF, mechm., 2417

cis-2-Octene, Hg-photosensd. decompn. of vap., mechm. of prim. decompn., 3117

Olefins, isomerizn. on K intercalates, 2110; trisubstd., prepn. from dihydrothiopyrans, 1923
Oligonucleotides, stepwise phosphotriester synth., 2689
Oligopeptides, lin., circ. dichroism, effect of solvent and temp., 70
Oligoribonucleotide, fragment coupling, 2689
Optical rotatory dispersion, calibrn. of apparatus with salts of camphorsulfonic acid, 3200
Organotellurium compounds, Mössbauer spect., struct. and bonding, 3234
Ornithine, ionizn. equil. from nmr titrns., 3392
Orthoester(s), formn. from CF_3CO_2H and MeOH, equil. and lin. free energy relns., 202
Oscillating reaction, oxidn. of malonic acid by BrO_3^- catd. by Ce(III)/Ce(IV), description of exptl. and theor. kin., 2628
Osmometry, detn. mol. wt. of lecithin by, 3070
Osmotic coefficients, electrolytes and non-electrolytes in CF_3COOH, 3031
Oxalate ion, oxidn. by MnO_4^-, mechm. from $^{13}C/^{12}C$ kin. isotope effect, 2573; photodecompn. during photol. $K_3Fe(C_2O_4)_3$ aq., C isotope effect in formn. of CO_2, effect of wavelength of excitn., mechm., 2577
2-Oxa-2,1,3-thiadioxolanes, conformn. and stereochem. by ^{13}C nmr, 1428
2,3-Oxazabicyclo[2.2.1]heptane, synth. via Diels–Alder reacn. with nitroso compds., 867
2-Oxazolidinones, prepn. from *t*-alcohol carbamates, 24
Oxazolophenoxazines, synth., 37
Oxetane, cationic polymerizn., kin. and mechm., 3325
Oxidation, by air of indoles, dimer formn., 1015; by $Ce(NH_4)_2(NO_3)_6$ in pyrrole chem., 411; $C_2O_4^{2-}$ by MnO_4^-, mechm. from $^{13}C/^{12}C$ kin. isotope effect, 2573; cyc.-C_6H_{10} and 1-Me deriv. by CrO_2Cl_2, prods. and mechm., 3383; cyc.-C_4H_9OH by RuO_4 and by RuO_4^{2-}, prods. and mechm., 2124; cyclopentadiene cyclopentadienylcobalt(II) by various methods, electrochem. synth. trisubstd. derivs., 3357; dibenzobicyclo-[2.2.2]octatriene by $Pb(OAc)_4$, $Pb(OAc)_4$/HF, $Tl(OAc)_3$, and $Hg(OAc)_2$, kin. and mechm., 2004; hydrocarbons in H_2 in O_2 diffn. flames, mechm. from ionizn. and emission data, 2919; NO_2^- by ClO^- in aq. soln., kin. and mechm., 3401; olefins catd. by MeOH solns. Pd(II), kin. and mechm., 1726; Pfitzner–Moffatt, use in synth. of 4-pyranone and 4-pyridine derivs., 3377; photo-, liq. heptanal, inhibn. by alcohols, kin. and mechm., 2288; select. and stereospecific of CH(OH) → C=O by use of nicotinamide coenzyme in preparative reacns., 2969; SO_2 catd. by vanadia, kin. and mechm. of diluent gas effect, 665
Oxidative cleavage, *t*-cyclobutanols, use in synth., 3113
Oxine (8-hydroxyquinoline), complex with Cu(II), lig. exch. with EDTA, kin. by stopped flow tech., mechm., 3743
Oxirane, 2-vinyl-, thermol. in gas phase, rearrs. and other prods., isotope effects, kin. and mechm., 3364
8-Oxo-8*H*-1,2,4-oxadiazolo[2,3-*i*]purines, synth., mass spect., 2804
Oxygen, high-spin Co(II) complexes with O_2, prepn. and props., 3424; partial press. over molten V_2O_5 from emf data, thermo. data, 1967; use as esr spin trap for alkyl rads. formed in hydrocarbon glasses, 3833
Oxygen atom, reacns. O + MeOH and O + EtOH, kin. and mechm., 984; quenching of $O(2^1D_2)$ by various gases, kin. from time-resolved absorpn. of resonance radn., 1765
L-2-Oxy-3-methylbutyric acid, isoln. from depsipeptide, 1355, 1360
L-2-Oxy-4-methylvaleric acid, isoln. from depsipeptide, 1355
D-3-Oxy-3-phenylpropionic acid, isoln. from depsipeptide, 1360

Palladium(II) chloride, cat. for oxidn. C_2H_4 in MeOH, kin. and mechm., 1726
Paniculatine, new *Lycopodium* alkaloid, isoln., characterizn., cryst. and molec. struct., 2900
Papain, inactivn. by H_2O_2, repair by cysteine, kin. and mechm., 242
Pencolide, synth. and corroboration of stereochem., 2862
Penicillamine, γ-radiol. in p*H* 5 soln., kin. and mechm., 1938
Pentene(s), reacns. with t-$C_4H_9^+$ ions formed in radiol. of gaseous neo-C_5H_{12}, kin., 3050
3-Penten-2-one, and 4-substd., quantum yields and mechms. of prim. photochem. processes, 2127
Peptides, equil. between Cu(II) and synth. peptide deriv. to mimic Cu(II) binding to human albumin, 1300; new quaternizn. methods, 3310
Perfluoroalkenes, cycloaddn. to aziridines, synth. of fluorinated pyrroles, 218
Perfluoroallyl iodide, reacn. with $Fe_2(CO)_9$, struct. prods. from ir, 1700
Perfluoro-(bi-1-cycloalken-1-yl) bridged ligands, synth., prepn. of complexes with $Mo(CO)_6$ and $W(CO)_6$, 2871
Perfluoroethyl radical, abstrn. H-atom from methylfluorosilanes, kin. and mechm., 2359
Perfluoropropionic anhydride, photol. source of C_2F_5 rads. for kin. studies, 2359
Perhydroazabenzanthracenes, synth., cryst. and molec. struct., 1512
Perhydroazacyclopentaanthracenes, synth., cryst. and molec. struct., 1512
Permanganate ion, ionic species derived from $KMnO_4$ in H_2O/CF_3CO_2H solvents, 440
Peroxyacids, reacn. with cyclohexyl rads., stereoselectivity, 905
Pharmacologically active compounds, 1,3,5-trimethyl-4-piperidine derivs., configns. from nmr, 2432
Phase diagrams, for system $InBr_3 + NaBr + H_2O$ at 25 °C, 1884
Phase transitions, in alkylammonium chlorides from X-ray data, 765; and disorder in solid pyridinium halides by nmr and dsc, 3453
Phenacylkojate, and NaCl-(phenacylkojate)$_2$, cryst. and molec. struct., 2723
Phenanthrenes, hexahydro-, synth., 14-hydroxymorphinans and isomorphinans, 429
Phendimetrazines, stereochem. by ^{13}C nmr, 126
Phenol(s), complexes with *N*,*N*-dimethyl-*N'*-phenylformamides, dipole moments, ΔH_f, H-bonding, struct., 610
Phenoxazines, oxazolo-, synth., 37
Phenoxide ion, σ-complex with trinitrobenzene, pK_a in aq. H_2SO_4, aq. and ethanolic HCl, acidity fns., 2436

1-Phenylpropenes, addn. of 2,4-dinitrobenzenesulfenyl chloride, kin. and mechm., 695
Phenylvinylaziridines, *cis*- and *trans*-, stereospecific synth., therm. rearr. to 2-pyrrolines, 1571
Phosphinatopyrazoles, synth. and props., 2710
Phosphinatopyrroles, synth. and props., 2706
Phosphine(s), prepn., Mössbauer spect. and bonding of $Fe_2(CO)_6$ complexes with fluorocarbon-bridged ligs., 3185
Phosphinohydrazine, $[(C_6H_5)_2P]_2NN(CH_3)_2$, cryst. and molec. struct., 738
Phosphinopyrazoles, synth. and props., 2710
Phosphinopyrroles, synth. and props., 2706
Phospholenes, synth. of derivs. substd. on P, 2402
Phospholes, synth of derivs. substd. on P, 2402
Phosphonates, ^{13}C nmr of epimeric species, hydroxy species, 231
Phosphorescence, 2-furfuraldehyde, spect., lifetime, and quantum yield, 3089
Phosphoric acid, ionic dissocn. consts. in H_2O from ultrasonic absorpn. data, activity coeffs., 3152
Phosphorus, $CdK_2P_2O_7$, cryst. struct., 3319; cryst. and molec. struct. of $[(C_6H_5)_2P]_2NN(CH_3)_2$, 738; effects of P-containing substits. on orientn. during nitrn. of analides, 560; mass spect. fragmentn. mechms. for $C_6F_5P(CH_3)_2$, $C_6F_5PX(CH_3)_2$ (X = O, S, Se), and $C_6F_5P(CH_3)_2 \cdot AuX$ (X = Cl, Br, I), 1478; props. and applicns. of $FePO_4$ as ion exch. material, 1892
Phosphorus acids, triorganotin derivs. of P oxyacids, prepn., vibrnl. and Mössbauer spect., struct., 2184
Photoamidation, acetone, initd. addn. of H_2CO to 2,3,4,6-tetra-*O*-acetyl-1-deoxy-D-*arabino*-hex-1-enopyranose, 91
Photochemistry, fluoresc. quenching of ketones by CCl_4 in liq., exciplex mechm., 760; phosphoresc. spect., lifetime and quantum yield for 2-furfuraldehyde, 3089; quantum yields and mechms. of prim. photochem. processes of α,β-unsatd. ketones, 2127; Rh(III) complexes, 519
Photochromism, equil. between colored and colorless forms. of spiropyranindolines, 576
Photocycloadditions, in prepn. of 1,4-diketones and 1,4-diketols, 3113; to triacetyluridine, 1445
Photodecomposition, β-H abstracn. in sulfoxide photol., 455
Photoelectron spectroscopy, *cis*- and *trans*-2-aminocyclopentanol and *cis*- and *trans*-2-(*N*,*N*-dimethylamino)-cyclopentanol, detectn. intramolec. H-bonds, 642; effect of remote substits. on ionizn. potl., two allylic O-atoms on π-bond ionizn., 805; enamines, conjugative and inductive effects of substits. on ionizn. potls., 1521; 7-norbornenols and 7-methoxynorbornane, intramolec. H-bonds in hydroxy compds., 3206
Photoelectron spectrum, cycloalkanols, *cis* and *trans* 2-substd., correln. with H-bonds, 1929; α-hydroxyketones, intramolec. H-bonds, 3203; thioethers with and without a β-carbonyl, O/S interacns., 3026; 1,2,4-trithiolane and tetraMe-deriv., detn. conformns., 146; X-ray, H_2O_2 vap., O ls binding energy, 3811
Photoenol bromination, peroxide formn., 1703
Photolysis, anthraquinone sulfonate in aq. soln., kin. and mechm., 512, 516; C_4H_9 and $C_4H_9O_2$ rads. trapped in hydrocarbon glasses, esr of prod. species, 3833; $[Co(CN)_6]^{3-}$, *trans*-$[Cr(NH_3)_2(NCS)_4]^-$ and *trans*-$[Cr(en)_2NCSF]^+$ in aq. mixed solvent systems, kin. and mechm., 3794; *trans*-$[Cr(en)_2Br_2]^+$ and *trans*-$[Cr(en)_2Cl_2]^+$, stereochem. and quantum yields of prods., 2335; Et_2S vap., prod. quantum yields, rad. mechms., 1290; 2-furfuraldehyde vap. at 253.7 nm, kin. and mechm., 3095; $K_3Fe(C_2O_4)_3$ aq., C isotope effect in formn. of CO_2, effect of wavelength of excitn., mechm., 2577; mixts. of *cis*-2-C_4H_{10} with SF_6 and other gases in vac. uv, kin. and mechm., 2296; nitrosamines in liq. phase, formn. and reacns. of Σ and Π amido free rads., 3517; *i*-PrCl vap. at 147 and 123.6 nm, mechm., 3470
Photooxidation, liq. heptanal, inhibn. by alcohols, kin. and mechm., 2288
Photorearrangement, substd. thiochromanone sulfoxides, 455
Photosensitization, cyc.-C_5H_{10} by $Cd(^3P_{0,1})$, kin. and mechm., 77; Hg of 1-C_6H_{12} and *cis*-2-C_8H_{16} vap., mechm. of prim. decompn., 3117
Photosubstitution, Rh(III) complexes, 519, 1061
o-Phthalaldehyde monoacetal, formn. with OH grp. of polymer, synth. applicns., 3824
Phthalideisoquinoline alkaloids, conversion into spirobenzylisoquinolines, 1472
Phthalocyanines, of Cr, Mn, Fe, redox potls., 2514
4-Picoline, reacn. with *cis*-$[Pt(DMSO)_2Cl_2]$, isomerizn. of prod. complex, 3224
Picolyl sulfones, synth., 3056
Pilocarpine, epimerizn. to isopilocarpine, hydrol. to pilocarpinic acid, 2094
Pimaric acid, dihydro-, revisn. of struct. of lactone derived by acid treatment, ^{13}C nmr and T_1 data, 418
Pimaydolide, isoln. and struct., 1355
Piperazine, 1-thiobenzoyl-3,5-dimethyl-, intermolec. H-bonds to $(CD_3)_2CO$ and CCl_3D from nmr, 566
Piperidine, 1,3,5-triMe-, stereochem. of derivs., 2432
Piperidinium salts, molec. motions in crysts. from wide-line ^1H nmr, 3483
Pithomycolide, struct., 1360
Platinum, cyc.-C_5H_5 compds., prepn. and reacns., 2068
Platinum(II), cryst. and molec. struct. of K[Pt(2,6-lutidine)Cl_3], 1002; *cis*-dichlorobis(DMSO)-, reacn. with pyridine, 4-picoline, or lutidine, isomerizn. of prod. complex, 3224; *N*-methylcytosine complex, cryst. and molec. struct., 53; phosphine complexes, prepn., ^{31}P nmr, Pt–P coupling consts., variation with solvent, concn., and temp., 2733
Polarography, aza-aromatic derivs., reln. to specific excited states for aza-aromatic derivs., 1454; mechm. of formn. of max. of 1st kind, from interferometry data, 402; in study of hydrol. kin. for maleimide, 1400; substit. effects on polarographic redn. of ketoanilides, 1205
Polyacene quinone radical polymers, charge storage and other elect. props., 1841
Polyelectrolytes, fulvic acid complexes of Mn(II), struct. and equil. from ion exch. and nmr, 1239; ΔH_{dil_n} from calorimetry of aq. solns. of polymethacrylic acid and some salts, 1853
Polymer-bound trityl chloride, in synth., 935
Polymeric reagent, use as protecting grp., select. fnlizn. of polyhydroxy compds., 926

Polymerization, cationic of oxetane, kin. and mechm., 3325; in high press. C_2H_4 induced by CO_2 laser radn., 2341
Polymer supported syntheses, monoprotecting agents for use with sym. dialdehydes, 3824; polyalcohol protectn., 926
Polymethacrylic acid, and Na and Rb salts, ΔH_{dil} in H_2O from calorimetry, 1853
Polynuclear hydroxyaluminum cations, effect of aging on chem. props., 1528; formn. and props. in aq. soln., 1910
Polypeptides, lin., circ. dichroism, effect of solvent and temp., 70
Polystyrene, coated on glass beads as stationary phase for gc, effect of col. and sample condns. on V_{ret}, 3496
Potassium, equil. between K^+ and ethylene diamine in gas phase from high press. mass spect., thermochem., 2594
Potassium aluminum fluoride, vp of $KAlF_4$ over K_3AlF_6 + $KAlF_4$ melts, thermo. parameters, 3342
Potassium ferrioxalate, photol. in aq. solns., mechm. from C isotope effect in CO_2 formn., 2577
Potassium intercalates, reacn. with hydrocarbons, 2110
Potassium methylamide, cat. for intramolec. isotope exch. in CH_3ND_2, kin. by nmr, mechm., 3775
Precoccinelline, synth., 1494
Pressure, effect on electron reacn. rates in liq. alcohols, 1177; effect on kin. of lig. substitn. reacns. of DMSO with $Co(NH_3)_5(DMSO)^{3+}$, mechm. of reacn., 3685; effect on laser-induced temp. jump kin. of exch. of Cl^- with Fe^{3+} and $FeOH^{2+}$, detn. ΔV^*, 1820
Propanedinitrile, ir and Raman spect., 3293
1-Propanol, pulse radiol. of liq., formn. and decay of e_{solv}^- and of rad. transients from absorpn. spect., 531
Propylene carbonate, mixts. with C_6H_5CN and Cl_3CCN, soly. of AgX in, effect of charge distribn. in nitrile on soly. and ion solvn., 1487
Protecting group, use of polymer support in select. reacns. of polyhydroxy compds., 926
Protonation, equil. studies for ketones in H_2SO_4 by ^{13}C nmr, 718
Proton magnetic resonance (see Nmr)
Proton transfer, between org. acids in aq. soln., electrostatic model for substit. and solvent effects on thermo., 1296
Pseudobases, of pyrimidinium ions, formn., struct. and Taft consts., 2681
4-Pyranones, synth. of 2-isopropylamino-1-hydroxyethyl derivs., 3377
2*H*-Pyrans, ring opening reacns., 3986
Pyrazofurin-A, synth. of carbocyc. analogs, 2935
Pyrazole, prepn., 1020
Pyrazolines, synth. from norbornadiene and dimethylphenyldiazomethylphosphonate, photol., 44
2-Pyrazolin-5-one, prepn. and props. of derivs., 993
4-Pyrazolinones, substd., tautomeric equil., exptl. and MO calcns., 1752
5-Pyrazolinones, 3-carbethoxy, synth., 488
5-Pyrazolones, 3-carbethoxy, synth., 488
Pyrazolylphosphine oxides, synth. and props., 2710
Pyrazolylphosphines, synth. and props., 2710
Pyrazolylphosphine sulfides, synth. and props., 2710
Pyridine(s), mode of adsorpn. on zeolite Y, from effect of ion-exch. on laser Raman spect., 586; substd., detn. basicity from ν(OH. . .N) of complexes with MeOH and correln. with Taft–Ehrenson coeffs., 2021; [2,3-*c*]- and [3,2-*c*]-thieno-, synth., 1066; [3,4-*c*]-thieno-, synth., 1074
Pyridinium halides, solid, molec. motion and phase transns. by nmr and dsc, 3453
Pyridones, [2,3-*c*]- and [3,2-*c*]-thieno-, synth., 1066; [3,4-*c*]-thieno-, synth., 1074
4-Pyridones, synth. of 2-isopropylamino-1-hydroxyethyl derivs., 3377
Pyrimidine(s), formn. and structs. of pseudobases, Taft consts., 2681
Pyrochlores, calcn. of Madelung energies, 2316
Pyrolysis (see also Thermal decomposition, Thermolysis), CH_4, kin. and mechm. of sec. reacns., 3175; C_6H_5I in toluene carrier, detn. $D[C_6H_5\text{–}I]$, 2981; $(C_2H_5)_4Sn$ in $C_6H_5CH_3$ carrier, kin., detn. $D[(C_2H_5)_3Sn\text{–}C_2H_5]$, 1814; di-*t*-butyl peroxide in shock wave, unimolec. kin., 581; $Zn(C_2H_5)_2$, kin., 482
Pyrrole(s), fluorinated, synth by (2 + 3) cycloaddn. of aziridines to perfluoroalkenes, 218; ir spect. of gas, liq., soln., and cryst., assigns. in C–H stretching region, 2451; 2-phenyl-, conj. effects of substits. in phenyl ring on ^{13}C nmr, 1827
Pyrrolylphosphine oxides, synth. and props., 2706
Pyrrolylphosphines, synth. and props., 2706

Quantum mechanics, accurate calcn. of rotovibrnl. levels of H_2 by empir. non-adiabatic correcns. to potl. fn., 1865; adiabatic coupling correcn. to calcd. energy for H_2, 651; calcn. of rotnl. barrier in C_2H_6 and inversn. barrier in NH_3 by geom. optimizn. method, 526; convergence problems with the ω-β-variable method to calculate electronic orbitals, 3242; derivn. of selection rules and intensities for ν_3 and ν_4 Raman bands of CH_4, 2154; simple variational calcn. of energies of very highly excited states of He, 1543
Quantum yields, of photosolvn. for $[Co(CN)_6]^{3-}$, *trans*-$[Cr(NH_3)_2(NCS)_4]^-$ and *trans*-$[Cr(en)_2NCSF]^+$ in mixed aq. solvents, 3794
Quaternization, amines, amino acids and peptides, new method, 3310
Quaternization of nitrogen, preferred steric course in morpholine derivs., 126
Quenching, $O(2^1D_2)$ by various gases, kin. from time-resolved absorpn. of resonance radn., 1765
Quinazolino benzotriazine, approaches to synth., 290
5,8-Quinolinequinones, synth., and rates of DNA cleavage induced by these compds., 2653

Radical chain addition, of an α-hydroxydiazene with unsatd. compds., cat mechm., 1345
Radicals, abstrn. of H from OH grp. by, 1349
Radical substitution reactions, cyclohexyl rads. and peroxyacids, stereoselectivity, 905
Radiolysis, adamantane doped with 5-membered heterocyc. molecs., mechms. of rad. formn., esr of rads., 1971; anthraquinone sulfonate in aq. soln., kin. and mechm., 505, 516; aq. solns. of reduced form of glutathione, kin. and mechm., 1092; γ- of CH_4, ion–molec. reacns. of CH_5^+ and $C_2H_5^+$ with 3-Me-C_4H_7-1 additive, 555; deuterated aq. glasses, ir absorpn. by trapped electrons in presence of certain solutes, 367; electron reacns. in

MeOH and EtOH, 1497; gas phase mixts. of H_2S and D_2S, 2767; HX, reacns. of electrons, kin. and mechm., 3580; liq. ethers, temp. effects on electron spect., 3693; liq. H_2O, detecn. of e_{solv}, H, and OH by a spin trapping esr tech., 275; liq. hydrocarbons, free ion yields, electron ranges and mobils., mobil. model, 744; mixts. of Xe + HBr, energy transfer from excited Xe to HBr, kin. and mechm., 3592; neopentane vap., formn. of t-$C_4H_9^+$ and their reacns. with various C_5H_{10}, kin., 3050; penicillamine in pH 5 soln., kin. and mechm., 1938; pulse, alkali metal solns. in $EtNH_2$, formn. of Na^-, 3672; pulse, alkali metal solns. in $EtNH_2$ and THF, correln. of esr and opt. spect., 3110; pulse, anhyd. N_2H_4, opt. spect. and yield of e_{solv}^-, 2807; pulse, n-C_3H_7OH liq., formn. and decay of e_{solv}^- and of rad. transients from absorpn. spect., 531; γ-, toluene solns. of $Fe[CF_3(CO)CH(CO)CF_3]_3$, kin. and mechm., 2116

Raman spectrum (see also Ir spectrum, Vibrational spectrum), anionic complexes CdX_2Y^- (X, Y halogens) in solid, force const. calcns. and vibrnl. assigns., 3641; CF_2BrCF_2Br, vap., liq., and polycrysts., assigns. and isomeric structs., 2220; Hg_2^{2+}–arene complexes, 166; laser, η^5-$C_5H_5Mn(CO)_2(CS)$, effect of state of aggregn., η^5-$C_5H_5Mn(CO)(CS)_2$, 110; laser, pyridine adsd. on zeolite Y, effect of ion-exch. on spect., 586; malononitrile crysts., 3293; MeHg(II) complexes with inorg. anions, structs., 2517; $(Me_2Sn)_2OCrO_4$, $(Me_2Sn)_2OCO_3$, $(Ph_2Sn)_2OCO_3$, and $[Me_2Sn(NCS)]_2O$, structs., 711; $Pb(NCS)_2$ complexes, vibrnl. assigns., 1189; quantum mechl. derivn. of selection rules and intensities for ν_3 and ν_4 Raman bands of CH_4, 2154

Ramulosin, confign. from synth., 3419

Rate data, optimized least squares treatment, 3330

Rearrangement, 1,5 sigmatropic, o-disubstd. benzenes during flash thermol., 3749

Recombination and dissociation, trajectory calcns. for I and Br systems, 1535

Reduction, acetals catd. by cobalt carbonyls, 685; binary sulfates by H_2, prods., 3651; electrochem., of 1,3-diketones, prepn. of 1,2-cyclopropanediols, 1197; metal sulfates by H_2, prods., 3646; Ru(II) complexes by BH_4, mechm., 320; select., chlorodeoxy sugars, 3783; select. and stereospecific of $CH(OH) \rightarrow C{=}O$ by use of nicotinamide coenzyme in preparative reacns., 2969; 3,3,5,5-tetramethylcyclohexanone by $NaBH_4$, stereochem., 3536

Refractive index, binary mixts. of org. liqs., 3125

Regular-solution theory, applicn. to soly. H_2O in nonpolar org. solvents, 3909

Relaxation, norm. modes for rotnl. and vibrnl. in pulse-heated H_2, calcn., effect of T_{init} on relaxn. times, 2372; rotnl., vibrnl., norm. modes for, approx. calcn., 329

Resonance absorption, flash photol. tech. applied to kin. study of Ge($4^3P_{0,1,2}$), 4

Retinol, formn. of stable colored complexes with $SbCl_3$ + 2,3-dichloropropanol, use in anal. of vitamin A, 1757

Retro-Diels–Alder reaction, adds. of steroid 2,4-dienes and acetylenes, 3508

Rhenium, cyc. germoxycarbene complexes, prepn., props. and reacns. with nucleophiles, 2557

Rhenium(I) bromide, tri- and tetracarbonyl-, phosphino- and thiophosphinatopyrazole complexes, prepn., phys. and spect. props., reactivity, 2697

Rhodium(III), bromide complexes, prepn., reacn. with CO, homog. cats. for hydrogn., 313; perfluoro- and fluoroalkyl complexes, prepn., spect. props., struct., 2077

Rhodium(III) dihaloamines, photochem., kin. and mechm., 1061; photochem. substn., 519

Rhoeadine alkaloids, synth. from phthalideisoquinoline alkaloids, 1472

Ribonucleotide synthesis, phosphotriester route, 1714

Ribothymidine, synth., 1445

Rotational barrier, calcn. for C_2H_6 using geom. optimizn. method, 526

Rotational energy, approx. calcn. of norm. modes for relaxn., 329

Rubidium, prodn. of isomers in α-particle irradn. of ^{89}Y, statistical interpretn. of trends, 153

Ruthenium(II), BH_4–phosphine and BH_3CN complexes, prepn., 320

Ruthenium tetroxide, and RuO_4^{2-}, oxidants for cyc.-C_4H_9OH, prods. and mechm., 2124

(Salicylaldehydato)diphenylboron, cryst. and molec. struct., 1168

Salicylaldehydatogallium dimethyl dimer, cryst. and molec. struct., 1278

Salicylic acid, complex with Cu(II), lig. exch. with EDTA, kin. by stopped flow tech., mechm., 3743

Scaled-particle theory, applicn. to mixed aq. solvents, 3800

Selenium, contained in cyclophane, prepn., 238; cryst. struct. of various Cu selenides from X-ray data, 841

Selenocyanate, hydrol. to cyclophane, 238

Selenophane, ir spect. of gas, liq., soln., and cryst., assigns. in C–H stretching region, 2451

Semiquinone radical anion, formn. in KO_2 oxidn. of catechol derivs. in tetrahydrofuran, detecn. by esr, 1837

Sesquiterpenes, isoln. from *Cyathus bulleri*, proof of struct., 910; tricyclo[5.2.1.$0^{1,5}$]dec-8-ene, tricyclo-[5.3.1.$0^{1,5}$]undecane, synth., 1991

Silane(s), bromo- and iodomethyl, ESCA, binding energies, 3876; methyl-, and D-derivs., mass spect., anal. of mixts. of partially deuterated species, 599; methylfluoro-, abstrn. H-atom by C_2F_5, kin. and mechm., 2359

Silver, Simonini complexes with I(I), $(RCO_2)_2AgI$, struct. from ir and conduct., 2612

Silver(0), extincn. coeff. in ir and vis. detd. in irrad. aq. glasses, 367

Silver halides, soly. in C_6H_5CN and Cl_3CCN mixts. with propylene carbonate, interpretn. by ion solvn. and electronic effects in nitriles, 1487

Simonini complexes, $(RCO_2)_2AgI$, prepn., struct. from ir and conduct., 2612

Sodium, formn. Na^- in pulse radiol. of alkali metal solns. in $EtNH_2$, 3672

Sodium borohydride, redn. of 3,3,5,5-tetramethylcyclohexanone, stereochem., 3536; sulfurated, redn. of org. N compds., prod. study, 871

Sodium chloride, complex bis(phenacylkojate)sodium chloride, cryst. and molec. struct., 2723

Solubility, AgX in mixts. of C_6H_5CN or CCl_3CN with propylene carbonate, interpretn. by ion solvn. and

electronic effects in nitriles, 1487; H_2O in non-polar org. solvents, soly. parameters, regular-soln. theory, 3909; $InBr_3$ in $NaBr + H_2O$ at 25 °C, phase diagrams, 1884; mutual of H_2O with alkyl acetates, from calorimetry, 2584
Solution theory, struct. model for $\bar{V}$ of aq. solns. of electrolytes, 824
Solvation, effect on elect. conduct. in conc. aq. solns. of electrolytes, semi-empirical correlns., 2953; effect on thermo. props. of electrolytes, polar molecs., and single ions, correlns. with solvent acidity and basicity, 3283; ions in hexamethylphosphotriamide and in mixts. with H_2O, 3060
Solvent effects, on internal rotn. barriers of substitd. benzaldehydes from ^{13}C nmr, 3267; Ni(II) complex formn. in $DMSO/CH_3NO_2$ mixts., kin., 706; on thermo. of H^+ transfer between org. acids in aq. soln., electrostatic model for, 1296
Solvents, mixed aq., transfer fns. from scaled-particle theory, 3800; non-aq., cryoscopic studies in CF_3COOH, 3031
Solvolysis, $ClCH_2CO_2^-$ in alk. $H_2O + t\text{-}C_4H_9OH$, kin. and mechm., 1687; *exo*- and *endo*-norbornyl sulfonates, comparison of rates as mechanistic criterion, 678; *i*-PrBr in $EtOH/H_2O$ mixts., kin. and trans. state parameters, 3944
Sommelet rearrangement, sulfonium salts, asymm. induction during, 193
Specific heat, partial molal, dil. aq. solns. alcohols, 624
Spectropolarimeters, calibrn. with salts of camphor sulfonic acid, 3200
Sphere tensiometry, mathl. anal. of moving sphere method for detn. of surface tension, 969
Spin–lattice relaxation, in various solutes and solvents from nmr in presence and absence Cr(III) complexes, diffn. and 2nd coordn. sphere mechms. governing T_1, 1332
Spin orbit relaxation, kin. study of $Ge(4^3P_{0,1,2})$, 4
Spin trapping, e_{solv}, H, and OH formed during radiol. of H_2O, 275
Spirobenzylisoquinolines, synth. from phthalideisoquinoline alkaloids, 1472
Spiro[bicyclo[2.2.1]heptene-7,1′-cycloalkan]-2′-ones, synth., 3955
Spiro[norbornene-7,1′-cycloalkan]-2′-ones, synth., 3955
Spiropyranindoline(s), substd., synth. and spect. props., equil. between colored and colorless species, 576
Stereochemistry, NO_2 grp., MO calcns., 2526
Steroids, 17β-acetyl, reassign. of chem. shifts in ^{13}C nmr, 3766; A-ring bromo and cyclopropanol derivs., synth., 2865; 2,4-dienes, Diels–Alder reacns. with acetylenes and retro-Diels–Alder reacns. of adds., joint cleavage of rings A and B, 3508; a model of enzyme cats. for aryl ester hydrol., 2745
Sterols, sitosterol, campesterol, isoln. from *Abies balsamea*, 2365
Stokes–Robinson equation, derivn. of simplified form, 9
Stopped-flow spectrophotometry, kin. and mechms. of formn. of complexes of Ni(II) with isoquinoline in various solvents, 2540
Streptonigrin, synth. of 5,8-quinolinediones as derivs., rates of DNA cleavage, 2653
Strontium, prepn. and structs. of compds. $Cd_{2-x}Sr_xSb_2O_7$ ($0 \leq x \leq 2$), 1665
Substituent effect(s), on thermo. of H^+ transfer between org. acids in aq. soln., electrostatic model for, 1296
Sugars (see Carbohydrates, Disaccharides, Glucose, Maltoses, Oligosaccharides)
Sulfates, binary redn. by H_2, prods., 3651; redn. by H_2, prods., 3646
Sulfenates, intermeds. in photol. of sulfoxides, 455
Sulfenes, *t*-amine zwitterions, reacns. and base size effects, mechm. of reacn. with chloral, 2652
Sulfenyl chlorides, addn. to phenyl substd. 1-phenylpropenes, kin. and mechm., 695; arene-, addn. to alkenes, effect of alkene struct. on kin. and nature of prods., 1253
Sulfide(s), photol. of $(Et)_2S$ vap., prod. quantum yields, mechm., 1290
Sulfonate esters, reacn. with organolithium compds., sulfone synth., 3056
Sulfones, synth. from sulfonate esters, 3056
Sulfonium salts, asymm. induction during Sommelet rearr., 193
Sulfonium ylides, 1,3-bis-, prepn., kin. and thermo. stabils., struct. and bonding, 2847
Sulfonyl chlorides, synth., 498
Sulfosalicylic acid, kin. of reacn. with Fe(III) to detn. unbound species in aq. soln., 3192
Sulfoxides, photochem. rearrs., deoxygenation, 455; reacn. with thionyl chloride to form cyc. sulfinate esters, 3012
Sulfur, chain addn. free rads. to C=S bond during redn. of adamantanethione by 2-adamantanethiol, kin., 3407; $^{33,34}S$ isotope effect on vp of CS_2, 3007
Sulfurated sodium borohydride, $NaBH_2S_3$, redn. of org. N compds., prod. study, 871
Sulfur containing antioxidants, reacn. with alkyl hydroperoxides, 390
Sulfur dioxide, oxidn. catd. by vanadia, kin. and mechm. of diluent gas effect, 665
Sulfur hexafluoride, possible source of chain carriers in vac. uv photol. of mixts. with *cis*-$2\text{-}C_4H_{10}$, 2296
Sulfuric acid, ionic dissocn. consts. in H_2O from ultrasonic absorpn. data, activity coeffs., 3152; reacn. with dihydro-2,2,5,5-tetramethyl-3(2*H*)-furanone, 1449
Surface tension, mathl. anal. of sphere tensiometry, detn. surface tension of water–oil interface, 969
Surfactants, ^2H-labelled in hydrocarbon chains, ^2H nmr of lyotropic liq. crysts., 2283; kin. and mechm. of ester hydrol. in micelles and aq. phase, 3658; monolayers on H_2O surface to reduce rate of evapn., 2739
Symmetrical diol monoacetates, synth., 935

Taft constants, pseudobases of pyrimidinium ions, 2681
Tannic acid, detn. of nature and number of heavy metal ion complexes at equil. in aq. soln. by dialysis, ultrafiltrn. and at. absorpn., model for complexing in natural waters, 2600
Tantalum pentachloride, vp of liq. and solid, detn. of ΔH and ΔS for fusion and sublimn., 1692
Tellurium, Mössbauer spect. of organo-Te compds., struct. and bonding, 3234, 3737
Tellurium chloride pentafluoride, ir and Raman spect., norm. coord. and force const. anal., 817

Tellurophane, ir spect. of gas, liq., soln., and cryst., assigns. in C–H stretching region, 2451
Temperature jump kinetics, laser-induced, for exch. of Cl^- and Fe^{3+} and $FeOH^{2+}$, effect of press., detn. ΔV^*, 1820
Tensiometry, mathl. anal. of moving sphere method for detn. of surface tension, example of water–oil interface, 969
Tertiary alcohol carbamates, prepn., 24
Tetraalkylammonium halides, adsorpn. of 16 salts at Hg/electrolyte interface from electrocapillary data, calcn. ΔG_{ads}, 2488; vols., heat capacities and expansibilities in H_2O, D_2O and urea–H_2O mixts., 2163
Tetraalkylammonium ions, effects of [acid] on ^1H and ^{13}C chem. shifts for $(Me)_4N^+$ and $(Et)_4N^+$ in aq. solns. of H_2SO_4, $HClO_4$, and H_3PO_4, use in elucidation of liq. struct., 1439
Tetraammonium diphosphate, cryst. struct., 2025
Tetrabutylammonium bromide, transfer fns. from scaled-particle theory, 3800
Tetrachloro-*p*-benzoquinone, dehydrogn. reacn. with 1,4-dihydronaphthalene, kin. and mechm., 2261
Tetracyanoethylene, charge-transfer complexes with S containing donors, prepn., spect., formn. consts. and thermo. fns., 3705
Tetrafluoro-*p*-benzoquinone, photol. in dioxane, study of CIDNP and CIDEP, 979
Tetrahydrofuran, esr and opt. spect. of solns. of alkali metals, assign. of spect., 3110
Tetramethylbenzene, nitrn. in $(CH_3COO)_2O$, formn. nitro-derivs. and acetoxy–nitro adds., rearomatizn. of latter, 1795
Tetramethyl-4-nitro-1,4-dihydrophenyl acetate, formn. and rearomatizn. reacns. of, 1795
Tetramethylphosphonium halides, molec. motion from ^1H nmr, 1985
Tetramethylthiourea, and $((Me)_2N)_2C{=}Se$, adds. with BX_3, ionic and covalent equil. from nmr, 1121
Tetramethylurea, adds. with BX_3, hindered rotn. from nmr chem. shifts, 1130
Thallium(III) acetate, oxidn. of dibenzobicyclo[2.2.2]-octatriene, kin. and mechm., 2004
Thermal decomposition (see also Pyrolysis, Thermolysis), alk. soln. of 2-(2′,4′-dinitrophenylamino)-2-deoxy-D-glucose, prod. anal. and mechm., 1394; butyl dixanthogen in soln., mechm., 66; ketoxime carbonates, 647
Thermal isomerization, MeNC in absence of self-heating, clarifican. of mechm., 2380; 2-vinylaziridines, effect of substits. on prods. and mechms., 1590
Thermochemistry, $D[(C_2H_5)_3Sn{-}C_2H_5]$ from $C_6H_5CH_3$ carrier pyrol., 1814; equil. between K^+ and ethylene diamine in gas phase from high press. mass spect., 2594; ΔH_f for Cr^{3+} (aq) and Cr(III) complexes, 1383; ΔH_f(ion) and hydride ion affins. for C_5–C_7 alkyl rads., 990; ΔH(vap → soln) for hydrocarbons in cyc.-C_6H_{12} and DMF from calorimetry, intra- and intermolec. interacns., 3857; ΔH_f for neg. amine ions in gas phase by flowing afterglow method, 1624; ΔH_{dilu} of poly-electrolytes in H_2O from calorimetry, 1853; phase transn. in anthranilic acid near 100 °C, 2509
Thermodynamics, basic ionizn. consts. and thermo. fns. for amines in H_2O, 3607; basic ionizn. consts. and thermo. fns. for methoxyamines in H_2O, 3600; derivn. of excess fns. for liq. mixts., 3559; detn. ΔG_f^0 and ΔH_f^0 of In^{3+}(aq) from emf data, 703; of dielec. const. of partially miscible liqs. near crit. point, 1139; electrolytes, polar molecs. and single ions in pure solvents, correln. of effects of solvent acidity and basicity, 3283; excess vols. of mixts. of Et_2CO + various alcohols, 2676; fusion, sublimation, mp, bp from vp of liq. and solid $NbCl_5$ and $TaCl_5$, 1692; ΔH^E_{mix} for CCl_4 + *n*-alkanes, from flow calorimetry, 1952; H^+ transfer between org. acids in aq. soln., electrostatic model for solvent and substit. effects, 1296; ΔH_{soln} for several salts in H_2O and H_2O + dioxane mixts., single ion ΔH_{transf} H_2O to H_2O + dioxane, 3487; H_2O + alkyl acetate mixts., excess enthalpies, 2584; ionizn. of D_2O 298 K to 523 K, 3553; isotope effects on partitn. and thermo. fns. of UF_6, calcn., 160; K_3AlF_6 + $KAlF_4$ melts and $KAlF_4$ liq., from vp of $KAlF_4$ over mixed melts, 3342; liq. solns. in V + O_2 system from emf data, 1967; reacn. $BaSO_4$ with Na_2CO_3 in aq. suspension at 25 °C, 3872; self-assocn. of *t*-C_4H_9OH, cyclohexanol and hydrates in org. solvents from distribn. and isopiestic data, 3929; self-assocn. of 1-C_4H_9OH and hydrates in org. solvents from distribn. and isopiestic data, 3917
Thermolysis (see also Pyrolysis, Thermal decomposition), 1-diphenylmethyl-2-phenyl- and (−)-(*S*)-1-diphenylmethyl-2-(2-butyl)diazenes, stereochem. and cage effects, CIDNP, mechm., 2639; flash, allyl sulfides for, prepn. of thiones, 537; flash, of *o*-disubstd. benzenes, prods. and mechms., 3749; *N*-haloamides, γ-lactone synth., 136; Na salt of tricarbonyl(acetophenone)-chromium *p*-tosylhydrazone, prods. and mechm., 448; 2-vinyloxirane in gas phase, rearrs. and other prods., isotope effects, kin. and mechm., 3364
Thiamine iodide, cryst. and molec. struct., 3001
Thiazoline-2-thione, complexes with transn. metals, prepn., spect. and mag. props., structs., 1558
Thienodipyrroles, redn. and synth. of dipyrroles, 1083
Thienyl sulfones, synth., 3056
Thiirenium ions, phenyl substd., struct., 3045
Thioacrolein, synth. via flash thermol. of allyl sulfides, 537
Thiobenzaldehyde, synth. via flash thermol. of allyl sulfides, 537
1-Thiobenzoyl-3,5-dimethylpiperazine, intermolec. H-bonds to $(CD_3)_2CO$ and CCl_3D from nmr, 566
Thiocarbonyl group, MO calcns. of configns. of α-substd., mechm. of nucleophilic methylation, 118
Thiochromanones, intermeds. in photol. of sulfoxides, 455
Thiocyanato complexes of Ni(II), prepn., mag. and spect. props., struct., 1563
Thiocyanic acid, extracn. from aq. soln. by *i*-BuCOMe, equil. consts. for dimer formn. with alkali metal cations in aq. phase, 19
Thioethers, with and without a β-carbonyl, photoelectron and uv spect., O/S interacns., 3026
Thiolane sulfoxides, tetramethyl, configns. from ^{13}C nmr, 3860
Thiones, heterocyc., reacn. with N_3COOEt, formn. of iminocarboxylic acids, prods. and mechm., 3879; prepn. by flash thermol., 537
Thionyl chloride, reacn. with sulfoxides to form cyc. sulfinate esters, 3012

Thiophene, in adamantane matrix, esr of rads. formed during radiol., mechms. of rad. formn., 1971; and derivs., charge-transfer complexes with $(CN)_2C{=}C(CN)_2$, prepn., spect., formn. consts. and thermo. fns., 3705; ir spect. of gas, liq., soln., and cryst., assigns. in C–H stretching region, 2451; molec. motions in crysts. from pulsed nmr, cryst. struct. models, 2773
Thiophene-2,3-dialdehyde, and -2,4-, -2,5-, -3,5-, reacn. with ethyl azidoformate, 1066, 1074
2-Thiophenesulfonanilides, conformns. from dipole moments, 1672
Thiophosphinatopyrazoles, synth. and props., 2710
Thiopyrones, ^{13}C nmr spect., 280
Thiyl radicals, reacns. in photol. of $(Et)_2S$ vap., 1290
Thyroid hormones, cryst. and molec. struct. of 2′,3′-dimethyl-3,5-diiodo-D,L-thyronine, implicns. for hormonal potency, 1317
Tin, prepn., ir, Raman, and Mössbauer spect. of $(Me_2Sn)_2OCrO_4$, $(Me_2Sn)_2OCO_3$, $(Ph_2Sn)_2OCO_3$, and $[Me_2Sn(NCS)]_2O$, structs., 711; tetraethyl-, pyrol. in $C_6H_5CH_3$ carrier, kin., detn. $D[(C_2H_5)_3Sn{-}C_2H_5]$, 1814; triorgano-, derivs. of P oxyacids, prepn., vibrnl. and Mössbauer spect., structs., 2184
Tin(IV), complexes of formulae $NiM(NCS)_6$, $[NiL_4][M(NCS)_6]$, $[NiL_6][M(NCS)_6]$, M = Sn(IV), Ti(IV), L = org. base, prepn., mag. and spect. props., struct., 1563
Tin tetrachloride, cat. in Diels–Alder reacns., 3304
Tin tetramethyl, reacn. with CF_3, H-abstrn., rad. exch., kin., 1617
Titanium(IV), complexes of formulae $NiM(NCS)_6$, $[NiL_4][M(NCS)_6]$, $[NiL_6][M(NCS)_6]$, M = Sn(IV), Ti(IV), L = org. base, prepn., mag. and spect. props., struct., 1563
Toluene, carrier method for pyrol. of $(C_2H_5)_4Sn$, Arrhenius parameters for $C_2H_5 + C_6H_5CH_3$, 1814; detn. of V^E for mixts. with $C_6H_5CH_3$, 2280; solns. of Fe$[CF_3(CO)CH(CO)CF_3]_3$, γ-radiol., kin. and mechm., 2116
Transfer functions, mixed aq. solvents, applicns. of scaled-particle theory, 3800
Transfer RNA, synth. of oligonucleotides corresponding to dihydrouridine loop neck region, 1714
Transimination, of anils catd. by transn. metal complexes, kin. and mechm., 3895
Transition metal complexes, homog. cat. of formn. of anils from acetone and anilines and transimination of anils, kin. and mechm., 3895; photochem., kin. and mechm., 1061
Transition metals, complexes with thiazoline-2-thione, prepn., spect. and mag. props., structs., 1558
Transition state theory, reacn. coord. motions in S_N2 reacns., model calcns., 1146
Triacetyluridine, photocycloaddns., 1445
Trianisylvinyl cation, rearr. mechm., 3041
1,2,4-Triazines, use in synth. of analogs of *C*-nucleosides, 2925
Triazolopyridine, synth. by annelation reacns., 1029
Triazolopyridones, regiospecific alkylns, 1029
Tribromo-*m*-carborane, cryst. and molec. struct., 1771
Tricarbonyl(acetophenone)chromium *p*-tosylhydrazone, Na salt, thermol. in pyridine, prods. and mechm., 448
Trichloroacetonitrile, mixts. with propylene carbonate, soly. of AgX in, effect of charge distribn. in nitrile on soly. and ion solvn., 1487
Trichloroacetylcarbamates, from *t*-alcohols, nmr shifts, 189
Trichloroacetylisocyanate, nmr shifts induced by reacn. with *t*-alcohols, 189
1,1,1-Trichloro-2-hydroxy-4-alkanones, alk. MeOH, 1998
Trifluoroacetic acid, and aq. solns., acidity fns., ionic species from $KMnO_4$ in these solns., 440; formn. esters and orthoesters in $MeOH/H_2O$, equil. and lin. free energy relns., 202; use as solvent in cryoscopy of nonelectrolytes, 3031
Trifluoromethanesulfonic acid, protonation of cyclobutane, 1722
Trifluoromethyl radicals, rate const. for reacn. with NO, 1234; reacn. with $(CH_3)_4Sn$, H-abstrn., rad. exch., kin., 1617
Trifluoronitrosomethane, anal. of electronic spect. in gas and liq., struct. of excited state, 2658
1,2,3-Triketones, conformn. by variable temp. nmr, 210
Trimethyl amine, add. with BH_3, spin–lattice relaxn. from ^1H nmr, 1087
Trimethylgermylperoxy radical, and triphenylgermylperoxy, esr detectn. of formn. by photol. $(t\text{-}BuO)_2$ in presence of Me_4Ge or Ph_4Ge, kin. of rad. decay and equil. with dimers, 2669
2,2,4-Trimethylpentane, mixt. with nitrobenzene, detn. dielec. const. near crit. point, 1139
Trinitrobenzene, σ-complex with PhO^-, pK_a in aq. H_2SO_4, aq. and ethanolic HCl, acidity fns., 2436
Tripeptide(s), Cu-binding, cryst. and molec. struct. of glycylglycyl-L-histidine-*N*-methyl amide, 1309
1,3,5-Triphenylpentadienyllithium, geom. and rotnl. barriers, from ^1H and ^{13}C nmr, 1464
Triphenylvinyl cation, rearr. mechm., 3041
Triphenylvinylmercuric acetate, attempted solvol., formn. of $PhHC{=}CPh_2$, kin. and mechm., 3038
Triphenylvinylmercuric bromide, attempted solvol., formn. of $PhHC{=}CPh_2$, kin. and mechm., 3038
Trisulfides, kin. and mechm. of formn. in γ-radiol. of penicillamine in p*H* 5 soln., 1938
1,2,4-Trithiolane, and tetraMe-deriv., conformns. from vibrnl. and photoelectron spect., 146
Tungsten, 7-coord. $(CH_3)_2S$ fluxional complexes of WF_6, prepn., struct. from nmr, 2343; di-*t*-arsine carbonyl derivs., prepn. 7-coord. complexes, props., structs. from nmr, 2548; hexacarbonyl-, prepn. and props. of chelated complexes with di-*t*-phosphine and -arsine derivs., 2871

Ultrasonic absorption, detn. ionic dissocn. consts., activity coeffs. for aq. H_2SO_4 and H_3PO_4, 3152; high intens., decompn. H_2O containing dissolved gases, mechm., 1114; of Na heptylsulfate and $C_6H_{13}NH_3Cl$ solns., 1162; and velocity for MeOH + H_2O solns., 355
Umangite, cryst. struct., 841
Unsaturated compounds, rad. hydro-*t*-butylation, mechm., use in synth., 1345
Uranium-238, fission by 20–85 MeV ^1H, formn. cross sections for some Ag, In, Pd, and Cd nuclides, 2349
Uranium(IV), ethyltrifluoroacetoacetate, prepn., nmr, 1433; exch. of H_2O of hydrn. by nmr, 303

Uranium hexafluoride, calcn. of isotopic effects on partitn. and thermo. fns., 160
Urea(s), BX_3 adds. with $((Me)_2N)_2C{=}S$ and $((Me)_2N)_2C{=}Se$, ionic and covalent equil. from nmr, 1121; mixts. with H_2O, vols., expansibilities and heat capacities of R_4NBr in, 2163
Urushibara nickel A catalyst, hydrogn. of steroid diones, 2581
Usnic acid, condensn. with hydroxylamine, spect. and struct. of prods., 3713; rearr. to isousnic acid, spect. data, 3721
Usnic acid – amine condensations, cryst. and molec. struct., 2795
Uv spectrum (see also Electronic spectrum), amino acid – nicotinamide adenine dinucleotide complexes, 59; thioethers with and without a β-carbonyl, O/S interacns., 3026

Vanadia, cat. for oxidn. of SO_2, kin. and mechm. of diluent gas effect, 665
Vanadium pentoxide, partial press. O_2 over molten V_2O_5 from emf data, thermo. data, 1967
Van der Waal's forces, between solute and solvent, effect on ^{13}C nmr chem. shifts, theory and expt., 2045
Vapor pressure, $KAlF_4$ over $K_3AlF_6 + KAlF_4$ melts, thermo. parameters, 3342; *i*-PrBr in $EtOH/H_2O$ mixts., 3944; various isotopes of CS_2, 3007
Velocity of sound, approx. theory for calcn. of dispersn. with approx. energy-level distribn., 329
Vibrational relaxtion, approx. calcn. of norm. modes for, 329; in chem. activd. alkylcyclobutanes, theory and expt., 943
Vibrational spectrum (see also Ir spectrum, Raman spectrum), benzimidazole complex cation, 2470; $BX_n(NCS)_{3-n}$ (X = Cl, Br, I; n = 1, 2), 2135; Hg(I) complexes with grp. VA and VIA donors, 177; imidazole complex cation, 2458; ir and Raman of $CH_3Hg(S_2CN(C_2H_5)_2)$, vibrnl. assigns., 3077; PbX_2 complexes with S-, O-, and N-containing ligs., 3430; $TeClF_5$, norm. coord. and force const. anal., 817; 1,2,4-trithiolane and tetraMe-deriv., detn. conformns., 146
2-Vinylaziridines, therm. rearr., effect of substits. on prods. and mechms., 1590
Vinyl cations from vinyltriazenes, rearr. mechm., 3041
2-Vinyloxirane, thermol. in gas phase, rearrs. and other prods., isotope effects, kin. and mechm., 3364
Vinylphosphonium salts, reacn. with β-mercaptoaldehydes and ketones, formn. of dihydrothiopyrans, 1923
Virial coefficients, derivn. from exptl. data for noble gases, comparison with calcns. for several potl. fns., 2617
Viscosity, aq. solns. of $InBr_3$, $In(NO_3)_3$, and $AlBr_3$ at 25 °C, 3732; binary mixts. of org. liqs., 3125; substd. benzenes, 1418
Vitamin A, improved colorimetric anal., 1757
Vitamin B_1, cryst. and molec. struct. of thiamine iodide, 3001
Volume, app. molal, $NR_4^+X^-$ in H_2O, D_2O, and urea–H_2O mixts., 2163; excess, detn. in mixts. cyc.-C_6H_{12} + $(C_2H_5)_2CO$, cyc.-C_6H_{12} + C_2H_5CN, and $C_6H_5CH_3$ + C_6H_5CN, 2280; excess, of mixts. of Et_2CO with various alcohols, 2676; partial molal, dil. aq. solns. alcohols, 624; partial molar, struct. model for aq. solns. of electrolytes, 824
Volume of activation, Cl^- exch. with Fe^{3+} and $FeOH^{2+}$ from press. effect on laser-induced temp. jump kin., 1820

Water, adsd. on zeolite, radiol. and esr study of intermeds., 1678; decompn. of liq. containing dissolved gases initd. by high intens. ultrasound, 1114; effect of solutes on temp. of max. dens., 3073; in ethylene oxide-d_4 clathrate hydrate, reorientn. and diffn. by nmr, 3677; excess enthalpies in H_2O + alkyl acetate mixts., 2584; ionizn. consts. of carboxylic acids in H_2O and D_2O, 2879; ionizn. const. D_2O 298 K to 523 K, 3553; ionizn., thermo. from heat capacities and dens. of aq. electrolytes, 3315; ir spect. of H_3O^+ in aq. solns. HX, 3477; mixts. with CH_3CN, dens. at various temps., expansivities, energy–vol. relns., 2813; mixts. with glycerol, compressibility, 2249; presence of $H_5O_2^+$ in aq. acid solns., H-bond props. from ir, 2193; radiol. of liq., detecn. of e_{solv}, H, and OH by a spin trapping esr tech., 275; single ion ΔH_{transf} H_2O to H_2O + dioxane for several ions from ΔH_{soln} data, 3487; soly. in non-polar org. solvents, soly. parameters, regular-soln. theory, 3909; struct. in liq. from effects of [acid] on ^1H and ^{13}C chem. shifts for R_4N^+ in aq. solns. of mineral acids, 1439; ultrasonic absorpn. and velocity for mixts. with MeOH and *n*-PrOH, 355
Weberite, prepn. and structs. of compds. $Cd_{2-x}Sr_xSb_2O_7$ ($0 \leq x \leq 2$), 1665
Wolff–Kishner reduction, epimerizn. at a C atom β to the CO grp., 97

Xanthones, isoln. from *Cyathus intermedius*, 1703
Xenon, radiol. of mixts. with HBr, energy transfer from excited Xe to HBr, kin. and mechm., 3592
X-ray photoelectron spectrum, H_2O_2 vap., O ls binding energy, 3811
X-ray powder data, Li + In phases of various compns., 1052; orthorhombic I and orthorhombic II phases of anthranilic acid, 2509

Yttrium, α-particle irradn., prodn. of isomers of Rb, statistical interpretn. of trends, 153

Zeolite(s), type H–Y, esr study of species formed from radiol. of adsd. CO, H_2O, NH_3, 1678
Zeolite Y, effect of pretreatment on fluoresc. excited by He–Ne laser, effect of zeolite counter ion on laser-Raman spect. of adsd. pyridine, 586

AUTHOR INDEX/REPERTOIRE DES AUTEURS

Abou-Kais, A.
Formation, mobilité et réactivité d'espèces paramagnétiques adsorbées sur zéolithes H—Y irradiées. Une étude par résonance paramagnétique électronique. J. C. Vedrine, J. Massardier et A. Abou-Kais, 1678.

Abramovitch, R. A.
Derivatives of 2-pyrazolin-5-one. IV. Preparation and properties of two spiro[benzothiazoline-2,4′-[2]pyrazoline] derivatives. R. T. Coutts, A.-m. El-hawari, N. J. Pound, and R. A. Abramovitch, 993.

Abrams, G. D.
The synthesis of spiro[bicyclo[2.2.1]heptene-7,1′-cycloalkan]-2′-ones and related benzobicyclo[2.2.1]heptene derivatives. N. F. Feiner, G. D. Abrams, and P. Yates, 3955.

Abu-Eittah, R.
Charge-transfer interaction of bithienyls and some thiophene derivatives with electron acceptors. R. Abu-Eittah and F. Al-Sugeir, 3705.

Adair, D. A. W.
Chemical relaxations in micellar solutions by ultrasonic spectroscopy. II. Sodium heptylsulfate and hexylammonium chloride solutions. D. A. W. Adair, V. C. Reinsborough, H. M. Trenholm, and J. P. Valleau, 1162.

Adam, F. C.
Formation and photolysis of alkyl and peroxy radicals in dilute glass matrices. F. C. Adam and I. R. H. Marshall, 3833.

Adley, T. J.
^{13}C nuclear magnetic resonance spectra of steroids: the assignments of chemical shifts for C-15 and C-16 in 17β-acetyl steroids. D. J. Kim, L. D. Colebrook, and T. J. Adley, 3766.

Ahern, T. P.
Approaches to the synthesis of quinazolino[1,2,3]benzotriazinones. T. P. Ahern, H. Fong, and K. Vaughan, 290.

Alexander, W. A.
The lithium–indium system W. A. Alexander, L. D. Calvert, R. H. Gamble, and K. Schinzel, 1052.

Allen, A. D.
Complexes of niobium(III) with bidentate ligands. A. D. Allen and S. Naito, 2948.

Alonso, S. del V.
Excess volume and viscosity of binary liquid acid–base mixtures. H. N. Sólimo, R. Riggio, J. A. Espindola, S. del V. Alonso, and M. Katz, 3125.

Al-Sugeir, F.
Charge-transfer interaction of bithienyls and some thiophene derivatives with electron acceptors. R. Abu-Eittah and F. Al-Sugeir, 3705.

Altahou, B. M.
Substituent effects on the ionization constants of phenylazobenzaldoximes. A. S. Shawali and B. M. Altahou, 3260.

Alyea, E. C.
Erratum: Synthesis and characterization of some dibasic tridentate Schiff base ligands. E. C. Alyea and A. Malek, 188.

Amberg, C. H.
The catalytic hydrodesulfurization of thiophenes. VIII. Benzothiophene and 2,3-dihydrobenzothiophene. E. Furimsky and C. H. Amberg, 1507.

Amphlett, J. C.
Reactions of trifluoromethyl radicals with iodine and nitric oxide. J. C. Amphlett and L. J. Macauley, 1234.

Anderson, B. F.
Chemistry of proximal π-bond systems. Part IV. The structure of 5,6-dimethylenebicyclo[2,2,1]hept-2-ene molybdenum tricarbonyl. B. F. Anderson, G. B. Robertson, and D. N. Butler, 1958.

André, J. C.
Mécanisme d'inhibition par des alcools de la photo-oxydation de l'heptanal en phase liquide. J. C. André et J. Lemaire, 2288.

Ang, T. T.
A proton magnetic resonance relaxation study of molecular motions in trimethylamine-borane. T. T. Ang and B. A. Dunell, 1087.
A study of molecular motion in tetramethylphosphonium halides by proton magnetic resonance. T. T. Ang and B. A. Dunell, 1985.

ApSimon, J. W.
Revised structure for the γ-lactone derived from acid treatment of dihydroisopimaric acid. J. W. ApSimon, A. M. Holmes, H. Beierbeck, and J. K. Saunders, 418.

Armand, J.
Electrochemical reduction of 1,3-diketones in hydroorganic medium. Preparation of 1,2-cyclopropanediols. J. Armand and L. Boulares, 1197.

Armstrong, D. A.
Cysteine-sensitised formation and repair of mixed disulfide in the oxidation of papain by H_2O_2 and OH radicals. W. S. Lin, G. M. Gaucher, D. A. Armstrong, and M. Lal, 242.
Product yields and mechanism of penicillamine radiolysis at p*H* 5. G. C. Goyal and D. A. Armstrong, 1938.
Hydrogen forming reactions of thermal electrons in hydrogen halides: kinetics and thermodynamics. S. S. Nagra and D. A. Armstrong, 3580.
The xenon sensitised radiolysis of HBr. S. S. Nagra and D. A. Armstrong, 3592.
Arora, P. C.
Photochemical rearrangements of substituted thiochromanone sulfoxides. I. W. J. Still, P. C. Arora, M. S. Chauhan, M.-H. Kwan, and M. T. Thomas, 455.
Arp, P. A.
Orthokinetic collisions of hard spheres in simple shear flow. P. A. Arp and S. G. Mason, 3769.
Arpin, N.
Structure de la mycosporine (P 310). J. Favre-Bonvin, N. Arpin et C. Brevard, 1105.
Ashley, C. A.
Estimation of the stereoselectivity of reduction of 3,3,5,5-tetramethylcyclohexanone by sodium borohydride. D. C. Wigfield, G. W. Buchanan, C. A. Ashley, and S. Feiner, 3536.
Ashraf, M.
Thermolysis of the sodium salt of tricarbonyl(acetophenone)chromium *p*-tosylhydrazone. M. Ashraf, 448.
Aspinall, G. O.
Action of Grignard reagents on hexuronic esters and attempted dehydration of tertiary alcohols to give hex-5-enopyranosides. G. O. Aspinall, O. Igarashi, T. N. Krishnamurthy, W. Mitura, and M. Funabashi, 1708.
Atchekzai, H.
Préparation et étude des isothiocyanatoboranes halogénés. J. Dazord, H. Mongeot, H. Atchekzai et J. P. Tuchagues, 2135.
Avignon, T.
Transfert du champ de forces de l'isothiazole: étude des vibrations moléculaires des dérivés de l'isothiazole monosubstitués en position 3, 4 ou 5. G. Mille, J. Chouteau, T. Avignon et L. Bouscasse, 3850.
Axelson, D. E.
^{13}C T_1 nuclear magnetic resonance study of molecular motion: rotational barriers in hindered methyl groups. D. E. Axelson and C. E. Holloway, 2820.
Ayer, W. A.
A total synthesis of myrrhine, (±)-hippodamine, and (±)-convergine. W. A. Ayer, R. Dawe, R. A. Eisner, and K. Furuichi, 473.
Metabolites of bird's nest fungi. Part 4. The isolation and structure determination of cybullol, a metabolite of *Cyathus bulleri* Brodie. W. A. Ayer and M. G. Paice, 910.
The total synthesis of coccinelline and precoccinelline. W. A. Ayer and K. Furuichi, 1494.
Metabolites of bird's nest fungi. Part 5. The isolation of 1-hydroxy-6-methyl-8-hydroxymethylxanthone, a new xanthone, from *Cyathus intermedius*. Synthesis via photoenolisation. W. A. Ayer and D. R. Taylor, 1703.
Defensive substances of *Coccinella transversoguttata* and *Hippodamia caseyi*, ladybugs indigenous to western Canada. W. A. Ayer, M. J. Bennett, L. M. Browne, and J. T. Purdham, 1807.
Concerning stereochemical assignments from ^{13}C spectra of systems experiencing γ substituent effects. Deshielding antiperiplanar interactions can mislead the unwary. W. A. Ayer, L. M. Browne, S. Fung, and J. B. Stothers, 3272.
Metabolites of bird's nest fungi. Part 6. The synthesis of (±)-cybullol and a new synthesis of (±)-geosmin. W. A. Ayer, L. M. Browne, and S. Fung, 3276.
Aziz, R. A.
Predictions of adiabatic Joule–Thomson coefficients based on modern potentials for noble gases. V. P. S. Nain and R. A. Aziz, 2617.
Baarschers, W. H.
Reactions of organolithium compounds with sulfonate esters. A novel sulfone synthesis. W. H. Baarschers, 3056.
Bachelor, F. W.
Chromyl chloride oxidations. IV. The oxidations of cyclohexene and 1-methylcyclohexene. F. W. Bachelor and U. O. Cheriyan, 3383.
Back, M. H.
The thermal decomposition of methane. II. Secondary reactions, autocatalysis and carbon formation; non-Arrhenius behaviour in the reaction of CH_3 with ethane. C.-J. Chen, M. H. Back, and R. A. Back, 3175.
Back, R. A.
The heat of formation of N_2H_2 and the proton affinity of N_2. C. Willis, F. P. Lossing, and R. A. Back, 1.
Erratum: The heat of formation of N_2H_2 and the proton affinity of N_2. C. Willis, F. P. Lossing, and R. A. Back, 1493.
The photochemistry of 2-furaldehyde vapour. I. Photophysical processes: phosphorescence excited in the $\pi^*\leftarrow n$ transition. A. Gandini, P. A. Hackett, and R. A. Back, 3089.
The photochemistry of 2-furaldehyde vapour. II. Photodecomposition: direct photolysis at 253.7 and 313 nm and Hg($^3P_1$)-sensitized decomposition. A. Gandini, J. M. Parsons, and R. A. Back, 3095.
The thermal decomposition of methane. II. Secondary reactions, autocatalysis and carbon formation; non-Arrhenius behaviour in the reaction of CH_3 with ethane. C.-J. Chen, M. H. Back, and R. A. Back, 3175.

Baer, H. H.
A study of non-bonded interactions of nitro and nitronate substituents in inositols. H. H. Baer and J. Kovář, 2038.
Bahe, L. W.
Partial molar volumes of aqueous 1:1 and 2:1 electrolytes and a structure model. L. W. Bahe and K. A. Jung, 824.
Baird, M. C.
Tertiary phosphine complexes of the cobalt(III) *NN'*-ethylenebis(salicylideneiminato) and bisdimethylglyoximato systems. C. W. Smith, G. W. Van Loon, and M. C. Baird, 1875.
Baker, R. T.
Synthesis, physical properties, and crystal and molecular structure of a binuclear copper(II) complex incorporating 3-methylpyrazolylgallate ligands. R. T. Baker, S. J. Rettig, A. Storr, and J. Trotter, 343.
Bancroft, G. M.
Preparation, Mössbauer and vibrational spectra of diorganotin chromates and carbonates. R. G. Goel, H. S. Prasad, G. M. Bancroft, and T. K. Sham, 711.
Bis[*o*-phenylenebis(dimethylarsine)]Fe(II) complexes: structure and bonding from ^{57}Fe Mössbauer spectra. G. M. Bancroft and G. Cerantola, 1285.
Banerjee, S.
The log k_{exo} *vs.* log k_{endo} correlation as a mechanistic criterion; on the mechanisms of solvolysis of norbornyl derivatives and base-catalyzed isotope exchange of norbornanones. S. Banerjee and N. H. Werstiuk, 678.
Banna, M. S.
The X-ray photoelectron spectrum of hydrogen peroxide. M. S. Banna, D. C. Frost, C. A. McDowell, and B. Wallbank, 3811.
Baranyi, A. D.
Synthesis and vibrational spectra of lead(II) thiocyanate complexes. A. D. Baranyi, R. Makhija, and M. Onyszchuk, 1189.
Barbeau, C.
Pouvoirs donneur et accepteur des ligands dans les dérivés de $Mo(CO)_6$. C. Barbeau et J. Turcotte, 1603.
Moments dipolaires théoriques des dérivés de $Mo(CO)_6$. C. Barbeau et J. Turcotte, 1612.
Barker, W. W.
Pyrochlores. X. Madelung energies of pyrochlores and defect fluorites. W. W. Barker, P. S. White, and O. Knop, 2316.
Barna, G. G.
Vibrational spectra of η^5-cyclopentadienyldicarbonyl(thiocarbonyl)manganese(I) and η^5-cyclopentadienylcarbonyl-(dithiocarbonyl)manganese(I). G. G. Barna, I. S. Butler, and K. R. Plowman, 110.
Barnes, D. J.
Studies of solvolysis. Part IX. Some comments on anion–cation combination reactions. K. Hillier, J. M. W. Scott, D. J. Barnes, and F. J. P. Steele, 3312.
Barradas, R. G.
The hydrolysis of maleimide in alkaline solution. R. G. Barradas, S. Fletcher, and J. D. Porter, 1400.
Bastide, J.
Etude de l'équilibre tautomère des pyrazolinones-4. C. Sabaté-Alduy et J. Bastide, 1752.
Beall, H.
The crystal and molecular structure of tribromo-*m*-carborane. A. A. Sayler and H. Beall, 1771.
Beaupère, D.
Composés carbonylés aromatiques: traitement semi-empirique des influences structurales sur leur basicité. D. Beaupère, J. P. Séguin, R. Uzan et J. P. Doucet, 297.
Becker, H.
Crystal and molecular structure of 8,8-dimethyl-3,5-diphenyl-2,4,6-trioxa-1-azonia-3-bora-5-boranatabicyclo-[3.3.0]octane. S. J. Rettig, J. Trotter, W. Kliegel, and H. Becker, 3142.
Beckett, B. A.
Condensation of *cis*-9-methyl-2-decalone with cyclic β-amino esters: synthesis and X-ray crystallography of perhydroazacyclopentaanthracenes and perhydroazabenzanthracenes. R. B. Kelly, B. A. Beckett, I. Mumtaz, E. Stanley, and P. S. White, 1512.
Beeman, C. P.
Morpholines: stereochemistry and preferred steric course of quaternization. A. J. Jones, C. P. Beeman, M. U. Hasan, A. F. Casy, and M. M. A. Hassan, 126.
Beierbeck, H.
Revised structure for the γ-lactone derived from acid treatment of dihydroisopimaric acid. J. W. ApSimon, A. M. Holmes, H. Beierbeck, and J. K. Saunders, 418.
The shielding effect of heterosubstituents in ^{13}C nuclear magnetic resonance spectroscopy. H. Beierbeck and J. K. Saunders, 632.
The nuclear Overhauser effect between phosphorus and hydrogen in selected organo phosphorus compounds. H. Beierbeck, R. Martino, J. K. Saunders, and C. Benezra, 1918.
A reinterpretation of beta, gamma, and delta substituent effects on ^{13}C chemical shifts. H. Beierbeck and J. K. Saunders, 2985.

Bell, A. W.
The kinetics of the reactions of chlorodithioformate esters with azide ions in 70% aqueous acetone. A. Queen, D. M. McKinnon, and A. W. Bell, 1906.
Bell, R. A.
A synthesis of methyl lambertianate. R. A. Bell and M. Fétizon, 141.
Bell, T. N.
Kinetics of radical exchange in the reaction of CF_3 radicals with tin tetramethyl. T. N. Bell and P. J. Young, 1617.
Hydrogen abstraction by perfluoroethyl radicals from methylfluorosilanes. T. N. Bell, T. Yokota, and A. G. Sherwood, 2359.
Belleau, B.
Ring C substituted 14-hydroxymorphinans and isomorphinans as narcotic antagonists. M. Menard, P. Rivest, B. Belleau, J.-P. Daris, and Y. G. Perron, 429.
Benali-Baitich, O.
Etude de Mn(II) en solution aqueuse perchlorique par résonance paramagnétique électronique. O. Benali-Baitich et E. Wendling, 878.
Benezra, C.
1,3-Dipolar cycloadditions with diazomethylphosphonates. Double pyrazolines derived from norbornadiene. H. Cohen and C. Benezra, 44.
Stereochemical dependence of ^{13}C shieldings and ^{13}C–^{31}P couplings in phosphonates of known geometry. Is there a Karplus-type relationship for P–C–C–C coupling? G. W. Buchanan and C. Benezra, 231.
The nuclear magnetic Overhauser effect between phosphorus and hydrogen in selected organo phosphorus compounds. H. Beierbeck, R. Martino, J. K. Saunders, and C. Benezra, 1918.
Benn, M.
A convenient synthesis of the flavor and scent material (±)-γ-*Z*-6-dodecenolactone and some analogs via *N*-chloroamide thermolysis. M. Benn and K. N. Vohra, 136.
Bennett, M. J.
Defensive substances of *Coccinella transversoguttata* and *Hippodamia caseyi*, ladybugs indigenous to western Canada. W. A. Ayer, M. J. Bennett, L. M. Browne, and J. T. Purdham, 1807.
Benoit, R. L.
Basicité de solvants dipolaires aprotoniques. R. Domain, M. Rinfret et R. L. Benoit, 2101.
Benoiton, N. L.
A new method of quaternizing amines and its use in amino acid and peptide chemistry. F. C. M. Chen and N. L. Benoiton, 3310.
Bentz, W. E.
Chemical and biological studies on 1,2-dihydro-*s*-triazines. XIX. A nuclear magnetic resonance investigation of hindered internal rotation in 1-aryl derivatives. L. D. Colebrook, H. G. Giles, A. Rosowsky, W. E. Bentz, and J. R. Fehlner, 3757.
Bernard, M.-C.
A wide-line nuclear magnetic resonance study of molecular motions in piperidinium salts. M.-C. Bernard, C. Orvig, and D. F. R. Gilson, 3483.
Berry, F. J.
A Mössbauer study of organotellurium compounds. Part II. Halides, acetates, and benzoates. F. J. Berry and C. H. W. Jones, 3737.
Berry, J. E.
Stereomutation of a 1,2,3-triketone: an example of an asymmetric reaction. S. Wolfe, J. E. Berry, and M. R. Peterson, 210.
Bertie, J. E.
[4]Annulene. Comments on its infrared spectrum. S. Masamune, Y. Sugihara, K. Morio, and J. E. Bertie, 2679.
Bérubé, N.
Reactions of $NaBH_2S_3$ with some typical organic nitrogen compounds. J.-R. Brindle, J.-L. Liard, and N. Bérubé, 871.
Betts, R. H.
Carbon kinetic isotope effects in the oxidation of oxalate by permanganate in aqueous solutions of sulfuric acid. R. H. Betts and W. D. Buchannon, 2573.
The dependence on wavelength of ^{13}C isotope effects in photolysis of aqueous solutions of ferric oxalate. R. H. Betts and W. D. Buchannon, 2577.
^{13}C and $^{33,34}S$ isotope effects on the vapour pressure of liquid carbon disulfide. R. H. Betts and W. D. Buchannon, 3007.
Bhatnagar, O. N.
Enthalpies of solution and single ion enthalpies of transfer from water to dioxane–water mixtures. O. N. Bhatnagar, 3487.
Bianchini, J.-P.
Etude du méchanism de la formation de phosphates d'énols à partir de composés carbonyles α-halogénés et de trialcoylphosphites. E. M. Gaydou et J.-P. Bianchini, 3626.

Bindner, P. E.
Isotopic exchange reactions of amines. Part I. An ^2H nuclear magnetic resonance study of the amino to methyl group deuteron exchange in methylamine. J. D. Halliday and P. E. Bindner, 3775.
Bird, P. H.
Crystallographic studies on neuroleptics of the benzocycloheptapyridoisoquinoline series. The crystal structure of butaclamol hydrobromide and the absolute configuration and crystal structure of dexclamol hydrobromide. P. H. Bird, F. T. Bruderlein, and L. G. Humber, 2715.
Bishop, G. G.
Empirical equations for predicting ^{13}C chemical shifts in nuclear magnetic resonance spectra of certain types of amino acids. J. C. MacDonald, G. G. Bishop, and M. Mazurek, 1226.
Black, P. E.
The polymerization of oxetane with hexafluorophosphate salts. P. E. Black and D. J. Worsfold, 3325.
Blades, A. T.
Ion formation in hydrocarbon flames. A. T. Blades, 2919.
Blake, J. A.
An improved colorimetric procedure for the analysis of vitamin A. J. A. Blake and J. J. Moran, 1757.
Block-Bolten, A.
Equilibria in the liquid system V_2O_5–V_2O_4 at temperatures up to 1130 K. A. Block-Bolten, 1967.
Boate, A. R.
The metal complex catalyzed reactions of anils. I. The reaction of acetone with anilines. A. R. Boate and D. R. Eaton, 3895.
Bock, K.
A pulse Fourier transform equivalent of the homonuclear (proton–proton) INDOR experiment. K. Bock, R. Burton, and L. D. Hall, 3526.
Bohme, D. K.
Absolute gas-phase acidities of CH_3NH_2, $C_2H_5NH_2$, $(CH_3)_2NH$, and $(CH_3)_3N$. G. I. Mackay, R. S. Hemsworth, and D. K. Bohme, 1624.
Gas-phase reactions of anions with halogenated methanes at 297 ± 2 K. K. Tanaka, G. I. Mackay, J. D. Payzant, and D. K. Bohme, 1643.
Bolker, H. I.
The reduction of acetals with cobalt carbonyl catalysts. B. I. Fleming and H. I. Bolker, 685.
Bollinger, J.-C.
Etude des mobilités ioniques dans les mélanges eau–hexaméthylphosphotriamide. I. Cas du HMPT pur à 25 °C. J.-C. Bollinger, T. Yvernault, J.-Y. Gal et F. Persin, 3060.
Bolton, G. L.
Reaction rates of electrons in liquid methanol and ethanol: effects of pressure. G. L. Bolton, M. G. Robinson, and G. R. Freeman, 1177.
Reaction rates of electrons in liquid methanol and ethanol: effect of temperature: kinetics of electron reactions prior to solvation. G. L. Bolton, K. N. Jha, and G. R. Freeman, 1497.
Bonora, G. M.
Linear oligopeptides. XXVII. Contribution to the circular dichroism of internal peptide chromophores. C. Toniolo and G. M. Bonora, 70.
Bonsor, D. H.
Complex hydrogen bonded cations. The imidazole/imidazolium complex cation. D. H. Bonsor, B. Borah, R. L. Dean, and J. L. Wood, 2458.
Borah, B.
Complex hydrogen bonded cations. The imidazole/imidazolium complex cation. D. H. Bonsor, B. Borah, R. L. Dean, and J. L. Wood, 2458.
Complex hydrogen bonded cations. The benzimidazole benzimidazolium cation. B. Borah and J. L. Wood, 2470.
Borel, D.
Utilisation de la méthode de Wittig pour la synthèse de vinyl-2 aziridines N-substituées. D. Borel, Y. Gelas-Mialhe et R. Vessière, 1582.
Isomérisation thermique de vinyl-2 aziridines N-substituées. D. Borel, Y. Gelas-Mialhe et R. Vessière, 1590.
Boulares, L.
Electrochemical reduction of 1,3-diketones in hydroorganic medium. Preparation of 1,2-cyclopropanediols. J. Armand and L. Boulares, 1197.
Bouscasse, L.
Transfert du champ de forces de l'isothiazole: etude des vibrations moléculaires des dérivés de l'isothiazole monosubstitués en position 3, 4 ou 5. G. Mille, J. Chouteau, T. Avignon et L. Bouscasse, 3850.
Bovenkamp, J. W.
Synthesis of 5,10,11,12,17,22,23,24-octahydrotetrabenzo[*a*,*d*,*i*,*l*]cyclohexadecene derivatives. R. N. Renaud and J. W. Bovenkamp, 3548.
Boyd, A. W.
The pulse radiolysis of 1-propanol at 147 to 300 K. L. Gilles and A. W. Boyd, 531.

Isotope effects in the gas phase radiolysis of H_2S and D_2S. R. D. McAlpine, O. A. Miller, and A. W. Boyd, 2767.

Boyd, R. K.
Molecular reorientation in crystalline thiophene and furan. W. E. Sanford and R. K. Boyd, 2773.

Bradshaw, D. I.
Mass spectra of some deuterium-labelled methylsilanes and the analysis of mixtures. D. I. Bradshaw, R. B. Moyes, and P. B. Wells, 599.

Braedley, R. J.
Molecular weight of lecithin micelles in toluene by osmometry and Brillouin spectroscopy. R. J. Braedley, D. H. Grant, V. C. Reinsborough, and P. A. Ross, 3070.

Breitholle, E. G.
A total synthesis of (±)-cedrol and (±)-cedrene via an intramolecular Diels–Alder reaction. E. G. Breitholle and A. G. Fallis, 1991.

Brevard, C.
Structure de la mycosporine (P 310). J. Favre-Bonvin, N. Arpin et C. Brevard, 1105.

Brindle, J.-R.
Reactions of $NaBH_2S_3$ with some typical organic nitrogen compounds. J.-R. Brindle, J.-L. Liard, and N. Bérubé, 871.

Brisson, N.
Evaluation of a spin-labeled inhibitor of acetylcholinesterase. C. Kavanagh-Caron, M. Caron, N. Brisson, and H. Dugas, 3545.

Bron, J.
Isotope effect on the thermodynamic quantities of gaseous uranium hexafluoride. J. Bron, 160.
Deuterium isotope effects on the ionization of the lower carboxylic acids in water and deuterium oxide. J. Bron, 2879.

Brooks, W. V. F.
The vibrational spectrum and normal coordinate analysis of tellurium chloride pentafluoride. W. V. F. Brooks, M. Eshaque, C. Lau, and J. Passmore, 817.

Brousseau, R.
Vibrational spectra of crystalline malononitrile. R. Savoie, R. Brousseau, and C. Nolin, 3293.

Brown, A.
Kinetic study of the spin orbit states of atomic germanium, $Ge(4^3P_{0,1,2})$, by time-resolved attenuation of atomic resonance radiation. A. Brown and D. Husain, 4.

Brown, R. J. C.
Nuclear quadrupole resonance and intermolecular interactions: temperature and pressure effects in Group V trichlorides. G. C. Gillies and R. J. C. Brown, 2266.

Brown, R. S.
Erratum: A photoelectron investigation of acyl silanes: the photoelectron spectra of trimethylsilyl phenyl ketone and phenyl *tert*-butyl ketone. R. S. Brown, 188.
Photoelectron studies on intramolecularly hydrogen-bonded systems. I. The photoelectron spectra of *cis*- and *trans*-2-aminocyclopentanol, and *cis*- and *trans*-2-(*N*,*N*-dimethylamino)cyclopentanol. R. S. Brown, 642.
The influence of remote substituents upon ionization potential. Part I. The effect of two allylic oxygens upon the ionization of the π-bond. R. S. Brown, 805.
Influence of remote substituents on ionization potential. Part II. Enamines. R. S. Brown, 1521.
Application of photoelectron spectroscopy to intramolecularly hydrogen-bonded systems. Part III. The photoelectron spectra of *cis* and *trans* 2-substituted cyclopentanols and *cis* and *trans* 2-substituted cyclohexanols. R. S. Brown, 1929.
Application of photoelectron spectroscopy to intramolecularly hydrogen-bonded systems. Part II. On the n–π* blue shift of carbonyl-containing molecules. R. S. Brown, 3203.
Application of photoelectron spectroscopy to intramolecularly hydrogen-bonded systems. Part IV. π-Systems; the photoelectron spectra of *syn*- and *anti*-7-norbornenol. R. S. Brown, 3206.

Browne, L. M.
Defensive substances of *Coccinella transversoguttata* and *Hippodamia caseyi*, ladybugs indigenous to western Canada. W. A. Ayer, M. J. Bennett, L. M. Browne, and J. T. Purdham, 1807.
Concerning stereochemical assignments from ^{13}C spectra of systems experiencing γ substituent effects. Deshielding antiperiplanar interactions can mislead the unwary. W. A. Ayer, L. M. Browne, S. Fung, and J. B. Stothers, 3272.
Metabolites of bird's nest fungi. Part 6. The synthesis of (±)-cybullol and a new synthesis of (±)-geosmin. W. A. Ayer, L. M. Browne, and S. Fung, 3276.

Brownstein, S.
Lewis base complexes of tungsten and molybdenum hexafluorides. S. Brownstein, B. H. Christian, G. Latremouille, and A. Steigel, 2343.

Bruderlein, F. T.
Crystallographic studies on neuroleptics of the benzocycloheptapyridoisoquinoline series. The crystal structure of butaclamol hydrobromide and the absolute configuration and crystal structure of dexclamol hydrobromide. P. H. Bird, F. T. Bruderlein, and L. G. Humber, 2715.

Buben, D.
A potentiometric study of the effects of molecular complexing on acid–base equilibria. A. K. Colter and D. Buben, 2141.
Buchanan, G. W.
Stereochemical dependence of ^{13}C shieldings and ^{13}C–^{31}P couplings in phosphonates of known geometry. Is there a Karplus-type relationship for P–C–C–C coupling? G. W. Buchanan and C. Benezra, 231.
A study of ^{13}C–^{15}N couplings and revised ^{13}C shieldings in ^{15}N-enriched *E*-acetophenone oximes. G. W. Buchanan and B. A. Dawson, 790.
A stereochemical investigation of substituted ethylene sulfites via ^{13}C nuclear magnetic resonance. G. W. Buchanan and D. G. Hellier, 1428.
Estimation of the stereoselectivity of reduction of 3,3,5,5-tetramethylcyclohexanone by sodium borohydride. D. C. Wigfield, G. W. Buchanan, C. A. Ashley, and S. Feiner, 3536.
Buchannon, W. D.
Carbon kinetic isotope effects in the oxidation of oxalate by permanganate in aqueous solutions of sulfuric acid. R. H. Betts and W. D. Buchannon, 2573.
The dependence on wavelength of ^{13}C isotope effects in photolysis of aqueous solutions of ferric oxalate. R. H. Betts and W. D. Buchannon, 2577.
^{13}C and $^{33,34}S$ isotope effects on the vapour pressure of liquid carbon disulfide. R. H. Betts and W. D. Buchannon, 3007.
Buddenbaum, W. E.
^{13}C kinetic isotope effects and reaction coordinate motions in transition states for S_N2 displacement reactions. W. E. Buddenbaum and V. J. Shiner, Jr., 1146.
Buemi, G.
Electronic absorption spectra and dipole moments of diazafluoren-9-ones studied by the MIM, PPP, and CNDO/2 methods. C. Gandolfo, G. Buemi, D. Grasso, and S. Fasone, 1870.
Bulat, J. A.
A practical synthesis of *cis*-jasmone from levulinic acid. J. A. Bulat and H. J. Liu, 3869.
Bunce, N. J.
On the constitutions of silver iodine dibenzoates (Simonini complexes). N. J. Bunce and M. Hadley, 2612.
Buncel, E.
The acidolysis of *p*-nitrophenyl sulfate. A kinetic spectrophotometric method for evaluation of pK_a. E. Buncel and C. Chuaqui, 673.
Equilibrium protonation of the 1,3,5-trinitrobenzene–phenoxide σ-complex. E. Buncel and W. Eggimann, 2436.
Hydrogenolysis of organometallics and the acidity of hydrogen. E. Buncel and B. C. Menon, 3949.
Burchill, C. E.
The radiation chemistry of aqueous solutions of sodium 9,10-anthraquinone-2-sulfonate. C. E. Burchill, D. M. Smith, and J. L. Charlton, 505.
The aqueous photochemistry of sodium 9,10-anthraquinone-2-sulfonate. J. L. Charlton, R. G. Smerchanski, and C. E. Burchill, 512.
Burke, P. M.
The assignment of ^1H and ^{13}C chemical shifts for dihydro-3(2*H*)-furanone derivatives by means of specific ^2H labelling experiments and $^{13}C\{^1H\}$ decoupling experiments. P. M. Burke, W. F. Reynolds, J. C. L. Tam, and P. Yates, 1449.
Burns, G.
Trajectory study of atomic recombination reactions. VII. Recombination of I and Br atoms. D. T. Chang and G. Burns, 1535.
Burton, R.
A pulse Fourier transform equivalent of the homonuclear (proton–proton) INDOR experiment. K. Bock, R. Burton, and L. D. Hall, 3526.
Butler, D. N.
Chemistry of proximal π-bond systems. Part IV. The structure of 5,6-dimethylenebicyclo[2,2,1]hept-2-ene molybdenum tricarbonyl. B. F. Anderson, G. B. Robertson, and D. N. Butler, 1958.
Butler, I. S.
Vibrational spectra of η^5-cyclopentadienyldicarbonyl(thiocarbonyl)manganese(I) and η^5-cyclopentadienylcarbonyl(dithiocarbonyl)manganese(I). G. G. Barna, I. S. Butler, and K. R. Plowman, 110.
Reactions of metal carbonyl complexes. VIII. Kinetics and mechanisms of the substitution reactions of *cis*-$Mn(CO)_4$-LBr (L = PPh_3, $AsPh_3$, $SbPh_3$) with Group VA bidentate ligands. I. S. Butler and H. K. Spendjian, 2833.
Buxton, G. V.
Evidence for a second kind of trapped electron in some deuterated aqueous glasses at low temperatures. A pulse radiolysis study. G. V. Buxton, H. A. Gillis, and N. V. Klassen, 367.
Cachaza, J. M.
Kinetics of oxidation of nitrite by hypochlorite ions in aqueous basic solution. J. M. Cachaza, J. Casado, A. Castro, and M. A. López Quintela, 3401.

Cahill, F.
The infrared and Raman spectra of 1,2-dibromotetrafluoroethane. H. F. Shurvell, F. Cahill, V. Devarajan, and D. W. James, 2220.
Calvert, L. D.
The lithium–indium system. W. A. Alexander, L. D. Calvert, R. H. Gamble, and K. Schinzel, 1052.
Calvo, C.
Crystal structure of tetraammonium diphosphate, $(NH_4)_4P_2O_7$ at 22 °C. N. Middlemiss and C. Calvo, 2025.
The alkaloids of *L. magellanicum* and the structure of magellanine. M. Castillo, L. A. Loyola, G. Morales, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2893.
The alkaloids of *L. paniculatum* and the structure of paniculatine. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2900.
Crystal structure of $CaK_2As_2O_7$ and $CdK_2P_2O_7$. R. Faggiani and C. Calvo, 3319.
Camerman, A.
Molecular design to mimic the copper(II) transport site of human albumin. The crystal and molecular structure of copper(II) – glycylglycyl-L-histidine-*N*-methyl amide mono aquo complex. N. Camerman, A. Camerman, and B. Sarkar, 1309.
Structure of 2′,3′-dimethyl-3,5-diiodo-D,L-thyronine, a fixed-conformation analogue of the thyroid hormone 3,5,3′-triiodo-L-thyronine. J. K. Fawcett, N. Camerman, and A. Camerman, 1317.
Camerman, N.
Molecular design to mimic the copper(II) transport site of human albumin. The crystal and molecular structure of copper(II) – glycylglycyl-L-histidine-*N*-methyl amide mono aquo complex. N. Camerman, A. Camerman, and B. Sarkar, 1309.
Structure of 2′,3′-dimethyl-3,5-diiodo-D,L-thyronine, a fixed-conformation analogue of the thyroid hormone 3,5,3′-triiodo-L-thyronine. J. K. Fawcett, N. Camerman, and A. Camerman, 1317.
Campbell, A. N.
The ionic free energy and enthalpy of In^{3+} ion, and some other properties of indium trichloride. A. N. Campbell, 703.
The conductances and viscosities of aqueous solutions of indium tribromide, of indium nitrate, and aluminum bromide at 25 °C. A. N. Campbell, 3732.
Campbell, S. J.
Asymmetric induction in the Sommelet rearrangement of chiral benzyl sulfonium salts. S. J. Campbell and D. Darwish, 193.
Cantacuzene, D.
Alcoxy-2, aryloxy-2, acyloxy-2, cyclohexanones. Synthèse et étude de leur équilibre conformationnel. D. Cantacuzene et M. Tordeux, 2759.
Caron, M.
Evaluation of a spin-labeled inhibitor of acetylcholinesterase. C. Kavanagh-Caron, M. Caron, N. Brisson, and H. Dugas, 3545.
Caruso, J. A.
Nuclear magnetic resonance study of electrolytes in 1,3-dimethylethyleneurea. J. Rosenfarb and J. A. Caruso, 3492.
Casado, J.
Kinetics of oxidation of nitrite by hypochlorite ions in aqueous basic solution. J. M. Cachaza, J. Casado, A. Castro, and M. A. López Quintela, 3401.
Castillo, M.
The alkaloids of *L. magellanicum* and the structure of magellanine. M. Castillo, L. A. Loyola, G. Morales, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2893.
The alkaloids of *L. paniculatum* and the structure of paniculatine. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2900.
Castro, A.
Kinetics of oxidation of nitrite by hypochlorite ions in aqueous basic solution. J. M. Cachaza, J. Casado, A. Castro, and M. A. Lopez Quintela, 3401.
Castro, E. A.
Convergence properties of the ω-β-variable method. E. A. Castro, 3242.
Casy, A. F.
Morpholines: stereochemistry and preferred steric course of quaternization. A. J. Jones, C. P. Beeman, M. U. Hasan, A. F. Casy, and M. M. A. Hassan, 126.
Cataliotti, R.
The interaction of α-diazoketones with hydroxylic solvents. R. Cataliotti, S. Sorriso, and G. Paliani, 2445.
Infrared study of the C—H stretching region of five-membered heterocyclic compounds. R. Cataliotti and G. Paliani, 2451.
Catterall, R.
Correlation of optical and electron spin resonance spectra for alkali metal solutions in ethylamine and tetrahydrofuran. R. Catterall, J. Slater, W. A. Seddon, and J. W. Fletcher, 3110.
Cave, G. C. B.
The solubility of water in low-dielectric solvents. J. Kirchnerová and G. C. B. Cave, 3909.

Association and hydration of alcohols in low-dielectric solvents. I. *n*-Butanol. J. Kirchnerová and G. C. B. Cave, 3917.
Association and hydration of alcohols in low-dielectric solvents: II. *tert*-Butyl alcohol and cyclohexanol. J. Kirchnerová and G. C. B. Cave, 3929.

Cerantola, G.
Bis[*o*-phenylenebis(dimethylarsine)]Fe(II) complexes: structure and bonding from ^{57}Fe Mössbauer spectra. G. M. Bancroft and G. Cerantola, 1285.

Chakrabarti, C. L.
Studies of metal–organic interactions in model systems pertaining to natural waters. R. D. Guy and C. L. Chakrabarti, 2600.

Chalard-Faure, B.
C-Nucleosides and related compounds. VI. Carbocyclic analogues of *C*-nucleosides: synthesis and derivatives of some useful intermediates. G. Just, G. Reader, and B. Chalard-Faure, 849.
C-Nucleosides and related compounds. VII. Synthesis of carbocyclic analogues of *C*-nucleosides. G. Just and B. Chalard-Faure, 861.

Chamberlain, P.
Stereochemical properties of 1,3-dissulfonium salts and 1,3-bissulfonium ylides. S. Wolfe, P. Chamberlain, and T. F. Garrard, 2847.

Chambers, K. W.
Radiolysis of ferric hexafluoroacetylacetonate – toluene solutions. K. W. Chambers, E. A. Cherniak, G. Taylor, and J. Yu, 2116.

Champagne, P. J.
Highly stereoselective H–D exchange of diastereotopic protons in 4′,1″-dimethyl-1,2,3,4-dibenzylcyclohepta-1,3-diene-6-one. R. R. Fraser and P. J. Champagne, 3809.

Chan, S. O.
The structure of the second coordination sphere of transition metal complexes. V. Nuclear magnetic resonance T_1 measurements. S. O. Chan and D. R. Eaton, 1332.

Chang, D.T.
Trajectory study of atomic recombination reactions. VII. Recombination of I and Br atoms. D. T. Chang and G. Burns, 1535.

Chanzy, H. D.
Crystal structure of β-D-acetyl cellobiose, $C_{28}H_{38}O_{19}$. F. Leung, H. D. Chanzy, S. Perez, and R. H. Marchessault, 1365.

Charlton, J. L.
The radiation chemistry of aqueous solutions of sodium 9,10-anthraquinone-2-sulfonate. C. E. Burchill, D. M. Smith, and J. L. Charlton, 505.
The aqueous photochemistry of sodium 9,10-anthraquinone-2-sulfonate. J. L. Charlton, R. G. Smerchanski, and C. E. Burchill, 512.
Olefin cycloadditions to 2′,3′,5′-triacetyluridine. J. L. Charlton and H. K. Lai, 1445.

Chattopadhyay, P. K.
Kinetic study of formation of nickel(II)–isoquinoline complex in water and nonaqueous solvents. P. K. Chattopadhyay and B. Kratochvil, 2540.

Chauhan, M. S.
Carbon-13 nuclear magnetic resonance spectra of organic sulfur compounds. Comparison of chemical shifts for carbonyl and thiocarbonyl compounds in the pyrone, thiopyrone, and pyridone series. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 280.
Photochemical rearrangements of substituted thiochromanone sulfoxides. I. W. J. Still, P. C. Arora, M. S. Chauhan, M.-H. Kwan, and M. T. Thomas, 455.
Carbon-13 nuclear magnetic resonance spectra of organic sulfur compounds. Substituent chemical shift (s.c.s.) effects in the 4-thiazoline-2-thione series. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 1660.
The reaction of some heterocyclic thiones with ethyl azidoformate. M. S. Chauhan and D. M. McKinnon, 3879.

Chen, C.-J.
The thermal decomposition of methane. II. Secondary reactions, autocatalysis and carbon formation; non-Arrhenius behaviour in the reaction of CH_3 with ethane. C.-J. Chen, M. H. Back, and R. A. Back, 3175.

Chen, F. M.
A new method of quaternizing amines and its use in amino acid and peptide chemistry. F. C. M. Chen and N. L. Benoiton, 3310.

Chen, S. C.
Synthesis of azacyclic compounds by an aminium radical route: orbital overlap requirements. R. A. Perry, S. C. Chen, B. C. Menon, K. Hanaya, and Y. L. Chow, 2385.

Cheng, P.-T.
X-ray analysis of the structure and correlation with the spectra of haplophytine. P.-T. Cheng, S. C. Nyburg, F. N. MacLachlan, and P. Yates, 726.

Chenier, J. H. B.
Metal complexes as antioxidants. II. Reaction of nickel di-*n*-butyldithiocarbamate and nickel diisopropyldithiophosphate with alkylperoxy radicals. J. A. Howard and J. H. B. Chenier, 382.
Metal complexes as antioxidants. III. Reaction of nickel dialkyldithiocarbamates and nickel dialkyldithiophosphates with alkyl hydroperoxides. J. A. Howard and J. H. B. Chenier, 390.
Cheriyan, U. O.
Chromyl chloride oxidations. IV. The oxidations of cyclohexene and 1-methylcyclohexene. F. W. Bachelor and U. O. Cheriyan, 3383.
Cherniak, E. A.
Radiolysis of ferric hexafluoroacetylacetonate – toluene solutions. K. W. Chambers, E. A. Cherniak, G. Taylor, and J. Yu, 2116.
Chia, L. S.
Disubstituted derivatives of $(L—L)Fe_2(CO)_6$ (L—L = fluorocarbon bridged ligand). L. S. Chia, W. R. Cullen, J. R. Sams, and J. C. Scott, 3185.
Chieh, C.
Crystal structure and vibrational spectra of methyl *N,N*-diethyldithiocarbamato mercury(II). C. Chieh and L. P. C. Leung, 3077.
Childs, R. F.
The formation of cycloheptenone and cycloheptadienones from bicyclo[3.2.0]heptanone derivatives. An acid-catalyzed, two carbon ring expansion reaction. K. E. Hine and R. F. Childs, 12.
Chin, S. L.
High power TEA-CO_2 laser induced polymerization of ethylene. S. L. Chin, 2341.
Chivers, T.
The synthesis, Mössbauer and vibrational spectra of some triorganotin derivatives of phosphorus oxyacids. T. Chivers, J. H. G. Van Roode, J. N. Ruddick, and J. R. Sams, 2184.
Chouteau, J.
Transfert du champ de forces de l'isothiazole: étude des vibrations moléculaires des dérivés de l'isothiazole monosubstitués en position 3, 4 ou 5. G. Mille, J. Chouteau, T. Avignon et L. Bouscasse, 3850.
Chow, Y. L.
Synthesis of azacyclic compounds by an aminium radical route: orbital overlap requirements. R. A. Perry, S. C. Chen, B. C. Menon, K. Hanaya, and Y. L. Chow, 2385.
Chemistry of amido radicals: stereochemical controls in II radical reactions. T. C. Joseph, J. N. S. Tam, M. Kitadani, and Y. L. Chow, 3517.
Christian, B. H.
Lewis base complexes of tungsten and molybdenum hexafluorides. S. Brownstein, B. H. Christian, G. Latremouille, and A. Steigel, 2343.
Chuaqui, C.
The acidolysis of *p*-nitrophenyl sulfate. A kinetic spectrophotometric method for evaluation of pK_a. E. Buncel and C. Chuaqui, 673.
Chuche, J.
Réarrangement thermique comparé de vinylaziridines *cis* et *trans*. J. C. Pommelet et J. Chuche, 1571.
Chum, K.
The sign of the 'through-space' spin–spin coupling between methyl protons and the fluorine nucleus in 2,6-dimethylbenzoyl fluoride. T. Schaefer, K. Chum, K. Marat, and R. E. Wasylishen, 800.
Spin–spin coupling between proximate protons on neighbouring aromatic rings and between hydroxyl protons in 2,2′-dihydroxy-4-methoxy-benzophenone. Coupling through the hydrogen bond. T. Schaefer and K. Chum, 2231.
The proton magnetic resonance spectra of phenol in the absence of intermolecular proton exchange. T. Schaefer, J. B. Rowbotham, and K. Chum, 3666.
Chung, B. Y.
A simple synthesis of oxazolidine and thiazolidine derivatives of hydroxymethylglyceraldehyde acetonide. G. Just, B. Y. Chung, G. Rosebery, and M. Dupré, 1260.
Reactions of oxygen and sulphur anions with oxazolidine and thiazolidine derivatives of 2-mesyloxymethylglyceraldehyde acetonide. G. Just, B. Y. Chung, S. Kim, G. Rosebery, and P. Rossy, 2089.
Clark, H. C.
Synthesis and reactions of some cyclopentadienyl complexes of platinum. H. C. Clark and A. Shaver, 2068.
Perfluoroalkyl- and fluoroalkyl-complexes of rhodium(III). H. C. Clark and K. J. Reimer, 2077.
Clark, K. P.
Comments on "The aqueous photochemistry. . .", and "The radiation chemistry of aqueous solutions of sodium 9,10-anthraquinone-2-sulfonate". H. I. Stonehill and K. P. Clark, 516.
Cleland, J.
The oxidation of cyclobutanol by ruthenium tetroxide and sodium ruthenate. D. G. Lee, U. A. Spitzer, J. Cleland, and M. E. Olson, 2124.
Cliff, B. L.
Branched-chain sugars. Reaction of 1,2:5,6-di-*O*-isopropylidene-α-D-*ribo*-hexofuranos-3-ulose with sodium cyanide and methyl nitroacetate. A. Rosenthal and B. L. Cliff, 543.

Cocivera, M.
Solvolysis of isopropyl bromide in ethanol–water mixtures. Dissection into initial state and transition state contributions. W. Drenth and M. Cocivera, 3944.
Cockcroft, R. D.
The thermally induced rearrangements of 2-vinyloxirane. R. J. Crawford, S. B. Lutener, and R. D. Cockcroft, 3364.
Cohen, H.
1,3-Dipolar cycloadditions with diazomethylphosphonates. Double pyrazolines derived from norbornadiene. H. Cohen and C. Benezra, 44.
Cole, K. C.
Nematic phase nuclear magnetic resonance studies of the molecular structures of cyclobutanone and methylenecyclobutane. K. C. Cole and D. F. R. Gilson, 657.
Nematic phase nuclear magnetic resonance spectra and vibrationally averaged structures of cyclopropyl chloride, bromide, and cyanide. K. C. Cole and D. F. R. Gilson, 2783.
On the photoelectron and ultraviolet spectra of molecules containing a divalent sulfur atom and a carbonyl group separated by a methylene group. P. R. Olivato, H. Viertler, B. Wladislaw, K. C. Cole, and C. Sandorfy, 3026.
Colebrook, L. D.
Chemical and biological studies on 1,2-dihydro-*s*-triazines. XIX. A nuclear magnetic resonance investigation of hindered internal rotation in 1-aryl derivatives. L. D. Colebrook, H. G. Giles, A. Rosowsky, W. E. Bentz, and J. R. Fehlner, 3757.
^{13}C nuclear magnetic resonance spectra of steroids: the assignments of chemical shifts for C-15 and C-16 in 17β-acetyl steroids. D. J. Kim, L. D. Colebrook, and T. J. Adley, 3766.
Collin, G. J.
Réactions ion–molécule dans les méthylbutènes: radiolyse du méthane. G. J. Collin, 555.
Isomérisation du *cis*-butène-2 photosensibilisée par le soufre hexafluoré dans l'ultraviolet à vide. H. Gagnon-Deslauriers et G. J. Collin, 2296.
Reactions of *tert*-$C_4H_9^+$, *tert*-$C_5H_{11}^+$, and CH_3-cy-$C_5H_9^+$ ions with pentenes. G. J. Collin, 3050.
Collister, J. L.
The thermal isomerisation of methyl isocyanide in the temperature range 120–320 °C. J. L. Collister and H. O. Pritchard, 2380.
Colpa, J. P.
An inequality formulation of conformational energy differences. J. P. Colpa, H. B. Schlegel, and S. Wolfe, 526.
Colter, A. K.
A potentiometric study of the effects of molecular complexing on acid–base equilibria. A. K. Colter and D. Buben, 2141.
Contreras, J. G.
The Raman spectra of tricoordinate CdX_2Y^- halogenocadmate(II) anions in the solid state. J. G. Contreras and D. G. Tuck, 3641.
Contreras, S.
Decomposition of butyl dixanthogen in the presence of cationic micelles. L. Sepulveda and S. Contreras, 66.
Convert, O.
Effets de substituants en résonance magnétique nucléaire du ^{13}C. Etude des dérivés du phényl-2 furanne et du phényl-2 pyrrole. G. Dana, O. Convert, J.-P. Girault et E. Mulliez, 1827.
Cook, M. J.
A comparison of methods for pK_a determination in strongly basic systems applied to the deprotonation of some heterocyclic methiodide salts. R. A. Cox, R. Stewart, M. J. Cook, A. R. Katritzky, and R. D. Tack, 900.
Corish, J.
Interionic potentials for the akali metal chlorides. J. Corish, B. M. C. Parker, and P. W. M. Jacobs, 3839.
Costes, J.-P.
Etude des phénomènes de redistribution des groupements monofonctionnels -R, -F, -Cl, -Br, -I, -SCN sur des atomes de bore tricoordonnés. J.-P. Costes, G. Cros et J.-P. Laurent, 2996.
Courval, G. J.
Surface and kinetic effects in gas chromatographic studies of polystyrene. G. J. Courval and D. G. Gray, 3496.
Coutts, R. T.
Derivatives of 2-pyrazolin-5-one. IV. Preparation and properties of two spiro[benzothiazoline-2,4'-[2]pyrazoline] derivatives. R. T. Coutts, A.-m. El-hawari, N. J. Pound, and R. A. Abramovitch, 993.
Cox, R. A.
A comparison of methods for pK_a determination in strongly basic systems applied to the deprotonation of some heterocyclic methiodide salts. R. A. Cox, R. Stewart, M. J. Cook, A. R. Katritzky, and R. D. Tack, 900.
Crawford, R. J.
The thermally induced rearrangements of 2-vinyloxirane. R. J. Crawford, S. B. Lutener, and R. D. Cockcroft, 3364.
Croisy-Delcey, M.
Les réactions de Friedel et Crafts d'acylation des hydrocarbures aromatiques polycycliques. IX. L'acétylation de l'anthracène et de ses homologues *méso*-méthylés. F. Perin, M. Croisy-Delcey et P. Jacquignon, 1777.
Cros, G.
Etude des phénomènes de redistribution des groupements monofonctionnels -R, -F, -Cl, -Br, -I, -SCN sur des

atomes de bore tricoordonnés. J.-P. Costes, G. Cros et J.-P. Laurent, 2996.

Crossley, J.

Macroscopic viscosity and the dielectric relaxation of some substituted benzenes. S. C. Srivastava and J. Crossley, 1418.

Csizmadia, I. G.

A theoretical study on the stereochemistry and protonation of $^{-}$:CH_2—NO_2. P. G. Mezey, A. J. Kresge, and I. G. Csizmadia, 2526.

The application of iterative optimization techniques to chemical kinetic data of large random error. G. H. Schmid, V. M. Csizmadia, P. G. Mezey, and I. G. Csizmadia, 3330.

Csizmadia, V. M.

The application of iterative optimization techniques to chemical kinetic data of large random error. G. H. Schmid, V. M. Csizmadia, P. G. Mezey, and I. G. Csizmadia, 3330.

Cullen, W. R.

Seven coordinate metal carbonyl derivatives of *cis*-$(CH_3)_2AsC(CF_3)$=$C(CF_3)As(CH_3)_2$. W. R. Cullen and L. M. Mihichuk, 2548.

Ditertiary(phosphines and arsines) with perfluoro-(bi-1-cycloalken-1-yl) bridging groups. Preparation and properties including a solid state structure of a tetracarbonylmolybdenum derivative. W. R. Cullen, A. R. Davis, A. W. Wu, F. W. B. Einstein, and J. D. Hazlett, 2871.

Disubsituted derivatives of (L—L)$Fe_2(CO)_6$ (L—L = fluorocarbon bridged ligand). L. S. Chia, W. R. Cullen, J. R. Sams, and J. C. Scott, 3185.

Curcumelli-Rodostamo, M.

The conversion of phthalideisoquinolines into spirobenzylisoquinolines and rhoeadine precursors. H. L. Holland, M. Curcumelli-Rodostamo, and D. B. MacLean, 1472.

Cushley, R. J.

^{13}C Fourier transform nuclear magnetic resonance. XII. Structure of the phytol–lecithin bilayer. Application of electric field effects. R. J. Cushley and B. J. Forrest, 2059.

Cutrone, L.

2,3-Oxazabicyclo[2.2.1]heptane. G. Just and L. Cutrone, 867.

Cuvigny, T.

Milieux hyperbasiques: préparation et alkylation de carbanions en α d'amides *N,N*-disubstitués. Application à la synthèse de la *d,l*-pipéritone. P. Hullot, T. Cuvigny, M. Larchevêque et H. Normant, 1098.

Cyr, N.

Configurational effects on ^{13}C chemical shifts of 1,6-anhydrohexopyranoses and related compounds. Utility of ^{13}C–^{1}H coupling patterns for signal assignments. R. G. S. Ritchie, N. Cyr, and A. S. Perlin, 2301.

Dale, W. D. T.

Concentration fluctuations in water–methanol mixtures as studied by ultrasonic absorption. W. D. T. Dale, P. A. Flavelle, and P. Kruus, 355.

Daly, M.

Determination of $D[(C_2H_5)_3Sn\text{-}C_2H_5]$ by the toluene carrier method and studies of the reaction of C_2H_5 with toluene. M. Daly and S. J. W. Price, 1814.

Dana, G.

Effets de substituants en résonance magnétique nucléaire du ^{13}C. Etude des dérivés du phényl-2 furanne et du phényl-2 pyrrole. G. Dana, O. Convert, J.-P. Girault et E. Mulliez, 1827.

Dance, N. S.

A Mössbauer study of organotellurium compounds. Part I. C. H. W. Jones, R. Schultz, W. R. McWhinnie, and N. S. Dance, 3234.

Daoust, H.

Chaleurs de dilution de solutions aqueuses d'acide polyméthacrylique et de ses sels de sodium et de rubidium. H. Daoust et A. Lajoie, 1853.

Daris, J.-P.

Ring C substituted 14-hydroxymorphinans and isomorphinans as narcotic antagonists. M. Menard, P. Rivest, B. Belleau, J.-P. Daris, and Y. G. Perron, 429.

Darwish, D.

Asymmetric induction in the Sommelet rearrangement of chiral benzyl sulfonium salts. S. J. Campbell and D. Darwish, 193.

Das, B. C.

Isolation and structure of pimaydolide, a cyclodepsipeptide metabolite of *Pithomyces maydicus*. D. W. Russell, W. D. Jamieson, A. Taylor, and B. C. Das, 1355.

A new depsipeptide from *Pithomyces chartarum*. R. Rahman, A. Taylor, B. C. Das, and J. A. Verpoorte, 1360.

Das, R. C.

Thermodynamics of the dissociation of *trans*-cinnamic acid. R. C. Das, U. N. Dash, and K. N. Panda, 1916.

DasGupta, A.

Theoretical studies of some nonbenzenoid hydrocarbons. III. Acenaphthylene, fluoranthene, and related compounds. A. DasGupta and N. K. DasGupta, 3227.

DasGupta, N. K.
Theoretical studies of some nonbenzenoid hydrocarbons. III. Acenaphthylene, fluoranthene, and related compounds. A. DasGupta and N. K. DasGupta, 3227.
Dash, U. N.
Thermodynamics of the dissociation of *trans*-cinnamic acid. R. C. Das, U. N. Dash, and K. N. Panda, 1916.
Dass, S. C.
Conformational changes accompanying electronic excitation of trifluoronitrosomethane. R. D. Gordon, S. C. Dass, J. R. Robins, H. F. Shurvell, and R. F. Whitlock, 2658.
Dave, V.
On the oxidative dimerization of 2,3-dialkylindoles. V. Dave and E. W. Warnhoff, 1015.
New reactions of 2-substituted indoles. V. Dave and E. W. Warnhoff, 1020.
Davidson, D. W.
Dielectric and nuclear magnetic resonance characterization of unstable clathrate hydrates of acetaldehyde and propionaldehyde. D. W. Davidson, S. R. Gough, and J. A. Ripmeester, 3085.
Davidson, W. R.
Binding energies and stabilities of potassium ion complexes with ethylene diamine and dimethoxyethane (glyme) from measurements of the complexing equilibria in the gas phase. W. R. Davidson and P. Kebarle, 2594.
Davis, A. R.
Ditertiary(phosphines and arsines) with perfluoro-(bi-1-cycloalken-1-yl) bridging groups. Preparation and properties including a solid state structure of a tetracarbonylmolybdenum derivative. W. R. Cullen, A. W. Wu, A. R. Davis, F. W. B. Einstein, and J. D. Hazlett, 2871.
Dawe, R.
A total synthesis of myrrhine, (±)-hippodamine, and (±)-convergine. W. A. Ayer, R. Dawe, R. A. Eisner, and K. Furuichi, 473.
Dawson, B. A.
A study of ^{13}C–^{15}N couplings and revised ^{13}C shieldings in ^{15}N-enriched *E*-acetophenone oximes. G. W. Buchanan and B. A. Dawson, 790.
Dazord, J.
Préparation et étude des isothiocyanatoboranes halogénés. J. Dazord, H. Mongeot, H. Atchekzai et J. P. Tuchagues, 2135.
Dean, C. L.
The effect of alkene structure upon the rates and product composition of addition of 4-chlorobenzenesulfenyl chloride. G. H. Schmid, C. L. Dean, and D. G. Garratt, 1253.
Dean, P. A. W.
Mercury(I) chemistry. Part I. Complexes of the mercurous ion with some arenes. P. A. W. Dean, D. G. Ibbott, and J. B. Stothers, 166.
Mercury(I) chemistry. Part II. Reactions of the mercurous ion with some ligands having the heavier group VA or VIA elements as donor atoms. P. A. W. Dean and D. G. Ibbott, 177.
Erratum: Mercury(I) chemistry. Part I. Complexes of the mercurous ion with some arenes. P. A. W. Dean, D. G. Ibbott, and J. B. Stothers, 1439.
Dean, R. L.
Complex hydrogen bonded cations. The imidazole/imidazolium complex cation. D. H. Bonsor, B. Borah, R. L. Dean, and J. L. Wood, 2458.
de Champlain, P.
Flash thermolysis: multiple sigmatropic rearrangements in *ortho*-substituted aromatic compounds. P. de Champlain, J.-L. Luche, R. A. Marty, and P. de Mayo, 3749.
Deflandre, A.
Comportement photochimique de cétones α,β-insaturées sous excitation directe. A. Deflandre, A. Lheureux, A. Rioual et J. Lemaire, 2127.
Dellien, I.
Enthalpies of formation of $Cr^{3+}(aq)$ and the inner sphere complexes of $CrF^{2+}(aq)$, $CrCl^{2+}(aq)$, $CrBr^{2+}(aq)$, and $CrSO_4^{+}(aq)$. I. Dellien and L. G. Hepler, 1383.
de Mayo, P.
The flash thermolysis of allyl sulphides. H. G. Giles, R. A. Marty, and P. de Mayo, 537.
Flash thermolysis: multiple sigmatropic rearrangements in *ortho*-substituted aromatic compounds. P. de Champlain, J.-L. Luche, R. A. Marty, and P. de Mayo, 3749.
de Reinach-Hirtzbach, F.
Synthesis of sultines via *tert*-butyl hydroxyalkyl sulfoxides. N. K. Sharma, F. de Reinach-Hirtzbach, and T. Durst, 3012.
Desgardin, G.
Influence de la nature des ions et sur l'évolution structurale des weberites $A_2B_2O_7$: les weberites $Cd_{2-x}Sr_xSb_2O_7$. G. Desgardin, C. Robert et B. Raveau, 1665.
Desnoyers, J. E.
Thermodynamic properties of tetraalkylammonium halides: volumes, heat capacities, and expansibilities in H_2O,

D_2O, and urea–water mixtures from 278 to 328 K. G. Perron, N. Desrosiers, and J. E. Desnoyers, 2163.
Enthalpies, heat capacities, and volumes of transfer of the tetrabutylammonium ion from water to aqueous mixed solvents from the point of view of the scaled-particle theory. N. Desrosiers and J. E. Desnoyers, 3800.

Desrosiers, N.

Thermodynamic properties of tetraalkylammonium halides: volumes, heat capacities, and expansibilities in H_2O, D_2O, and urea–water mixtures from 278 to 328 K. G. Perron, N. Desrosiers, and J. E. Desnoyers, 2163.
Enthalpies, heat capacities, and volumes of transfer of the tetrabutylammonium ion from water to aqueous mixed solvents from the point of view of the scaled-particle theory. N. Desrosiers and J. E. Desnoyers, 3800.

Devarajan, V.

The infrared and Raman spectra of 1,2-dibromotetrafluoroethane. H. F. Shurvell, F. Cahill, V. Devarajan, and D. W. James, 2220.

Devlin, J. P.

8-Oxo-8*H*-1,2,4-oxadiazolo[2,3-*i*]purines. J. P. Devlin, 2804.

Devolder, P.

Spectres de résonance paramagnétique électronique de quelques radicaux de type diarylméthyle. P. Devolder, 1744.

Diaper, D. G. M.

Dehydration of 1,1′-ethylenedicyclopentanol. D. G. M. Diaper, 2314.

Diefallah, E.-H. M.

Solvolysis rates in aqueous–organic mixed solvents. III. Kinetics of the alkaline solvolysis of monochloroacetate ion in water – *tert*-butyl alcohol solutions. E.-H. M. Diefallah, 1687.

Diehl, P.

A deuterium magnetic resonance study of a lamellar lyotropic liquid crystalline phase. A. S. Tracey and P. Diehl, 2283.

Dieken. F. P.

On the hydrodynamics of the polarographic maxima of the first kind. R. N. O'Brien and F. P. Dieken, 402.

Dignam. M. J.

Concerning the influence of inert gas adsorption on the infrared spectrum of OH groups on powdered silica. J. G. Roth and M. J. Dignam, 1388.

Dixon, K. R.

Solvent, concentration, and temperature dependence of the platinum–phosphorus nuclear magnetic resonance coupling constants in *cis*- and *trans*-$PtCl_2(PBu^n_3)_2$. K. R. Dixon, M. Fakley, and A. Pidcock, 2733.

Dmitrienko, G. I.

Constituents of *Nauclea diderrichii*. Part VII. Synthesis of naucledérine, naucleonine, and naucleonidine; spectroscopic evidence for the structures of 3α-dihydrocadambine and two other constituents. S. McLean, G. I. Dmitrienko, and A. Szakolcai, 1262.
The construction of the substituted denudatine system by diene addition. K. Wiesner, T. Y. R. Tsai, G. I. Dmitrienko, and K. P. Nambiar, 3307.

Dodelet, J.-P.

Molecular structure effects on electron ranges and mobilities in liquid hydrocarbons: chain branching and olefin conjugation: mobility model. J.-P. Dodelet, K. Shinsaka, and G. R. Freeman, 744.

Dolphin, D.

The use of ceric ammonium nitrate in pyrrole chemistry. J. B. Paine III and D. Dolphin, 411.
Alkylation of the dimethylglyoximato ligands in reduced cobaloxime. R. B. Silverman and D. Dolphin, 1425.

Domain, R.

Basicité de solvants dipolaires aprotoniques. R. Domain, M. Rinfret et R. L. Benoit, 2101.

Donnay, G.

Polymorphism in *n*-alkylammonium chlorides: X-ray powder diffraction studies. D. F. R. Gilson, A. S. Kertes, R. St. J. Manley, J. Tsau, and G. Donnay, 765.

Doucet, J. P.

Composés carbonylés aromatiques: traitement semi-empirique des influences structurales sur leur basicité. D. Beaupère, J. P. Séguin, R. Uzan et J. P. Doucet, 297.
Effet de solvant en résonance magnétique nucléaire du ^{13}C. I. Cas d'un soluté apolaire: *n*-pentane. B. Tiffon et J.-P. Doucet, 2045.

Drake, J. E.

ESCA investigations of Group IV derivatives. Part II. Binding-energy predictions for bromo- and iodo-silanes and -germanes. J. E. Drake, C. Riddle, H. E. Henderson, and B. Glavinčevski, 3876.

Drenth, W.

Solvolysis of isopropyl bromide in ethanol–water mixtures. Dissection into initial state and transition state contributions. W. Drenth and M. Cocivera, 3944.

Dugas, H.

Evaluation of a spin-labeled inhibitor of acetylcholinesterase. C. Kavanagh-Caron, M. Caron, N. Brisson, and H. Dugas, 3545.

Dunell, B. A.

A proton magnetic resonance relaxation study of molecular motions in trimethylamine-borane. T. T. Ang and B. A. Dunell, 1087.

A study of molecular motion in tetramethylphosphonium halides by proton magnetic resonance. T. T. Ang and B. A. Dunell, 1985.

Dupré, M.

A simple synthesis of oxazolidine and thiazolidine derivatives of hydroxymethylglyceraldehyde acetonide. G. Just, B. Y. Chung, G. Rosebery, and M. Dupré, 1260.

Durst, T.

Synthesis of sultines via *tert*-butyl hydroxyalkyl sulfoxides. N. K. Sharma, F. de Reinach-Hirtzbach, and T. Durst, 3012.

Dyson, G. S.

The effect of steric crowding on an E2 transition state. G. S. Dyson and P. J. Smith, 2339.

The hydrolysis of substituted benzyl nitrates in water. II. Effect of *ortho*-substitution. K. M. Koshy, R. E. Robertson, G. S. Dyson, and S. Singh, 3614.

Eaton, D. R.

The structure of the second coordination sphere of transition metal complexes. V. Nuclear magnetic resonance T_1 measurements. S. O. Chan and D. R. Eaton, 1332.

The metal complex catalyzed reactions of anils. I. The reaction of acetone with anilines. A. R. Boate and D. R. Eaton, 3895.

Edward, J. T.

Influence du substituant tertiobutyl-4 sur les constantes d'acidité du cation cyclohexylammonium et de l'acide cyclohexane carboxylique dans les milieux mixtes eau–DMSO et méthanol–DMSO. J. T. Edward, P. G. Farrell, J. Kirchnerova, J.-C. Halle et R. Schaal, 1899.

Egerton, T. A.

Raman spectra of pyridine adsorbed on a series of ion-exchanged forms of zeolite Y. T. A. Egerton, A. H. Hardin, and N. Sheppard, 586.

Eggimann, W.

Equilibrium protonation of the 1,3,5-trinitrobenzene–phenoxide σ-complex. E. Buncel and W. Eggimann, 2436.

Einstein, F. W. B.

Ditertiary(phosphines and arsines) with perfluoro-(bi-1-cycloalken-1-yl) bridging groups. Preparation and properties including a solid state structure of a tetracarbonylmolybdenum derivative. W. R. Cullen, A. R. Davis, A. W. Wu, F. W. B. Einstein, and J. D. Hazlett, 2871.

Eisner, R. A.

A total synthesis of myrrhine, (±)-hippodamine, and (±)-convergine. W. A. Ayer, R. Dawe, R. A. Eisner, and K. Furuichi, 473.

El-Anadouli, B. E.

Substituent effects on polarographic reduction of some photographic color intermediates. A. S. Shawali and B. E. El-Anadouli, 1205.

Elguero, J.

^{1}H nuclear magnetic resonance conformational study of medium-sized rings: 3,4-dihydro-1,6-benzodiazocine-2,5-diones. J. Elguero, A. Fruchier, G. Llouquet, and C. Marzin, 1135.

Spectre de l'indazole en résonance magnétique nucléaire du ^{13}C. J. Elguero, A. Fruchier et M. d. C. Pardo, 1329.

El-hawari, A.-m

Derivatives of 2-pyrazolin-5-one. IV. Preparation and properties of two spiro[benzothiazoline-2,4′-[2]pyrazoline] derivatives. R. T. Coutts, A.-m. El-hawari, N. J. Pound, and R. A. Abramovitch, 993.

Elliot, A. J.

The *cis–trans* isomerization of the radical anion of biacetyl. A. J. Elliot and J. K. S. Wan, 3637.

El Murr, N.

Electrochimie de composés organométalliques. I. Electrosynthèse de cyclopentadiène cyclopentadiényl cobalt substitutés. N. El Murr et E. Laviron, 3350.

Electrochimie de composés organométalliques. II. Nouvelle voie d'accès aux sels de cobalticinium substitutés. N. El Murr et E. Laviron, 3357.

Endo, M.

The pseudobase behaviour of 1,3-disubstituted-1,2-dihydro-2-oxopyrimidinium cations. O. S. Tee and M. Endo, 2681.

England, T. E.

Oligoribonucleotide synthesis. IX. Synthesis of sequences corresponding to the dihydrouridine loop neck region common in several transfer RNA molecules. T. E. England and T. Neilson, 1714.

Eshaque, M.

The vibrational spectrum and normal coordinate analysis of tellurium chloride pentafluoride. W. V. F. Brooks M. Eshaque, C. Lau, and J. Passmore, 817.

Espindola, J. A.

Excess volume and viscosity of binary liquid acid–base mixtures. H. N. Sólimo, R. Riggio, J. A. Espindola, S. del V. Alonso, and M. Katz, 3125.

Espinosa, J.

Catalysed Diels–Alder reactions. The realization of orientation control with a bifunctional aliphatic dienophile. M. Kakushima, J. Espinosa, and Z. Valenta, 3304.

Esposito, G.
Synthesis of bridged azabicyclic ketones. Solvolysis of enol ether and ethylene ketal *N*-chloramines in acidic medium. R. Furstoss, R. Tadayoni, G. Esposito, J. Lacrampe, A. Heumann, and B. Waegell, 3569.
Evans, C. A.
Proton magnetic resonance and Raman spectroscopic studies of methylmercury(II) complexes of inorganic anions. D. L. Rabenstein, M. C. Tourangeau, and C. A. Evans, 2517.
Faggiani, R.
Crystal structure of $CaK_2As_2O_7$ and $CdK_2P_2O_7$. R. Faggiani and C. Calvo, 3319.
Fakley, M.
Solvent, concentration, and temperature dependence of the platinum–phosphorus nuclear magnetic resonance coupling constants in *cis*- and *trans*-$PtCl_2(PBu^n_3)_2$. K. R. Dixon, M. Fakley, and A. Pidcock, 2733.
Falk, M.
Infrared spectra of the ammonium ion in crystals. III. The ammonium ion in crystal sites of symmetry S_4. I. A. Oxton, O. Knop, and M. Falk, 892.
Fallis, A. G.
A total synthesis of (±)-cedrol and (±)-cedrene via an intramolecular Diels–Alder reaction. E. G. Breitholle and A. G. Fallis, 1991.
Farnier, M.
Recherches en série hétérocyclique. XXVI. Etude de la condensation de l'azidoacétate d'éthyle sur le thiophène-dicarbaldéhyde-2,3: nouvelle voie d'accès à des thiéno[2,3-*c*] et -[3,2-*c*] pyridines et pyridones. M. Farnier, S. Soth et P. Fournari, 1066.
Recherches en série hétérocyclique. XXVII. Etude de la condensation de l'azidoacétate d'éthyle sur les thiophène-dicarbaldéhydes-2,5, -2,4 et -3,4. M. Farnier, S. Soth et P. Fournari, 1074.
Recherches en série hétérocyclique. XXVIII. Synthèse de bipyrroles. M. Farnier, S. Soth et P. Fournari, 1083.
Farrell, P. G.
Influence du substituant tertiobutyl-4 sur les constantes d'acidité du cation cyclohexylammonium et de l'acide cyclohexane carboxylique dans les milieux mixtes eau–DMSO et méthanol–DMSO. J. T. Edward, P. G. Farrell, J. Kirchnerova, J.-C. Halle et R. Schaal, 1899.
Fasone, S.
Electronic absorption spectra and dipole moments of diazafluoren-9-ones studied by the MIM, PPP, and CNDO/2 methods. C. Gandolfo, G. Buemi, D. Grasso, and S. Fasone, 1870.
Faught, J. B.
The crystal and molecular structure of 1,1-bis(diphenylphosphino)-2,2-dimethylhydrazine. J. B. Faught, 738.
Favre-Bonvin, J.
Structure de la mycosporine (P 310). J. Favre-Bonvin, N. Arpin et C. Brevard, 1105.
Fawcett, J. K.
Structure of 2′,3′-dimethyl-3,5-diiodo-D,L-thyronine, a fixed-conformation analogue of the thyroid hormone 3,5,3′-triiodo-L-thyronine. J. K. Fawcett, N. Camerman, and A. Camerman, 1317.
Fawcett, J. P.
Activation entropy as a dominant factor in the oxidative addition of some Group IV hydrides to an iridium(I) complex. J. P. Fawcett and J. F. Harrod, 3102.
Fawcett, W. R.
A characteristic vector analysis of solvent effects for thermodynamic data. W. R. Fawcett and T. M. Krygowski, 3283.
Feher, A. I.
The effect of monolayers on the rate of evaporation of H_2O and solution of O_2 in H_2O. R. N. O'Brien, A. I. Feher, K. L. Li, and W. C. Tan, 2739.
Fehlner, J. R.
Chemical and biological studies on 1,2-dihydro-*s*-triazines. XIX. A nuclear magnetic resonance investigation of hindered internal rotation in 1-aryl derivatives. L. D. Colebrook, H. G. Giles, A. Rosowsky, W. E. Bentz, and J. R. Fehlner, 3757.
Feiner, N. F.
The synthesis of spiro[bicyclo[2.2.1]heptene-7,1′-cycloalkan]-2′-ones and related benzobicyclo[2.2.1]heptene derivatives. N. F. Feiner, G. D. Abrams, and P. Yates, 3955.
Feiner, S.
Estimation of the stereoselectivity of reduction of 3,3,5,5-tetramethylcyclohexanone by sodium borohydride. D. C. Wigfield, G. W. Buchanan, C. A. Ashley, and S. Feiner, 3536.
Fétizon, M.
A synthesis of methyl lambertianate. R. A. Bell and M. Fétizon, 141.
Findlay, J. A.
Reactions of 4-hydroxy-6-methyl-2-pyridone with aldehydes. J. A. Findlay, J. Krepinsky, F. Y. Shum, and W. H. J. Tam, 270.
Synthesis of *d,l*-epiramulosin and the configuration of ramulosin. J. A. Findlay, J. M. Matsoukas, and J. Krepinsky, 3419.
Finlay, G. R.
Heats of formation of some hydrates. A. Phillipson and G. R. Finlay, 3163.

Fischer, A.
Nitration of *p*-cymene. Exchange and rearomatization reactions of *p*-cymene adducts. A. Fischer and R. Röderer, 423.
Nitration of the tetramethylbenzenes in acetic anhydride. Formation and rearomatization of adducts. A. Fischer and D. R. A. Leonard, 1795.
Nitration of *p-tert*-butyltoluene in acetic anhydride. 1,2 and 1,4 adducts. A. Fischer and R. Röderer, 3978.
Fischer, S.
Syntheses and properties of phosphino- and phosphinatopyrroles. S. Fischer, J. Hoyano, I. Johnson, and L. K. Peterson, 2706.
Syntheses and properties of phosphino- and phosphinatopyrazoles. S. Fischer, J. Hoyano, and L. K. Peterson, 2710.
Flavelle, P. A.
Concentration fluctuations in water–methanol mixtures as studied by ultrasonic absorption. W. D. T. Dale, P. A. Flavelle, and P. Kruus, 355.
Fleming, B. I.
The reduction of acetals with cobalt carbonyl catalysts. B. I. Fleming and H. I. Bolker, 685.
Flengas, S. N.
Vapour pressures of solid and liquid $NbCl_5$ and $TaCl_5$. D. R. Sadoway and S. N. Flengas, 1692.
Fletcher, I. S.
The collisonal quenching of electronically excited oxygen atoms, $O(2^1D_2)$, by the gases NH_3, H_2O_2, C_2H_6, C_3H_8, and $C(CH_3)_4$, using time-resolved attenuation of atomic resonance radiation. I. S. Fletcher and D. Husain, 1765.
Fletcher, J. W.
Pulse radiolytic formation of solvated electrons in hydrazine. W. A. Seddon, J. W. Fletcher, and F. C. Sopchyshyn, 2807.
Correlation of optical and electron spin resonance spectra for alkali metal solutions in ethylamine and tetrahydrofuran. R. Catterall, J. Slater, W. A. Seddon, and J. W. Fletcher, 3110.
Pulse radiolytic formation of Na^- from alkali metal – sodium ion solutions in ethylamine. W. A. Seddon, J. W. Fletcher, and F. C. Sopchyshyn, 3672.
Fletcher, S.
The hydrolysis of maleimide in alkaline solution. R. G. Barradas, S. Fletcher, and J. D. Porter, 1400.
Fliszár, S.
Charge distributions and chemical effects. X. Enthalpies of formation of alkanes, a calculation from ^{13}C nuclear magnetic resonance shifts. H. Henry, S. Fliszár, and A. Julg, 2085.
Charge distributions and chemical effects. XII. A unifying concept. S. Fliszár, 2839.
Folcher, G.
Etude des complexes aqueux d'uranium(IV) en milieu acide par resonance magnétique nucléaire. C. Kiener, G. Folcher, P. Rigny et J. Virlet, 303.
Etude par résonance magnétique nucléaire des propriétés acides de l'éthyltrifluoroacétoacétate d'uranium(IV). J. Paris et G. Folcher, 1433.
Fong, H.
Approaches to the synthesis of quinazolino[1,2,3]benzotriazinones. T. P. Ahern, H. Fong, and K. Vaughan, 290.
Forrest, B. J.
^{13}C Fourier transform nuclear magnetic resonance. XII. Structure of the phytol–lecithin bilayer. Application of electric field effects. R. J. Cushley and B. J. Forrest, 2059.
Forte, P. A.
Pyrolysis of benzophenone oxime carbonates: a potential route to aryl imino ethers (aryl imidates). P. E. Titus, P. A. Forte, and J. M. Prokipcak, 647.
Fossey, J.
Réactions de substitution homolytique. V. Stéréosélectivité de différents radicaux cyclohexyle. M. Gruselle, J. Fossey, D. Lefort, C. Lamarre et J. C. Richer, 905.
Foubert, A. F.
Dipolar and calorimetric study of the complexes between *N,N*-dimethyl-*N'*-phenylformamidines and phenols. A. F. Foubert and P. L. Huyskens, 610.
Fournari, P.
Recherches en série hétérocyclique. XXVI. Etude de la condensation de l'azidoacétate d'éthyle sur le thiophènedicarbaldéhyde-2,3: nouvelle voie d'accès à des thiéno[2,3-*c*] et -[3,2-*c*] pyridines et pyridones. M. Farnier, S. Soth et P. Fournari, 1066.
Recherches en série hétérocyclique. XXVII. Etude de la condensation de l'azidoacétate d'éthyle sur les thiophènedicarbaldéhydes-2,5, -2,4 et -3,4. M. Farnier, S. Soth et P. Fournari, 1074.
Recherches en série hétérocyclique. XXVIII. Synthèse de bipyrroles. M. Farnier, S. Soth et P. Fournari, 1083.
Franchetto, A. A.
Solvation effects on the conductivity of concentrated electrolyte solutions. D. E. Goldsack, R. Franchetto, and A. A. Franchetto, 2593.
Franchetto, R.
Solvation effects on the conductivity of concentrated electrolyte solutions. D. E. Goldsack, R. Franchetto, and A. A. Franchetto, 2593.

Francis, T.
Carbamates and 2-oxazolidinones from tertiary alcohols and isocyanates. T. Francis and M. P. Thorne, 24.
Fraser, R. R.
^{13}C nuclear magnetic resonance spectra of alkyl indoles including derivatives of hexahydroechinulin. R. R. Fraser, S. Passannanti, and F. Piozzi, 2915.
Highly stereoselective H–D exchange of diastereotopic protons in 4′,1″-dimethyl-1,2,3,4-dibenzylcyclohepta-1,3-diene-6-one. R. R. Fraser and P. J. Champagne, 3809.
Fraser-Reid, B.
Some synthetic routes to 2,3,6-trideoxy-hex-2-enopyranosides and -hex-2-enopyranosid-4-uloses. M. B. Yunker, S. Y.-K. Tam, D. R. Hicks, and B. Fraser-Reid, 2411.
Ethyl 4-iodo-2,3,4-trideoxy-α-D-*threo*-hex-2-enopyranoside: synthesis and dehydroiodination. M. B. Yunker and B. Fraser-Reid, 3986.
Fréchet, J. M. J.
Use of polymers as protecting groups in organic synthesis. III. Selective functionalization of polyhydroxy alcohols. J. M. J. Fréchet and L. J. Nuyens, 926.
Freeman, G. R.
Molecular structure effects on electron ranges and mobilities in liquid hydrocarbons: chain branching and olefin conjugation: mobility model. J.-P. Dodelet, K. Shinsaka, and G. R. Freeman, 744.
Reaction rates of electrons in liquid methanol and ethanol: effects of pressure. G. L. Bolton, M. G. Robinson, and G. R. Freeman, 1177.
Reaction rates of electrons in liquid methanol and ethanol: effect of temperature: kinetics of electron reactions prior to solvation. G. L. Bolton, K. N. Jha, and G. R. Freeman, 1497.
Optical spectra of electrons solvated in liquid ethers: temperature effects. F.-Y. Jou and G. R. Freeman, 3693.
Frost, D. C.
The X-ray photoelectron spectrum of hydrogen peroxide. M. S. Banna, D. C. Frost, C. A. McDowell, and B. Wallbank, 3811.
Fruchier, A.
^{1}H nuclear magnetic resonance conformational study of medium-sized rings: 3,4-dihydro-1,6-benzodiazocine-2,5-diones. J. Elguero, A. Fruchier, G. Llouquet, and C. Marzin, 1135.
Spectre de l'indazole en résonance magnétique nucléaire du ^{13}C. J. Elguero, A. Fruchier et M. d. C. Pardo, 1329.
Fuchs, R.
Enthalpies of transfer of aliphatic compounds from vapor to solvents. Steric hindrance to functional group solvation. R. Fuchs and P. S. Saluja, 3857.
Fuentes, J. J.
Hydrazine derivatives. III. A study of alkylation of guanazole. J. J. Fuentes and J. A. Lenoir, 3620.
Fulea, A. O.
Intermolecular hydrogen bonds and molecular conformations. A 220 MHz nuclear magnetic resonance study of the piperazine ring in 1-thiobenzoyl-3,5-dimethylpiperazine. A. O. Fulea and P. J. Krueger, 566.
Funabashi, M.
Action of Grignard reagents on hexuronic esters and attempted dehydration of tertiary alcohols to give hex-5-enopyranosides. G. O. Aspinall, O. Igarashi, T. N. Krishnamurthy, W. Mitura, and M. Funabashi, 1708.
Fung, S.
Concerning stereochemical assignments from ^{13}C spectra of systems experiencing γ substituent effects. Deshielding antiperiplanar interactions can mislead the unwary. W. A. Ayer, L. M. Browne, S. Fung, and J. B. Stothers, 3272.
Metabolites of bird's nest fungi. Part 6. The synthesis of (±)-cybullol and a new synthesis of (±)-geosmin. W. A. Ayer, L. M. Browne, and S. Fung, 3276.
Furimsky, E.
The catalytic hydrodesulfurization of thiophenes. VIII. Benzothiophene and 2,3-dihydrobenzothiophene. E. Furimsky and C. H. Amberg, 1507.
Furstoss, R.
Synthesis of bridged azabicyclic ketones. Solvolysis of enol ether and ethylene ketal *N*-chloramines in acidic medium. R. Furstoss, R. Tadayoni, G. Esposito, J. Lacrampe, A. Heumann, and B. Waegell, 3569.
Furuichi, K.
A total synthesis of myrrhine, (±)-hippodamine, and (±)-convergine. W. A. Ayer, R. Dawe, R. A. Eisner, and K. Furuichi, 473.
The total synthesis of coccinelline and precoccinelline. W. A. Ayer and K. Furuichi, 1494.
Fyfe, C. A.
Potential energy calculations of the rotational barriers of molecular solids. II. The dynamic structures of adamantane and hexamethylenetetramine in the solid state and the nature of the phase transition in adamantane. C. A. Fyfe and D. Harold-Smith, 769.
Potential energy calculations of the mechanisms of self-diffusion in molecular crystals: adamantane. C. A. Fyfe and D. Harold-Smith, 783.
Fyles, T. M.
The use of polymer supports in organic synthesis. V. The preparation of monoacetates of symmetrical diols. T. M. Fyles and C. C. Leznoff, 935.

Gagnon, P.
Photolyse du chloro-2 propane gazeux à λ = 147 et 123.6–116.5 nm. P. Gagnon et J. A. Herman, 3470.
Gagnon-Deslauriers, H.
Isomérisation du *cis*-butène-2 photosensibilisée par le soufre hexafluoré dans l'ultraviolet à vide. H. Gagnon-Deslauriers et G. J. Collin, 2296.
Gal, J.-Y.
Etude des mobilités ioniques dans les mélanges eau–hexaméthylphosphotriamide. I. Cas du HMPT pur à 25 °C. J.-C. Bollinger, T. Yvernault, J.-Y. Gal et F. Persin, 3060.
Gamble, D. S.
The structure and equilibria of a manganese(II) complex of fulvic acid studied by ion exchange and nuclear magnetic resonance. D. S. Gamble, C. H. Langford, and J. P. K. Tong, 1239.
Gamble, R. H.
The lithium–indium system. W. A. Alexander, L. D. Calvert, R. H. Gamble, and K. Schinzel, 1052.
Gandini, A.
The photochemistry of 2-furaldehyde vapour. I. Photophysical processes: phosphorescence excited in the $\pi^* \leftarrow n$ transition. A. Gandini, P. A. Hackett, and R. A. Back, 3089.
The photochemistry of 2-furaldehyde vapour. II. Photodecomposition: direct photolysis at 253.7 and 313 nm and $Hg(^3P_1)$-sensitized decomposition. A. Gandini, J. M. Parsons, and R. A. Back, 3095.
Gandolfo, C.
Electronic absorption spectra and dipole moments of diazafluoren-9-ones studied by the MIM, PPP, and CNDO/2 methods. C. Gandolfo, G. Buemi, D. Grasso, and S. Fasone, 1870.
Gardy, E. M.
Spin trapping of radicals formed during radiolysis of aqueous solutions. Direct electron spin resonance observations. F. P. Sargent and E. M. Gardy, 275.
Garrard, T. F.
Stereochemical properties of 1,3-dissulfonium salts and 1,3-bissulfonium ylides. S. Wolfe, P. Chamberlain, and T. F. Garrard, 2847.
Garratt, D. G.
The effect of alkene structure upon the rates and product composition of addition of 4-chlorobenzenesulfenyl chloride. G. H. Schmid, C. L. Dean, and D. G. Garratt, 1253.
The addition of 4-chlorobenzenesulfenyl chloride to phenyl-substituted acetylenes: the structures of the intermediate thiirenium ion. G. H. Schmid, A. Modro, D. G. Garratt, and K. Yates, 3045.
Gaucher, G. M.
Cysteine-sensitised formation and repair of mixed disulfide in the oxidation of papain by H_2O_2 and OH radicals. W. S. Lin, G. M. Gaucher, D. A. Armstrong, and M. Lal, 242.
Gaydou, E. M.
Etude du méchanism de la formation de phosphates d'énols à partir de composés carbonyles α-halogénés et de trialcoylphosphites. E. M. Gaydou et J.-P. Bianchini, 3626.
Gelas-Mialhe, Y.
Utilisation de la méthode de Wittig pour la synthèse de vinyl-2 aziridines N-substituées. D. Borel, Y. Gelas-Mialhe et R. Vessière, 1582.
Isomérisation thermique de vinyl-2 aziridines N-substituées. D. Borel, Y. Gelas-Mialhe et R. Vessière, 1590.
Gesser, H. D.
Unexpected signs of five-bond and six-bond proton spin–spin coupling constants in some acyclic conjugated systems. Through-space couplings. T. Schaefer, H. D. Gesser, and J. B. Rowbotham, 2235.
Ghali, H.
Esters chromiques dérivés du tertiobutanol. J.-M. Hachey, H. Ghali et J.-B. Savard, 572.
Gibson, A. R.
Selective, reductive dechlorination of chlorodeoxy sugars. Structural determination of chlorodeoxy and deoxy sugars by ^{13}C nuclear magnetic resonance spectroscopy. W. A. Szarek, A. Zamojski, A. R. Gibson, D. M. Vyas, and J. K. N. Jones, 3783.
Giguère, P. A.
H_3O^+ ions in aqueous acid solutions. The infrared spectra revisited. P. A. Giguère and S. Turrell, 3477.
Giles, H. G.
The flash thermolysis of allyl sulphides. H. G. Giles, R. A. Marty, and P. de Mayo, 537.
Chemical and biological studies on 1,2-dihydro-*s*-triazines. XIX. A nuclear magnetic resonance investigation of hindered internal rotation in 1-aryl derivatives. L. D. Colebrook, H. G. Giles, A. Rosowsky, W. E. Bentz, and J. R. Fehlner, 3757.
Gillen, M. F.
On the use of the *n*-propylammonium and *n*-butylammonium salts of *d*-10-camphorsulfonic acid for the calibration of spectropolarimeters: the concentration and solvent dependency of the optical rotation distorsion parameters. Y. Nakagawa, M. F. Gillen, and R. E. Williams, 3200.
Gilles, L.
The pulse radiolysis of 1-propanol at 147 to 300 K. L. Gilles and A. W. Boyd, 531.

Gillies, G. C.
Nuclear quadrupole resonance and intermolecular interactions: temperature and pressure effects in Group V trichlorides. G. C. Gillies and R. J. C. Brown, 2266.
Gillis, H. A.
Evidence for a second kind of trapped electron in some deuterated aqueous glasses at low temperatures. A pulse radiolysis study. G. V. Buxton, H. A. Gillis, and N. V. Klassen, 367.
Gilson, D. F. R.
Nematic phase nuclear magnetic resonance studies of the molecular structures of cyclobutanone and methylenecyclobutane. K. C. Cole and D. F. R. Gilson, 657.
Polymorphism in *n*-alkylammonium chlorides: X-ray powder diffraction studies. D. F. R. Gilson, A. S. Kertes, R. St. J. Manley, J. Tsau, and G. Donnay, 765.
Nematic phase nuclear magnetic resonance studies of the structure and orientation of 1,5- and 2,6-naphthyridines. Y. P. Lee and D. F. R. Gilson, 2783.
Nematic phase nuclear magnetic resonance spectra and vibrationally averaged structures of cyclopropyl chloride, bromide, and cyanide. K. C. Cole and D. F. R. Gilson, 2783.
A wide-line nuclear magnetic resonance study of molecular motions in piperidinium salts. M.-C. Bernard, C. Orvig, and D. F. R. Gilson, 3483.
Girault, J.-P.
Effets de substituants en résonance magnétique nucléaire du ^{13}C. Etude des dérivés du phényl-2 furanne et du phényl-2 pyrrole. G. Dana, O. Convert, J.-P. Girault et E. Mulliez, 1827.
Glavinčevski, B.
ESCA investigations of Group IV derivatives. Part II. Binding-energy predictions for bromo- and iodo-silanes and -germanes. J. E. Drake, C. Riddle, H. E. Henderson, and B. Glavinčevski, 3876.
Goad, D. G. W.
Some thermodynamic properties of K_3AlF_6–$KAlF_4$ melts. W. T. Thompson and D. G. W. Goad, 3342.
Godfroid, J.-J.
A stereodynamic investigation of antivitamins K in the dicoumarol series. II. Differentiation between the two hydroxyl groups by the nuclear Overhauser effect. C. Laruelle and J.-J. Godfroid, 813.
Goel, R. G.
Preparation, Mössbauer and vibrational spectra of diorganotin chromates and carbonates. R. G. Goel, H. S. Prasad, G. M. Bancroft, and T. K. Sham, 711.
Goldsack, D. E.
Solvation effects on the conductivity of concentrated electrolyte solutions. D. E. Goldsack, R. Franchetto, and A. A. Franchetto, 2593.
Gonbeau, D.
Structure électronique de dérivés sulfures. XVIII. Influence de l'environnement sur la réactivité nucléophile du groupement thiocarbonyle. D. Gonbeau et G. Pfister-Guillouzo, 118.
Gordon, R. D.
Conformational changes accompanying electronic excitation of trifluoronitrosomethane. R. D. Gordon, S. C. Dass, J. R. Robins, H. F. Shurvell, and R. F. Whitlock, 2658.
Gough, S. R.
Dielectric and nuclear magnetic resonance characterization of unstable clathrate hydrates of acetaldehyde and propionaldehyde. D. W. Davidson, S. R. Gough, and J. A. Ripmeester, 3085.
Goyal, G. C.
Product yields and mechanism of penicillamine radiolysis at p*H* 5. G. C. Goyal and D. A. Armstrong, 1938.
Grabenstetter, J. E.
A self-consistent field wavefunction suited for calculation of the electric field gradient in HCl. J. E. Grabenstetter and M. A. Whitehead, 1948.
Graham, M. R.
The influence of manganese(II) and copper(II) on ^{13}C nuclear relaxation rates in imidazole. R. E. Wasylishen and M. R. Graham, 617.
Graham, W. A. G.
The reactivity of cyclic germoxycarbene complexes of manganese and rhenium towards nucleophiles. M. J. Webb and W. A. G. Graham, 2557.
Gramstad, T.
Synthesis and vibrational spectra of some lead(II) halide adducts with O-, S-, and N-donor atom ligands. I. Wharf, T. Gramstad, R. Makhija, and M. Onyszchuk, 3430.
Grant, D. H.
Molecular weight of lecithin micelles in toluene by osmometry and Brillouin spectroscopy. R. J. Braedley, D. H. Grant, V. C. Reinsborough, and P. A. Ross, 3070.
Grant-Taylor, D. F.
Thermal pressure and energy–volume coefficients for the acetonitrile + water system. D. F. Grant-Taylor and D. D. Macdonald, 2813.

Grasso, D.
Electronic absorption spectra and dipole moments of diazafluoren-9-ones studied by the MIM, PPP, and CNDO/2 methods. C. Gandolfo, G. Buemi, D. Grasso, and S. Fasone, 1870.
Gray, D. G.
Surface and kinetic effects in gas chromatographic studies of polystyrene. G. J. Courval and D. G. Gray, 3496.
Green, L. W.
Acid dissociation constants and rates as studied by ultrasonic absorption. L. W. Green, P. Kruus, and M. J. McGuire, 3152.
Greenberg, S.
The use of polymer supports in organic synthesis. VII. Polymer-bound 1,3-diols as monoblocking agents of symmetrical dialdehydes. C. C. Leznoff and S. Greenberg, 3824.
Grolier, J.-P. E.
Enthalpies de mélange du tétrachlorure de carbone avec des hydrocarbures à l'aide d'un microcalorimètre Picker à écoulement continu, équipé de séparateurs. J.-P. E. Grolier et A. Inglese, 1952.
Gruda, I.
Synthesis of some long-chain spiropyranindolines. I. Gruda and R. M. Leblanc, 576.
Gruselle, M.
Réactions de substitution homolytique. V. Stéréosélectivité de différents radicaux cyclohexyle. M. Gruselle, J. Fossey, D. Lefort, C. Lamarre et J. C. Richer, 905.
Gruttadauria, S.
Conformation of 2-thiophenesulphonanilides from dipole moment studies. G. C. Pappalardo, S. Gruttadauria, E. Maccarone, and G. Musumarra, 1672.
Guimon, C.
Analyse conformationnelle de trithiolannes-1,2,4. M. F. Guimon, C. Guimon, F. Metras et G. Pfister-Guillouzo, 146.
Guimon, M. F.
Analyse conformationnelle de trithiolannes-1,2,4. M. F. Guimon, C. Guimon, F. Metras et G. Pfister-Guillouzo, 146.
Guthrie, J. P.
Thermodynamics of ester and orthoester formation from trifluoroacetic acid. J. P. Guthrie, 202.
Erratum: Thermodynamics of ester and orthoester formation from trifluoroacetic acid. J. P. Guthrie, 2678.
A catalyst for ester hydrolysis showing electrostatic and hydrophobic binding properties. J. P. Guthrie and Y. Ueda, 2745.
Gutman, I.
On the extension of the Hückel rule to polycyclic non-alternant conjugated hydrocarbons. I. Gutman and N. Trinajstić, 1789.
Guy, R. D.
Studies of metal–organic interactions in model systems pertaining to natural waters. R. D. Guy and C. L. Chakrabarti, 2600.
Habashi, F.
Reduction of sulfates by hydrogen. F. Habashi, S. A. Mikhail, and K. Vo Van, 3646.
Reduction of binary sulfate mixtures containing $CuSO_4$ by H_2. F. Habashi and S. A. Mikhail, 3651.
Hachey, J.-M.
Esters chromiques dérivés du tertiobutanol. J.-M. Hachey, H. Ghali et J.-B. Savard, 572.
Erratum: Esters chromiques dérivés d'alcools tertiaires. J.-C. Richer et J.-M. Hachey, 840.
Hackett, P. A.
The photochemistry of 2-furaldehyde vapour. I. Photophysical processes: phosphorescence excited in the $\pi^* \leftarrow n$ transition. A. Gandini, P. A. Hackett, and R. A. Back, 3089.
Confidence in fluorescence lifetime determinations: a ratio correction for the photomultiplier time response variation with wavelength. D. M. Rayner, A. E. McKinnon, A. G. Szabo, and P. A. Hackett, 3246.
Hadley, M.
On the constitutions of silver iodine dibenzoates (Simonini complexes). N. J. Bunce and M. Hadley, 2612.
Hall, L. D.
A pulse Fourier transform equivalent of the homonuclear (proton–proton) INDOR experiment. K. Bock, R. Burton, and L. D. Hall, 3526.
Halle, J.-C.
Influence du substituant tertiobutyl-4 sur les constantes d'acidité du cation cyclohexylammonium et de l'acide cyclohexane carboxylique dans les milieux mixtes eau–DMSO et méthanol–DMSO. J. T. Edward, P. G. Farrell, J. Kirchnerova, J.-C. Halle et R. Schaal, 1899.
Halliday, J. D.
Isotopic exchange reactions of amines. Part I. An ^2H nuclear magnetic resonance study of the amino to methyl group deuteron exchange in methylamine. J. D. Halliday and P. E. Bindner, 3775.
Halliwell, R.
A re-examination of the nitrobenzene–2,2,4-trimethyl pentane system in the consolute region and of the thermodynamical considerations concerning the value of ϵ' at the consolute point. R. Halliwell, D. A. Hutchinson, and R. McIntosh, 1139.

Hanaya, K.
Synthesis of azacyclic compounds by an aminium radical route: orbital overlap requirements. R. A. Perry, S. C., Chen, B. C. Menon, K. Hanaya, and Y. L. Chow, 2385.
Hanisch, P.
The stereochemistry of 1,3,5-trimethyl-4-piperidone and its 4-phenylalcohol derivatives. P. Hanisch and A. J. Jones, 2432.
Hansen, J. C.
Kinetics and mechanism of substitution reactions of (dimethylsulfoxide)pentaaminecobalt(III) ion in dimethylsulfoxide solvent: complications due to redox and conjugate base processes. S. T. D. Lo, E. M. Oudeman, J. C. Hansen, and T. W. Swaddle, 3685.
Hardin, A. H.
Raman spectra of pyridine adsorbed on a series of ion-exchanged forms of zeolite Y. T. A. Egerton, A. H. Hardin, and N. Sheppard, 586.
Harding, D. R. K.
Organic sulfur mechanisms. 19. Sulfene – tertiary amine zwitterions and base size effects in sulfene condensations. J. F. King and D. R. K. Harding, 2652.
Harold-Smith, D.
Potential energy calculations of the rotational barriers of molecular solids. II. The dynamic structures of adamantane and hexamethylenetetramine in the solid state and the nature of the phase transition in adamantane. C. A. Fyfe and D. Harold-Smith, 769.
Potential energy calculations of the mechanisms of self-diffusion in molecular crystals: adamantane. C. A. Fyfe and D. Harold-Smith, 783.
Harrison, A. G.
The hydrogen and methane chemical ionization mass spectra of some formate esters. A. G. Harrison and C. W. Tsang, 2029.
Structural and energetics effects in the chemical ionization of halogen-substituted benzenes and toluenes. H.-W. Leung and A. G. Harrison, 3439.
Harriss, M. G.
The trifluoroacetic acid solvent system. Part V. Cryoscopic measurements. M. G. Harriss and J. B. Milne, 3031.
Harrod, J. F.
Activation entropy as a dominant factor in the oxidative addition of some Group IV hydrides to an iridium(I) complex. J. P. Fawcett and J. F. Harrod, 3102.
Hartman, J. S.
Urea – boron trihalide adducts. IV. Ionic–covalent equilibria in the tetramethylthiourea–BF_3 and tetramethylselenourea–BF_3 systems and the influence of $B_2F_7^-$ formation. J. S. Hartman, G. J. Schrobilgen and P. Stilbs, 1121.
Urea – boron trihalide adducts. V. Effects of acid strength on restricted rotation in adducts of tetramethylurea and 1,1-bis(dimethylamino)ethylene. J. S. Hartman and R. R. Yetman, 1130.
Hasan, F. B.
Stereoselective epimerization of pilocarpine in aqueous solution as determined by ^{13}C nuclear magnetic resonance spectroscopy. G. A. Neville, F. B. Hasan, and I. C. P. Smith, 2094.
Hasan, M. U.
Morpholines: stereochemistry and preferred steric course of quaternization. A. J. Jones, C. P. Beeman, M. U. Hasan, A. F. Casy, and M. M. A. Hassan, 126.
Hashish, Z. M.
The dehydrogenation of 1,4-dihydronaphthalene by tetrachloro-*p*-benzoquinone. Z. M. Hashish and I. M. Hoodless, 2261.
Hasinoff, B. B.
The kinetic activation volumes for the binding of chloride to iron(III), studied by means of a high pressure laser temperature jump apparatus. B. B. Hasinoff, 1820.
Hassan, M. M. A.
Morpholines: stereochemistry and preferred steric course of quaternization. A. J. Jones, C. P. Beeman, M. U. Hasan, A. F. Casy, and M. M. A. Hassan, 126.
Haywood-Farmer, J.
Carbon catalyzed organic reactions: racemization of 1,1′-binaphthyl by carbon surfaces. R. E. Pincock, W. M. Johnson, and J. Haywood-Farmer, 548.
Hazlett, J. D.
Ditertiary(phosphines and arsines) with perfluoro-(bi-1-cycloalken-1-yl) bridging groups. Preparation and properties including a solid state structure of a tetracarbonylmolybdenum derivative. W. R. Cullen, A. R. Davis, A. W. Wu, F. W. B. Einstein, and J. D. Hazlett, 2871
Heath, J. B. R.
Isothermal compressibility of water–glycerol mixtures at 60.0 °C measured relative to water. E. Whalley and J. B. R. Heath, 2249.
Hellier, D. G.
A stereochemical investigation of substituted ethylene sulfites via ^{13}C nuclear magnetic resonance. G. W. Buchanan and D. G. Hellier, 1428.

Hemsworth, R. S.
Absolute gas-phase acidities of CH_3NH_2, $C_2H_5NH_2$, $(CH_3)_2NH$, and $(CH_3)_3N$. G. I. Mackay, R. S. Hemsworth, and D. K. Bohme, 1624.
Henderson, H. E.
ESCA investigations of Group IV derivatives. Part II. Binding-energy predictions for bromo- and iodo-silanes and -germanes. J. E. Drake, C. Riddle, H. E. Henderson, and B. Glavinčevski, 3876.
Henry, H.
Charge distributions and chemical effects. X. Enthalpies of formation of alkanes, a calculation from ^{13}C nuclear magnetic resonance shifts. H. Henry, S. Fliszár, and A. Julg, 2085.
Henry, P. M.
Oxidation of olefins by palladium(II). VIII. Kinetics of the oxidation of ethylene by palladium(II) chloride in methanol. H.-B. Lee and P. M. Henry, 1726.
Hepler, L. G.
Substituent and solvent effects on organic acids: an electrostatic theory. T. Matsui and L. G. Hepler, 1296.
Enthalpies of formation of $Cr^{3+}(aq)$ and the inner sphere complexes of $CrF^{2+}(aq)$, $CrCl^{2+}(aq)$, $CrBr^{2+}(aq)$, and $CrSO_4^+(aq)$. I. Dellien and L. G. Hepler, 1383.
Heat capacities of aqueous electrolytes: eight 1:1 electrolytes and ΔC_p^0 for ionization of water at 298 K. P. P. Singh, E. M. Woolley, K. G. McCurdy, and L. G. Hepler, 3315.
Herbo, C.
Réaction oscillante de Belousov. 1. Cinétique de la réaction bromate-céreux. C. Herbo, G. Schmitz et M. Van Glabbeke, 2628.
Herman, J. A.
Photolyse du chloro-2 propane gazeux à $\lambda = 147$ et 123.6–116.5 nm. P. Gagnon et J. A. Herman, 3470.
Heumann, A.
Synthesis of bridged azabicyclic ketones. Solvolysis of enol ether and ethylene ketal *N*-chloramines in acidic medium. R. Furstoss, R. Tadayoni, G. Esposito, J. Lacrampe, A. Heumann, and B. Waegell, 3569.
Heyding, R. D.
The crystal structures of $Cu_{1.8}Se$, Cu_3Se_2, α- and $\gamma CuSe$, $CuSe_2$ and $CuSe_2$II. R. D. Heyding and R. M. Murray, 841.
Hicks, D. R.
Some synthetic routes to 2,3,6-trideoxy-hex-2-enopyranosides and -hex-2-enopyranosid-4-uloses. M. B. Yunker, S. Y.-K. Tam, D. R. Hicks, and B. Fraser-Reid, 2411.
Hillier, K.
Studies of solvolysis. Part IX. Some comments on anion–cation combination reactions. K. Hillier, J. M. W. Scott, D. J. Barnes, and F. J. P. Steele, 3312.
Hine, K. E.
The formation of cycloheptenone and cycloheptadienones from bicyclo[3.2.0]heptanone derivatives. An acid-catalyzed, two carbon ring expansion reaction. K. E. Hine and R. F. Childs, 12.
Hiraoka, K.
Formation of *tert*-butyl cation in methane. K. Hiraoka and P. Kebarle, 1739.
Ho, P.-t.
The synthesis of chasmanine: aromatic intermediate. S.-F. Lee, G.-M. Gathe, W. W. Sy, P.-t. Ho, and K. Wiesner, 1039.
Holah, D. G.
Reactions of sodium tetrahydroborate and cyanotrihydroborate with ruthenium(II) and (III) systems in the presence of tertiary phosphines. D. G. Holah, A. N. Hughes, and B. C. Hui, 320.
Holland, H. L.
Fumaramine and bicucullinine: two minor alkaloids of *Corydalis ochroleuca* Koch. R. G. A. Rodrigo, R. H. F. Manske, H. L. Holland, and D. B. MacLean, 471.
The conversion of phthalideisoquinolines into spirobenzylisoquinolines and rhoeadine precursors. H. L. Holland, M. Curcumelli-Rodostamo, and D. B. MacLean, 1472.
^{13}C magnetic resonance spectra of some isoquinoline alkaloids and related model compounds. D. W. Hughes, H. L. Holland, and D. B. MacLean, 2252.
The alkaloids of *L. magellanicum* and the structure of magellanine. M. Castillo, L. A. Loyola, G. Morales, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2893.
The alkaloids of *L. paniculatum* and the structure of paniculatine. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2900.
Holloway, C. E.
^{13}C T_1 nuclear magnetic resonance study of molecular motion: rotational barriers in hindered methyl groups. D. E. Axelson and C. E. Holloway, 2820.
Holmes, A. M.
Revised structure for the γ-lactone derived from acid treatment of dihydroisopimaric acid. J. W. ApSimon, A. M. Holmes, H. Beierbeck, and J. K. Saunders, 418.
Holmes, J. L.
Metastable ion studies. VI. The identification of $C_2H_5N^{+\cdot}$ ion structures from their characteristic kinetic energy releases. J. L. Holmes and J. K. Terlouw, 1007.

Holy, N. L.
Reduction of nitrobenzene with sodium and lithium naphthalenide. N. L. Holy, 1599.
Hoodless, I. M.
The dehydrogenation of 1,4-dihydronaphthalene by tetrachloro-*p*-benzoquinone. Z. M. Hashish and I. M. Hoodless, 2261.
Horlings, H.
Equilibrium in the formation of barium carbonate from barium sulphate. H. Horlings, D. S. Scott, and J. R. Wynnyckyj, 3872.
Howard, J. A.
Metal complexes as antioxidants. II. Reaction of nickel di-*n*-butyldithiocarbamate and nickel diisopropyldithiophosphate with alkylperoxy radicals. J. A. Howard and J. H. B. Chenier, 382.
Metal complexes as antioxidants. III. Reaction of nickel dialkyldithiocarbamates and nickel dialkyldithiophosphates with alkyl hydroperoxides. J. A. Howard and J. H. B. Chenier, 390.
Organometallic peroxy radicals. Part II. A kinetic electron spin resonance study of some organogermylperoxy radicals. J. A. Howard and J. C. Tait, 2669.
Hoyano, J.
$[LM(CO)_{3,4}X]$ complexes of manganese(I) and rhenium(I) with phosphino- and thiophosphinatopyrazole ligands. J. Hoyano and L. K. Peterson, 2697.
Syntheses and properties of phosphino- and phosphinatopyrroles. S. Fischer, J. Hoyano, I. Johnson, and L. K. Peterson, 2706.
Syntheses and properties of phosphino- and phosphinatopyrazoles. S. Fischer, J. Hoyano, and L. K. Peterson, 2710.
Hozumi, T.
Arylsulfonyltetrazoles as highly efficient condensing reagents for polynucleotide synthesis. J. Stawinski, T. Hozumi, and S. A. Narang, 670.
Hruska, F. E.
Polybrominated derivatives of 5α-androstane and 5α-estrane 3-ketones: cyclopropanol formation. J. F. Templeton, C. W. Wie, and F. E. Hruska, 2865.
Hudgins, R. R.
Behaviour of vanadia-catalyzed SO_2 oxidation in the presence of inert, diluent gases. K. K. Rungta, R. R. Hudgins, and P. L. Silveston, 665.
Hughes, A. N.
Reactions of sodium tetrahydroborate and cyanotrihydroborate with ruthenium(II) and (III) systems in the presence of tertiary phosphines. D. G. Holah, A. N. Hughes, and B. C. Hui, 320.
Hughes, D. W.
^{13}C magnetic resonance spectra of some isoquinoline alkaloids and related model compounds. D. W. Hughes, H. L. Holland, and D. B. MacLean, 2252.
Huh, C.
Sphere tensiometry: an evaluation and critique. C. Huh and S. G. Mason, 969.
Hui, B. C.
Reactions of sodium tetrahydroborate and cyanotrihydroborate with ruthenium(II) and (III) systems in the presence of tertiary phosphines. D. G. Holah, A. N. Hughes, and B. C. Hui, 320.
Hullot, P.
Milieux hyperbasiques: préparation et alkylation de carbanions en α d'amides *N,N*-disubstitués. Application à la synthèse de la *d,l*-pipéritone. P. Hullot, T. Cuvigny, M. Larchevêque et H. Normant, 1098.
Humber, L. G.
Crystallographic studies on neuroleptics of the benzocycloheptapyridoisoquinoline series. The crystal structure of butaclamol hydrobromide and the absolute configuration and crystal structure of dexclamol hydrobromide. P. H. Bird, F. T. Bruderlein, and L. G. Humber, 2715.
Hunter, D. H.
Geometry and rotational barriers in 1,3,5-triphenylpentadienyllithium by ^1H and ^{13}C nuclear magnetic resonance. D. H. Hunter, R. E. Klinck, R. P. Steiner, and J. B. Stothers, 1464.
Hunter, N. R.
Situselective α'-acetoxylation of some α,β-enones by manganic acetate oxidation. G. J. Williams and N. R. Hunter, 3830.
Husain, D.
Kinetic study of the spin orbit states of atomic germanium, $Ge(4^3P_{0,1,2})$, by time-resolved attenuation of atomic resonance radiation. A. Brown and D. Husain, 4.
The collisional quenching of electronically excited oxygen atoms, $O(2^1D_2)$, by the gases NH_3, H_2O_2, C_2H_6, C_3H_8, and $C(CH_3)_4$, using time-resolved attenuation of atomic resonance radiation. I. S. Fletcher and D. Husain, 1765.
Hutchinson, D. A.
A re-examination of the nitrobenzene–2,2,4-trimethyl pentane system in the consolute region and of the thermodynamical considerations concerning the value of ϵ' at the consolute point. R. Halliwell, D. A. Hutchinson, and R. McIntosh, 1139.

Huyskens, P. L.
Dipolar and calorimetric study of the complexes between *N,N*-dimethyl-*N'*-phenylformamidines and phenols. A. F. Foubert and P. L. Huyskens, 610.
Hyne, J. B.
The interrelationship between partial molal expansibility and the solute induced shift in the temperature of maximum density of water. D. D. Macdonald and J. B. Hyne, 3073.
Ibbott, D. G.
Mercury(I) chemistry. Part I. Complexes of the mercurous ion with some arenes. P. A. W. Dean, D. G. Ibbott, and J. B. Stothers, 166.
Mercury(I) chemistry. Part II. Reactions of the mercurous ion with some ligands having the heavier Group VA or VIA elements as donor atoms. P. A. W. Dean and D. G. Ibbott, 177.
Erratum: Mercury(I) chemistry. Part I. Complexes of the mercurous ion with some arenes. P. A. W. Dean, D. G. Ibbott, and J. B. Stothers, 1439.
Igarashi, O.
Action of Grignard reagents on hexuronic esters and attempted dehydration of tertiary alcohols to give hex-5-enopyranosides. G. O. Aspinall, O. Igarashi, T. N. Krishnamurthy, W. Mitura, and M. Funabashi, 1708.
Inglese, A.
Enthalpies de mélange du tétrachlorure de carbone avec des hydrocarbures à l'aide d'un microcalorimètre Picker à écoulement continu, équipé de séparateurs. J. P. E. Grolier et A. Inglese, 1952.
Ingold, K. U.
A kinetic study of the reaction of adamantanethione with 2-adamantanethiol. J. C. Scaiano, J. P.-A. Tremblay, and K. U. Ingold, 3407.
Inoue, Y.
Mercury photosensitization of 1-hexene and *cis*-2-octene vapor. Intramolecular hydrogen abstraction of vibrationally excited π,π^* triplet state. Y. Inoue, S. Takamuku, and H. Sakurai, 3117.
Ishige, M.
Study on the preparation of 3α-hydroxy-5α-cholestan-6-one and -7-one by stereoselective catalytic hydrogenation. M. Ishige, M. Shiota, and F. Suzuki, 2581.
Iyamuremye, D.
Reaction of dichlorobis(dimethylsulphoxide)platinum(II) with pyridine and isomerization of dichloro(dimethylsulphoxide)(pyridine)platinum(II). P.-C. Kong, D. Iyamuremye, and F. D. Rochon, 3224.
Jacobs, P. W. M.
Interionic potentials for the alkali metal chlorides. J. Corish, B. M. C. Parker, and P. W. M. Jacobs, 3839.
Jacquignon, P.
Les réactions de Friedel et Crafts d'acylation des hydrocarbures aromatiques polycycliques. IX. L'acétylation de l'anthracène et de ses homologues *méso*-méthylés. F. Perin, M. Croisy-Delcey et P. Jacquignon, 1777.
James, B. R.
Aqueous solutions of bromorhodate(III) complexes. Their use as catalysts for homogeneous hydrogenation, and their reactivity toward carbon monoxide. B. R. James and G. Rosenberg, 313.
James, D. W.
The infrared and Raman spectra of 1,2-dibromotetrafluoroethane. H. F. Shurvell, F. Cahill, V. Devarajan, and D. W. James, 2220.
Jamieson, W. D.
Isolation and structure of pimaydolide, a cyclodepsipeptide metabolite of *Pithomyces maydicus*. D. W. Russell, W. D. Jamieson, A. Taylor, and B. C. Das, 1355.
Janzen, A. F.
Nuclear magnetic resonance and molecular orbital studies of the conformational preferences of the fluoromethyl group in some benzylfluoride derivatives. T. Schaefer, J. B. Rowbotham, W. J. E. Parr, K. Marat, and A. F. Janzen, 1322.
Jha, K. N.
Reaction rates of electrons in liquid methanol and ethanol: effect of temperature: kinetics of electron reactions prior to solvation. G. L. Bolton, K. N. Jha, and G. R. Freeman, 1497.
Joardar, D. S.
Metal complexes of sulfur–nitrogen chelating agents. V. 2-*N*-Ethylaminocyclopentene-1-dithiocarboxylic acid complexes of Ni(II), Pd(II), Pt(II), Co(II), Co(III), and Cu(I). K. Nag and D. S. Joardar, 2827.
Johnson, I.
Syntheses and properties of phosphino- and phosphinatopyrroles. S. Fischer, J. Hoyano, I. Johnson, and L. K, Peterson, 2706.
Johnson, W. M.
Carbon catalyzed organic reactions: racemization of 1,1'-binaphthyl by carbon surfaces. R. E. Pincock, W. M. Johnson, and J. Haywood-Farmer, 548.
Jolicoeur, C.
Thermodynamic properties of aqueous organic solutes in relation to their structure. Part III. Apparent molal volumes and heat capacities of low molecular weight alcohols and polyols at 25 °C. C. Jolicoeur and G. Lacroix, 624.

Jones, A. J.
Morpholines: stereochemistry and preferred steric course of quaternization. A. J. Jones, C. P. Beeman, M. U. Hasan, A. F. Casy, and M. M. A. Hassan, 176.
The stereochemistry of 1,3,5-trimethyl-4-piperidone and its 4-phenylalcohol derivatives. P. Hanisch and A. J. Jones, 2432.
Jones, C. H. W.
A Mössbauer study of organotellurium compounds. Part I. C. H. W. Jones, R. Schultz, W. R. McWhinnie, and N. S. Dance, 3234.
A Mössbauer study of organotellurium compounds. Part II. Halides, acetates, and benzoates. F. J. Berry and C. H. W. Jones, 3737.
Jones, J. B.
Nicotinamide coenzyme regeneration. Flavin mononucleotide (riboflavin phosphate) as an efficient, economical, and enzyme-compatible recycling agent. J. B. Jones and K. E. Taylor, 2969.
Nicotinamide coenzyme regeneration. The rates of some 1,4-dihydropyridine, pyridinium salt, and flavin mononucleotide hydrogen-transfer reactions. J. B. Jones and K. E. Taylor, 2974.
Jones, J. K. N.
Selective, reductive dechlorination of chlorodeoxy sugars. Structural determination of chlorodeoxy and deoxy sugars by ^{13}C nuclear magnetic resonance spectroscopy. W. A. Szarek, A. Zamojski, A. R. Gibson, D. M. Vyas, and J. K. N. Jones, 3783.
Jones, T. R. B.
Fragmentation and rearrangement processes in the mass spectra of perhalogenoaromatic compounds. Part X. Pentafluorophenyl dimethyl derivatives of group V. T. R. B. Jones, J. M. Miller, J. L. Peterson, and D. W. Meek, 1478.
Joseph, T. C.
Chemistry of amido radicals: stereochemical controls in II radical reactions. T. C. Joseph, J. N. S. Tam, M. Kitadani, and Y. L. Chow, 3517.
Jou, F.-Y.
Optical spectra of electrons solvated in liquid ethers: temperature effects. F.-Y. Jou and G. R. Freeman, 3693.
Julg, A.
Charge distributions and chemical effects. X. Enthalpies of formation of alkanes, a calculation from ^{13}C nuclear magnetic resonance shifts. H. Henry, S. Fliszár, and A. Julg, 2085.
Jung, K. A.
Partial molar volumes of aqueous 1:1 and 2:1 electrolytes and a structure model. L. W. Bahe and K. A. Jung, 824.
Just, G.
C-Nucleosides and related compounds. VI. Carbocyclic analogues of *C*-nucleosides: synthesis and derivatives of some useful intermediates. G. Just, G. Reader, and B. Chalard-Faure, 849.
C-Nucleosides and related compounds. VII. Synthesis of carbocyclic analogues of *C*-nucleosides. G. Just and B. Chalard-Faure, 861.
2,3-Oxazabicyclo[2.2.1]heptane. G. Just and L. Cutrone, 867.
A simple synthesis of oxazolidine and thiazolidine derivatives of hydroxymethylglyceraldehyde acetonide. G. Just, B. Y. Chung, G. Rosebery, and M. Dupré, 1260.
Reactions of oxygen and sulphur anions with oxazolidine and thiazolidine derivatives of 2-mesyloxymethylglyceraldehyde acetonide. G. Just, B. Y. Chung, S. Kim, G. Rosebery, and P. Rossy, 2089.
C-Nucleosides and related compounds. VIII. Synthesis of 5-(4′β-hydroxymethyl-2′β,3′α-dihydroxycyclopent-1′β-yl)-6-azauracil. G. Just and R. Ouellet, 2925.
C-Nucleosides and related compounds. XI. The synthesis of the 2-deoxy carbocyclic analogue of D,L-pyrazofurin A. G. Just and S. Kim, 2935.
Syntheses of *C*-nucleosides. IX. Reactions of D,L-3,4-di-*O*-isopropylidene-2,5-anhydroallose with Wittig reagents. Syntheses of bis-homo anhydro-*C*-nucleosides. G. Just, M. Ramjeesingh, and T. J. Liak, 2940.
Kabzinska, K.
A ^{13}C nuclear magnetic resonance study of thiolane sulfoxides. The configurations of neothiobinulpharidine sulfoxides. R. T. LaLonde, C. F. Wong, A. I-M. Tsai, J. T. Wróbel, J. Ruszkowska, K. Kabzinska, T. I. Martin, and D. B. MacLean, 3860.
Kadai, T.
Reaction of organic compounds under high temperature – dilute acid (HTDA) conditions. II. The hydration–exchange of norbornadiene and benzonorbornadiene in aqueous acetic acid at 250 °C. N. H. Werstiuk and T. Kadai, 2201.
Reaction of organic compounds under high temperature – dilute acid (HTDA) conditions. III. The perdeuteration of bicyclo[2.2.1]heptanes. N. H. Werstiuk and T. Kadai, 2213.
Kakushima, M.
Catalysed Diels–Alder reactions. The realization of orientation control with a bifunctional aliphatic dienophile. M. Kakushima, J. Espinosa, and Z. Valenta, 3304.
Kalra, B. L.
Photosensitization by Cd($^3P_{0,1}$) atoms. III. Gas phase decomposition of cyclopentane. B. L. Kalra and A. R. Knight, 77.

Kartzmark, E. M.
Solubilities in the system indium tribromide – sodium bromide – water, at 25 °C. E. M. Kartzmark, 1884.
Kaslander, L.
Spectroscopic studies in olefins. VI. The valence angle dependence of interproton nuclear magnetic resonance coupling constants. F. H. A. Rummens and L. Kaslander, 2884.
Kataoka, Y.
Theoretical study of the ν_3 and ν_4 Raman bands of methane in rare gas matrices. K. Kobashi, Y. Kataoka, and T. Yamamoto, 2154.
Katritzky, A. R.
A comparison of methods for pK_a determination in strongly basic systems applied to the deprotonation of some heterocyclic methiodide salts. R. A. Cox, R. Stewart, M. J. Cook, A. R. Katritzky, and R. D. Tack, 900.
Katz, M.
Excess volume and viscosity of binary liquid acid–base mixtures. H. N. Sólimo, R. Riggio, J. A. Espindola, S. del V. Alonso, and M. Katz, 3125.
Kavanagh-Caron, C.
Evaluation of a spin-labeled inhibitor of acetylcholinesterase. C. Kavanagh-Caron, M. Caron, N. Brisson, and H. Dugas, 3545.
Kazinoti, P. I.
Butenolides from citraconic anhydride and acetophenone: rearrangement to a 2,3-dihydro-3-furanone related to bullatenone. G. M. Strunz and P. I. Kazinoti, 415.
Kebarle, P.
Formation of *tert*-butyl cation in methane. K. Hiraoka and P. Kebarle, 1739.
Binding energies and stabilities of potassium ion complexes with ethylene diamine and dimethoxyethane (glyme) from measurements of the complexing equilibria in the gas phase. W. R. Davidson and P. Kebarle, 2594.
Kelly, R. B.
Condensation of *cis*-9-methyl-2-decalone with cyclic β-amino esters: synthesis and X-ray crystallography of perhydroazacyclopentaanthracenes and perhydroazabenzanthracenes. R. B. Kelly, B. A. Beckett, I. Mumtaz, E. Stanley, and P. S. White, 1512.
Kelly, T. L.
Preparation and characterization of salts containing the triply bridged dimeric iridium(III) ion, $[H(Ar_3P)_2Ir(SAr')_2ClIr(PAr_3)_2H]^+$. T. L. Kelly and C. V. Senoff, 1860.
Kertes, A. S.
Polymorphism in *n*-alkylammonium chlorides: X-ray powder diffraction studies. D. F. R. Gilson, A. S. Kertes, R. St. J. Manley, J. Tsau, and G. Donnay, 765.
Khalil, H.
A simple synthesis of alkylated and acylated dihydrothiopyrans. J. M. McIntosh and H. Khalil, 1923.
Khan, T. R.
Kinetic and spectrophotometric studies of binding of iron(III) by glutathione. T. R. Khan and C. H. Langford, 3192.
Khare, G. P.
Erratum: The reaction of catechol and derivatives with potassium superoxide. E. Lee-Ruff, A. B. P. Lever, J. Rigaudy, and G. P. Khare, 3303.
Monomeric di-oxygen adducts of high spin cobalt(II) complexes. G. P. Khare, E. Lee-Ruff, and A. B. P. Lever, 3424.
Kiehlmann, E.
Alkaline methanolysis of 1,1,1-trichloro-2-hydroxy-4-alkanones. E. Kiehlmann, J. I. Wells, and W. Reeve, 1998.
Kielland, S. L.
Water-soluble lysine-containing polypeptides. III. Sequential lysine-glycine polypeptides. A circular dichroism and electron microscopy study of annealed complexes with DNA, sonicated DNA, and denatured DNA. S. L. Kielland and R. E. Williams, 3884.
Kiener, C.
Etude des complexes aqueux d'uranium(IV) en milieu acide par resonance magnétique nucléaire. C. Kiener, G. Folcher, P. Rigny et J. Virlet, 303.
Kim, D. J.
^{13}C nuclear magnetic resonance spectra of steroids: the assignments of chemical shifts for C-15 and C-16 in 17β-acetyl steroids. D. J. Kim, L. D. Colebrook, and T. J. Adley, 3766.
Kim, S.
Reactions of oxygen and sulphur anions with oxazolidine and thiazolidine derivatives of 2-mesyloxymethylglyceraldehyde acetonide. G. Just, B. Y. Chung, S. Kim, G. Rosebery, and P. Rossy, 2089.
C-Nucleosides and related compounds. XI. The synthesis of the 2-deoxy carbocyclic analogue of D,L-pyrazofurin A. G. Just and S. Kim, 2935.
Kimmerle, F. M.
L'étude de l'adsorption des halogenures d'ammonium quaternaire à l'interface mercure–solution. H. Ménard et F. M. Kimmerle, 2488.
Erratum: L'étude de l'adsorption des halogenures d'ammonium quaternaire à l'interface mercure–solution. H. Ménard et F. M. Kimmerle, 3303.

King, J. F.
Organic sulfur mechanisms. 19. Sulfene – tertiary amine zwitterions and base size effects in sulfene condensations. J. F. King and D. R. K. Harding, 2652.
Kirchnerová, J.
Influence du substituant tertiobutyl-4 sur les constantes d'acidité du cation cyclohexylammonium et de l'acide cyclohexane carboxylique dans les milieux mixtes eau–DMSO et méthanol–DMSO. J. T. Edward, P. G. Farrell, J. Kirchnerová, J.-C. Halle et R. Schaal, 1899.
The solubility of water in low-dielectric solvents. J. Kirchnerová and G. C. B. Cave, 3909.
Association and hydration of alcohols in low-dielectric solvents. I. *n*-Butanol. J. Kirchnerová and G. C. B. Cave, 3917.
Association and hydration of alcohols in low-dielectric solvents: II. *tert*-Butyl alcohols and cyclohexanol. J. Kirchnerová and G. C. B. Cave, 3929.
Kirk, A. D.
Photochemistry of *trans*-$[Cr(en)_2Br_2]^+$ and *trans*-$[Cr(en)_2Cl_2]^+$. W. J. Rosebush and A. D. Kirk, 2335.
Photosolvation of $[Co(CN)_6]^{3-}$, *trans*-$[Cr(NH_3)_2(NCS)_4]^-$ and *trans*-$[Cr(en)_2NCSF]^+$ in aqueous mixed solvent systems. C. F. C. Wong and A. D. Kirk, 3794.
Kitadani, M.
Chemistry of amido radicals: stereochemical controls in Π radical reactions. T. C. Joseph, J. N. S. Tam, M. Kitadani, and Y. L. Chow, 3517.
Klassen, N. V.
Evidence for a second kind of trapped electron in some deuterated aqueous glasses at low temperatures. A pulse radiolysis study. G. V. Buxton, H. A. Gillis, and N. V. Klassen, 367.
Kliegel, W.
Crystal and molecular structure of 8,8-dimethyl-3,5-diphenyl-2,4,6-trioxa-1-azonia-3-bora-5-boranatabicyclo-[3.3.0]octane. S. J. Rettig, J. Trotter, W. Kliegel, and H. Becker, 3142.
Klinck, R. E.
Geometry and rotational barriers in 1,3,5-triphenylpentadienyllithium by ^1H and ^{13}C nuclear magnetic resonance. D. H. Hunter, R. E. Klinck, R. P. Steiner, and J. B. Stothers, 1464.
^{13}C nuclear magnetic resonance studies. 61. The effect of solute–solvent association on internal rotation in substituted benzaldehydes. R. E. Klinck and J. B. Stothers, 3267.
Knight, A. R.
Photosensitization by $Cd(^3P_{0,1})$ atoms. III. Gas phase decomposition of cyclopentane. B. L. Kalra and A. R. Knight, 77.
Reactions of thiyl radicals. XII. Triplet mercury photosensitized decomposition of ethyl sulfide in the gas phase. C. S. Smith and A. R. Knight, 1290.
Knittel, P.
Synthetic application of α-hydroxydiazene systems. I. Esters from radical chain reactions of unsaturated compounds with 2-hydroxy-2,5,5-trimethyl-Δ^3-1,3,4-oxadiazoline. P. Knittel and J. Warkentin, 1341.
Knop, O.
Infrared spectra of the ammonium ion in crystals. III. The ammonium ion in crystal sites of symmetry S_4. I. A. Oxton, O. Knop, and M. Falk, 892.
Pyrochlores. X. Madelung energies of pyrochlores and defect fluorites. W. W. Barker, P. S. White, and O. Knop, 2316.
Ko, E. C. F.
A search for protonated cyclobutane. C. C. Lee and E. C. F. Ko, 1722.
Rearrangement studies with ^{14}C. XLI. Degenerate rearrangements in vinyl cations from triphenylvinyl-2-^{14}C-phenyltriazene and from trianisylvinyl-2-^{14}C-phenyltriazene. C. C. Lee and E. C. F. Ko, 3041.
Ko, M.
The decomposition of dimethylbenzylanilinium chloride in alcoholic solvents. M. Ko, T. Sato, and T. Otsu, 1886.
Kobashi, K.
Theoretical study of the ν_3 and ν_4 Raman bands of methane in rare gas matrices. K. Kobashi, Y. Kataoka, and T. Yamamoto, 2154.
Kominar, R. J.
Pyrolysis of iodobenzene by the toluene carrier technique and determination of $D[C_6H_5—I]$. R. J. Kominar, M. J. Krech, and S. J. W. Price, 2981.
Kong, P.-C.
Reaction of dichlorobis(dimethylsulphoxide)platinum(II) with pyridine and isomerization of dichloro(dimethylsulphoxide)(pyridine)platinum(II). P.-C. Kong, D. Iyamuremye, and F. D. Rochon, 3224.
Kopecky, K. R.
Evidence for one-bond cleavage in the thermolysis of (−)-(*S*)-1-diphenylmethyl-2-(2-butyl)diazene and of 1-diphenylmethyl-2-phenyldiazene. K. R. Kopecky, P. M. Pope, and J. A. L. Sastre, 2639.
Korenkiewicz, S. M.
Electronic and Raman spectroscopic studies of copper adrenalin complexes and copper induced compounds. M. S. Rahaman and S. M. Korenkiewicz, 3815.

Koshy, K. M.
The hydrolysis of substituted benzyl nitrates in water. II. Effect of *ortho*-substitution. K. M. Koshy, R. E. Robertson, G. S. Dyson, and S. Singh, 3614.
Koski, A. A.
Studies of the pyrolysis of diethylzinc by the toluene carrier method and of the reaction of ethyl radicals with toluene. A. A. Koski, S. J. W. Price, and B. C. Trudell, 482.
Kovář, J.
A study of non-bonded interactions of nitro and nitronate substituents in inositols. H. H. Baer and J. Kovář, 2038.
Kratochvil, B.
Kinetic study of formation of nickel(II)–isoquinoline complex in water and nonaqueous solvents. P. K. Chattopadhyay and B. Kratochvil, 2540.
Krech, M. J.
Pyrolysis of iodobenzene by the toluene carrier technique and determination of $D[C_6H_5—I]$. R. J. Kominar, M. J. Krech, and S. J. W. Price, 2981.
Krepinsky, J.
Reactions of 4-hydroxy-6-methyl-2-pyridone with aldehydes. J. A. Findlay, J. Krepinsky, F. Y. Shum, and W. H. J. Tam, 270.
Synthesis of *d,l*-epiramulosin and the configuration of ramulosin. J. A. Findlay, J. M. Matsoukas, and J. Krepinsky, 3419.
Kresge, A. J.
A theoretical study on the stereochemistry and protonation of $^-$:CH_2—NO_2. P. G. Mezey, A. J. Kresge, and I. G. Csizmadia, 2526.
Krishnamurthy, T. N.
Action of Grignard reagents on hexuronic esters and attempted dehydration of tertiary alcohols to give hex-5-enopyranosides. G. O. Aspinall, O. Igarashi, T. N. Krishnamurthy, W. Mitura, and M. Funabashi, 1708.
Krishnasamy, V.
Vapour phase catalytic transformations of terpene hydrocarbons in the $C_{10}H_{16}$ series. III. Dehydrogenation of Δ^3-carene over modified chromia and chromia–alumina catalysts. V. Krishnasamy and L. M. Yeddanapalli, 3458.
Kruck, T. P. A.
Molecular design to mimic the copper(II) transport site of human albumin: studies of equilibria between copper(II) and glycylglycyl-L-histidine-*N*-methyl amide and comparison with human albumin. T. P. A. Kruck, S.-j. Lau, and B. Sarkar, 1300.
Kruczynski, L. J.
A proton magnetic resonance determination of the rotational barrier in benzyl chloride and of the low energy conformations in benzyl bromide and iodide derivatives based on motionally averaged spin–spin interactions. T. Schaefer, L. J. Kruczynski, and W. J. E. Parr, 3210.
Krueger, P. J.
Intermolecular hydrogen bonds and molecular conformations. A 220 MHz nuclear magnetic resonance study of the piperazine ring in 1-thiobenzoyl-3,5-dimethylpiperazine. A. O. Fulea and P. J. Krueger, 566.
Krupa, J.-C.
Etude comparée du rapport isomérique du ^{84m,f}Rb produit dans une cible d'yttrium 89 par des protons et des particules α. J.-C. Krupa, 153.
Kruus, P.
Concentration fluctuations in water–methanol mixtures as studied by ultrasonic absorption. W. D. T. Dale, P. A. Flavelle, and P. Kruus, 355.
Acid dissociation constants and rates as studied by ultrasonic absorption. L. W. Green, P. Kruus, and M. J. McGuire, 3152.
Krygowski, T. M.
A characteristic vector analysis of solvent effects for thermodynamic data. W. R. Fawcett and T. M. Krygowski, 3283.
Kuriyan, M.
Highly excited 1*sns* states of the helium atom. M. Kuriyan and H. O. Pritchard, 1543.
An R.K.R.-like estimate of the effective non-adiabatic internuclear potential for the hydrogen molecule. M. Kuriyan and H. O. Pritchard, 1865.
Kutney, J. P.
Studies in the usnic acid series. I. The condensation of (+)-usnic acid with aliphatic and aromatic amines. J. P. Kutney and I. H. Sanchez, 2795.
Studies in the usnic acid series. II. The condensation of (+)-usnic acid with hydroxylamine. J. P. Kutney, I. H. Sanchez, and T. Yee, 3713.
Studies in the usnic acid series. III. The base catalyzed usnic acid – isousnic acid rearrangement. The synthesis of (+)-isousnic acid. J. P. Kutney, I. H. Sanchez, and T. Yee, 3721.
Kwan, M.-H.
Photochemical rearrangements of substituted thiochromanone sulfoxides. I. W. J. Still, P. C. Arora, M. S. Chauhan, M.-H. Kwan, and M. T. Thomas, 455.

Labib, N. I.
On the interpretation of measured rotational and vibrational relaxation times. I. Sound dispersion experiments. H. O. Pritchard and N. I. Labib, 329.
Lacrampe, J.
Synthesis of bridged azabicyclic ketones. Solvolysis of enol ether and ethylene ketal *N*-chloramines in acidic medium. R. Furstoss, R. Tadayoni, G. Esposito, J. Lacrampe, A. Heumann, and B. Waegell, 3569.
Lacroix, G.
Thermodynamic properties of aqueous organic solutes in relation to their structure. Part III. Apparent molal volumes and heat capacities of low molecular weight alcohols and polyols at 25 °C. C. Jolicoeur and G. Lacroix, 624.
Ladouceur, B. F.
Etude sur les carbéthoxy-3 pyrazolinones-5: contribution à l'étude des formes tautomériques et préparation de sels d'hydrazinium et de guanidinium. J. Zauhar et B. F. Ladouceur, 488.
Lafontaine, J.
Metals intercalated in graphite. IV. Intercalation from CCl_4 solution and extraction of intercalated species. J. M. Lalancette, L. Roy, and J. Lafontaine, 2505.
Lai, H. K.
Olefin cycloadditions to 2′,3′,5′-triacetyluridine. J. L. Charlton and H. K. Lai, 1445.
Lai, M.
The metal-ligand oxidations of dibenzobicyclo[2.2.2]octatriene by lead tetraacetate – hydrogen fluoride, lead tetraacetate, thallium(III) acetate, and mercuric acetate. D. D. Tanner, P. B. Van Bostelen, and M. Lai, 2004.
Lajoie, A.
Chaleurs de dilution de solutions aqueuses d'acide polyméthacrylique et de ses sels de sodium et de rubidium. H. Daoust et A. Lajoie, 1853.
Lal, M.
Cysteine-sensitised formation and repair of mixed disulfide in the oxidation of papain by H_2O_2 and OH radicals. W. S. Lin, G. M. Gaucher, D. A. Armstrong, and M. Lal, 242.
^{60}Co γ radiolysis of reduced glutathione in aerated solutions at p*H* values between 1–7.0. M. Lal, 1092.
Lalancette, J. M.
Metals intercalated in graphite. III. The reactions of aromatic, olefinic, and acetylenic hydrocarbons with potassium–graphite intercalates. J. M. Lalancette and R. Roussel, 2110.
Metals intercalated in graphite. IV. Intercalation from CCl_4 solution and extraction of intercalated species. J. M. Lalancette, L. Roy, and J. Lafontaine, 2505.
Metals intercalated in graphite. V. A concentration cell with intercalated bromine. J.-M. Lalancette and R. Roussel, 3541.
LaLonde, R. T.
A ^{13}C nuclear magnetic resonance study of thiolane sulfoxides. The configurations of neothiobinulpharidine sulfoxides. R. T. LaLonde, C. F. Wong, A. I-M. Tsai, J. T. Wróbel, J. Ruszkowska, K. Kabzinska, T. I. Martin, and D. B. MacLean, 3860.
Lamarre, C.
Réactions de substitution homolytique. V. Stéréosélectivité de différents radicaux cyclohexyle. M. Gruselle, J. Fossey, D. Lefort, C. Lamarre et J. C. Richer, 905.
Lampin, J.-P.
Synthèse de nouveaux phospholènes et phospholes avec substituants fonctionnels sur le phosphore. F. Mathey, J.-P. Lampin et D. Thavard, 2402.
Langford, C. H.
A kinetic study of nickel(II)–murexide complex formation in dimethylsulfoxide/nitromethane mixed solvents. J. P. K. Tong and C. H. Langford, 706.
The structure and equilibria of a manganese(II) complex of fulvic acid studied by ion exchange and nuclear magnetic resonance. D. S. Gamble, C. H. Langford, and J. P. K. Tong, 1239.
Kinetic and spectrophotometric studies of binding of iron(III) by glutathione. T. R. Khan and C. H. Langford, 3192.
Langler, R. F.
A facile synthesis of sulfonyl chlorides. R. F. Langler, 498.
Larchevêque, M.
Milieux hyperbasiques: préparation et alkylation de carbanions en α d'amides *N*,*N*-disubstitués. Application à la synthèse de la *d*,*l*-pipéritone. P. Hullot, T. Cuvigny, M. Larchevêque et H. Normant, 1098.
Laruelle, C.
A stereodynamic investigation of antivitamins K in the dicoumarol series. II. Differentiation between the two hydroxyl groups by the nuclear Overhauser effect. C. Laruelle and J.-J. Godfroid, 813.
Latremouille, G.
Lewis base complexes of tungsten and molybdenum hexafluorides. S. Brownstein, B. H. Christian, G. Latremouille, and A. Steigel, 2343.
Lau, C.
The vibrational spectrum and normal coordinate analysis of tellurium chloride pentafluoride. W. V. F. Brooks, M. Eshaque, C. Lau, and J. Passmore, 817.

Lau, S.-j.
Molecular design to mimic the copper(II) transport site of human albumin: studies of equilibria between copper(II) and glycylglycyl-L-histidine-*N*-methyl amide and comparison with human albumin. T. P. A. Kruck, S.-j. Lau, and B. Sarkar, 1300.
Laurence, C.
Influence des substituants sur la basicité de pyridines en milieu apolaire. C. Laurence et M. Luçon, 2021.
Laurent, J.-P.
Etude des phénomènes de redistribution des groupements monofonctionnels -R, -F, -Cl, -Br, -I, -SCN sur des atomes de bore tricoordonnés. J.-P. Costes, G. Cros et J.-P. Laurent, 2996.
Laviron, E.
Electrochimie de composés organométalliques. I. Electrosynthèse de cyclopentadiène cyclopentadiényl cobalt substitutés. N. El Murr et E. Laviron, 3350.
Electrochimie de composés organométalliques. II. Nouvelle voie d'accès aux sels de cobalticinium substitutés. N. El Murr et E. Laviron, 3357.
Leblanc, R. M.
Synthesis of some long-chain spiropyranindolines. I. Gruda and R. M. Leblanc, 576.
Lee, C. C.
The reaction of *cis*- and *trans*-1,2-dianisyl-2-phenylvinyl-2-^{13}C bromides with acetic acid and silver acetate. C. C. Lee and M. Oka, 604.
A search for protonated cyclobutane. C. C. Lee and E. C. F. Ko, 1722.
The acid cleavage of triphenylvinylmercuric salts. C. C. Lee and P. J. Smith, 3038.
Rearragement studies with ^{14}C. XLI. Degenerate rearrangements in vinyl cations from triphenylvinyl-2-^{14}*C*-phenyltriazene and from trianisylvinyl-2-^{14}*C*-phenyltriazene. C. C. Lee and E. C. F. Ko, 3041.
Lee, D. G.
The oxidation of cyclobutanol by ruthenium tetroxide and sodium ruthenate. D. G. Lee, U. A. Spitzer, J. Cleland, and M. E. Olson, 2124.
The basicity of aliphatic carboxylic acids. D. G. Lee and M. H. Sadar, 3464.
Lee, H.-B.
Oxidation of olefins by palladium(II). VIII. Kinetics of the oxidation of ethylene by palladium(II) chloride in methanol. H.-B. Lee and P. M. Henry, 1726.
Lee, S.-F.
The synthesis of chasmanine: aromatic intermediate. S.-F. Lee, G.-M. Sathe, W. W. Sy, P.-t. Ho, and K. Wiesner, 1039.
Lee, W.
The ionization constant of heavy water (D_2O) in the temperature range 298 to 523 K. D. W. Shoesmith and W. Lee, 3553.
Lee, W. E.
The crystal and molecular structure of thiamine iodide hydroiodide. W. E. Lee and M. F. Richardson, 3001.
Lee, Y.
Studies of *p*-nitrobenzoic acid and the *p*-nitrobenzoate ion in the electrical double layer of oriented cationic and anionic nematic phases. Y. Lee and L. W. Reeves, 500.
Lee, Y. P.
Nematic phase nuclear magnetic resonance studies of the structure and orientation of 1,5- and 2,6-naphthyridines. Y. P. Lee and D. F. R. Gilson, 2783.
Lee-Ruff, E.
The reaction of catechol and derivatives with potassium superoxide. E. Lee-Ruff, A. B. P. Lever, and J. Rigaudy, 1837.
Erratum: The reaction of catechol and derivatives with potassium superoxide. E. Lee-Ruff, A. B. P. Lever, J. Rigaudy, and G. P. Khare, 3303.
Monomeric di-oxygen adducts of high spin cobalt(II) complexes. G. P. Khare, E. Lee-Ruff, and A. B. P. Lever, 3424.
Lefort, D.
Réactions de substitution homolytique. V. Stéréosélectivité de différents radicaux cyclohexyle. M. Gruselle, J. Fossey, D. Lefort, C. Lamarre et J. C. Richer, 905.
Lemaire, J.
Comportement photochimique de cétones α,β-insaturées sous excitation directe. A. Deflandre, A. Lheureux, A. Rioual et J. Lemaire, 2127.
Mécanisme d'inhibition par des alcools de la photo-oxydation de l'heptanal en phase liquide. J. C. André et J. Lemaire, 2288.
Lenoir, J. A.
Hydrazine derivatives. III. A study of alkylation of guanazole. J. J. Fuentes and J. A. Lenoir, 3620.
Leonard, D. R. A.
Nitration of the tetramethylbenzenes in acetic anhydride. Formation and rearomatization of adducts. A. Fischer and D. R. A. Leonard, 1795.

Leroy, J.
Cycloaddition (2 + 3) d'aziridines avec les perfluoroalcènes. Synthès : de pyrroles fluorés. J. Leroy et C. Wakselman, 218.
Leung, F.
Crystal structure of β-D-acetyl cellobiose, $C_{28}H_{38}O_{19}$. F. Leung, H. D. Chanzy, S. Perez, and R. H. Marchessault, 1365.
Leung, H.-W.
Structural and energetics effects in the chemical ionization of halogen-substituted benzenes and toluenes. H.-W. Leung and A. G. Harrison, 3439.
Leung, L. P. C.
Crystal structure and vibrational spectra of methyl *N,N*-diethyldithiocarbamato mercury(II). C. Chieh and L. P. C. Leung, 3077.
Lever, A. B. P.
The reaction of catechol and derivatives with potassium superoxide. E. Lee-Ruff, A. B. P. Lever, and J. Rigaudy, 1837.
Redox potentials of metal phthalocyanines in non-aqueous media. A. B. P. Lever and J. P. Wilshire, 2514.
Erratum: The reaction of catechol and derivatives with potassium superoxide. E. Lee-Ruff, A. B. P. Lever, J. Rigaudy, and G. P. Khare, 3303.
Monomeric di-oxygen adducts of high spin cobalt(II) complexes. G. P. Khare, E. Lee-Ruff, and A. B. P. Lever, 3424.
Lewis, D. K.
Di-*tert*-butyl peroxide decomposition behind shock waves. D. K. Lewis, 581.
Leznoff, C. C.
The use of polymer supports in organic synthesis. V. The preparation of monoacetates of symmetrical diols. T. M. Fyles and C. C. Leznoff, 935.
The use of polymer supports in organic synthesis. VII. Polymer-bound 1,3-diols as monoblocking agents of symmetrical dialdehydes. C. C. Leznoff and S. Greenberg, 3824.
Lheureux, A.
Comportement photochimique de cétones α,β-insaturées sous excitation directe. A. Deflandre, A. Lheureux, A. Rioual et J. Lemaire, 2127.
Li, K. L.
The effect of monolayers on the rate of evaporation of H_2O and solution of O_2 in H_2O. R. N. O'Brien, A. I. Feher, K. L. Li, and W. C. Tan, 2739.
Liak, T. J.
Syntheses of *C*-nucleosides. IX. Reactions of D,L-3,4-di-*O*-isopropylidene-2,5-anhydroallose with Wittig reagents. Syntheses of bis-homo anhydro-*C*-nucleosides. G. Just, M. Ramjeesingh, and T. J. Liak, 2940.
Liard, J.-L.
Reactions of $NaBH_2S_3$ with some typical organic nitrogen compounds. J.-R. Brindle, J.-L. Liard, and N. Bérubé, 871.
Lin, W. S.
Cysteine-sensitised formation and repair of mixed disulfide in the oxidation of papain by H_2O_2 and OH radicals. W. S. Lin, G. M. Gaucher, D. A. Armstrong, and M. Lal, 242.
Linder, R. E.
Structure of radicals produced by γ-radiolysis. Part 5. Radicals derived from some aliphatic alkene molecules. R. E. Linder, D. L. Winters, and A. C. Ling, 1405.
Ling, A. C.
Structure of radicals produced by γ-radiolysis. Part 5. Radicals derived from some aliphatic alkene molecules. R. E. Linder, D. L. Winters, and A. C. Ling, 1405.
Structure of radicals produced by γ-radiolysis. Part 4. Adamantane matrices doped with various 5-membered heterocyclic molecules. D. L. Winters and A. C. Ling, 1971.
Lissi, E.
On the entropy production in chemically reacting systems. E. Lissi, 1995.
Liu, H.-J.
Ormosia alkaloids. VII. Total synthesis of ormosanine, piptanthine, 18-epiormosanine, and *d,l*-panamine. H.-J. Liu, Y. Sato, Z. Valenta, J. S. Wilson, and T. T.-J. Yu, 97.
Oxidative cleavage of tertiary cyclobutanols. A new synthetic approach to 1,4-ketols and 1,4-diketones. H.-J. Liu, 3113.
A practical synthesis of *cis*-jasmone from levulinic acid. J. A. Bulat and H.-J. Liu, 3869.
Llouquet, G.
^1H nuclear magnetic resonance conformational study of medium-sized rings: 3,4-dihydro-1,6-benzodiazocine-2,5-diones. J. Elguero, A. Fruchier, G. Llouquet, and C. Marzin, 1135.
Lo, S. T. D.
Kinetics and mechanism of substitution reactions of (dimethylsulfoxide)pentaamminecobalt(III) ion in dimethylsulfoxide solvent: complications due to redox and conjugate base processes. S. T. D. Lo, E. M. Oudeman, J. C. Hansen, and T. W. Swaddle, 3685.

Lobo, S. T.
Thermodynamics of basic ionization of some aminoethers in water. S. T. Lobo and R. E. Robertson, 3600.
Thermodynamic parameters for the basic ionization of some cyclic amines in water. S. T. Lobo, T. Murty, and R. E. Robertson, 3607.
Lock, C. J. L.
Heavy transition metal complexes of biologically important molecules. I. The crystal and molecular structure of *trans*-dichloro(bis(isopropyl)sulfoxide-*S*)-(1-methylcytosine-*N*)platinum(II). C. J. L. Lock, R. A. Speranzini, and J. Powell, 53.
López Quintela, M. A.
Kinetics of oxidation of nitrite by hypochlorite ions in aqueous basic solution. J. M. Cachaza, J. Casado, A. Castro, and M. A. López Quintela, 3401.
Lossing, F. P.
The heat of formation of N_2H_2 and the proton affinity of N_2. C. Willis, F. P. Lossing, and R. A. Back, 1.
Free radicals by mass spectrometry. XLVII. Ionization potentials and ionic heats of formation of C_5–C_7 alkyl radicals. F. P. Lossing and A. Maccoll, 990.
Erratum: The heat of formation of N_2H_2 and the proton affinity of N_2. C. Willis, F. P. Lossing, and R. A. Back, 1493.
Loutfy, Rafik. O.
An exciplex mechanism for the quenching of singlet excited states of aliphatic ketones by carbon tetrachloride. Rafik O. Loutfy and A. C. Somersall, 760.
The interrelation between polarographic half-wave potentials and the energies of electronic excited states. Rafik O. Loutfy and Raouf O. Loutfy, 1454.
Loutfy, Raouf. O.
The interrelation between polarographic half-wave potentials and the energies of electronic excited states. Rafik O. Loutfy and Raouf O. Loutfy, 1454.
Lown, J. W.
Studies related to antitumor antibiotics. Part VII. Synthesis of streptonigrin analogues and their single strand scission of DNA. J. W. Lown and S.-K. Sim, 2563.
Loyola, L. A.
The alkaloids of *L. magellanicum* and the structure of magellanine. M. Castillo, L. A. Loyola, G. Morales, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2893.
The alkaloids of *L. paniculatum* and the structure of paniculatine. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2900.
Luche, J.-L.
Flash thermolysis: multiple sigmatropic rearrangements in *ortho*-substituted aromatic compounds. P. de Champlain, J.-L. Luche, R. A. Marty, and P. de Mayo, 3749.
Luçon, M.
Influence des substituants sur la basicité de pyridines en milieu apolaire. C. Laurence et M. Luçon, 2021.
Lushington, K. J.
The charge storage and other electrical properties of a series of polyacene quinone radical polymers. R. N. O'Brien and K. J. Lushington, 1841.
Lutener, S. B.
The thermally induced rearrangements of 2-vinyloxirane. R. J. Crawford, S. B. Lutener, and R. D. Cockcroft, 3364.
Lynch, B. M.
Syntheses, structural and conformational assignments, and conversions of pyridine and triazolopyridine nucleosides. B. M. Lynch and S. C. Sharma, 1029.
Macauley, L. J.
Reactions of trifluoromethyl radicals with iodine and nitric oxide. J. C. Amphlett and L. J. Macauley, 1234.
Maccarone, E.
Conformation of 2-thiophenesulphonanilides from dipole moment studies. G. C. Pappalardo, S. Gruttadauria, E. Maccarone, and G. Musumarra, 1672.
Maccoll, A.
Free radicals by mass spectrometry. XLVII. Ionization potentials and ionic heats of formation of C_5–C_7 alkyl radicals. F. P. Lossing and A. Maccoll, 990.
Macdonald, D. D.
Thermal pressure and energy–volume coefficients for the acetonitrile + water system. D. F. Grant-Taylor and D. D. Macdonald, 2813.
The interrelationship between partial molal expansibility and the solute induced shift in the temperature of maximum density of water. D. D. Macdonald and J. B. Hyne, 3073.
Excess energy–volume and cohesive energy density coefficients for binary systems. Comparison with constant pressure functions. D. D. Macdonald, 3559.
MacDonald, J. C.
Empirical equations for predicting ^{13}C chemical shifts in nuclear magnetic resonance spectra of certain types of amino acids. J. C. MacDonald, G. G. Bishop, and M. Mazurek, 1226.

Mackay, G. I.
Absolute gas-phase acidities of CH_3NH_2, $C_2H_5NH_2$, $(CH_3)_2NH$, and $(CH_3)_3N$. G. I. Mackay, R. S. Hemsworth, and D. K. Bohme, 1624.
Gas-phase reactions of anions with halogenated methanes at 297 ± 2 K. K. Tanaka, G. I. Mackay, J. D. Payzant, and D. K. Bohme, 1643.
MacLachlan, F. N.
X-ray analysis of the structure and correlation with the spectra of haplophytine. P.-T. Cheng, S. C. Nyburg, F. N. MacLachlan, and P. Yates, 726.
MacLean, D. B.
Fumaramine and bicucullinine: two minor alkaloids of *Corydalis ochroleuca* Koch. R. G. A. Rodrigo, R. H. F. Manske, H. L. Holland, and D. B. MacLean, 471.
The conversion of phthalideisoquinolines into spirobenzylisoquinolines and rhoeadine precursors. H. L. Holland, M. Curcumelli-Rodostamo, and D. B. MacLean, 1472.
^{13}C magnetic resonance spectra of some isoquinoline alkaloids and related model compounds. D. W. Hughes, H. L. Holland, and D. B. MacLean, 2252.
The alkaloids of *L. magellanicum* and the structure of magellanine. M. Castillo, L. A. Loyola, G. Morales, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2893.
The alkaloids of *L. paniculatum* and the structure of paniculatine. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2900.
A ^{13}C nuclear magnetic resonance study of thiolane sulfoxides. The configurations of neothiobinulpharidine sulfoxides. R. T. LaLonde, C. F. Wong, A. I-M. Tsai, J. T. Wróbel, J. Ruszkowska, K. Kabzinska, T. I. Martin, and D. B. MacLean, 3860.
Mailloux, M.
The ν_{CO} absorption of ketones in cooled solution. J. Weinman, M. Mailloux, and S. Weinman, 31.
Makhija, R.
Synthesis and vibrational spectra of lead(II) thiocyanate complexes. A. D. Baranyi, R. Makhija, and M. Onyszchuk, 1189.
Synthesis and vibrational spectra of some lead(II) halide adducts with O-, S-, and N-donor atom ligands. I. Wharf, T. Gramstad, R. Makhija, and M. Onyszchuk, 3430.
Malek, A.
Erratum: Synthesis and characterization of some dibasic tridentate Schiff base ligands. E. C. Alyea and A. Malek, 188.
Mallaret-Gout, E.
Cinétique de l'interaction des complexes Cu(II)–oxine, Cu(II)–biuret et CU(II) – acide salicylique avec l'EDTA. E. Mallaret-Gout et M. Zador, 3743.
Manely, R. St. J.
Polymorphism in *n*-alkylammonium chlorides: X-ray powder diffraction studies. D. F. R. Gilson, A. S. Kertes, R. St. J. Manley, J. Tsau, and G. Donnay, 765.
Manske, R. H. F.
Fumaramine and bicucullinine: two minor alkaloids of *Corydalis ochroleuca* Koch. R. G. A. Rodrigo, R. H. F. Manske, H. L. Holland, and D. B. MacLean, 471.
Manville, J. F.
Juvabione and its analogues. II. Isolation, identification, and occurrence of juvabiol and its epimer isojuvabiol from the whole wood of *Abies balsamea*. J. F. Manville, 2365.
Marat, K.
The sign of the 'through-space' spin–spin coupling between methyl protons and the fluorine nucleus in 2,6-dimethylbenzoyl fluoride. T. Schaefer, K. Chum, K. Marat, and R. E. Wasylishen, 800.
Nuclear magnetic resonance and molecular orbital studies of the conformational preferences of the fluoromethyl group in some benzylfluoride derivatives. T. Schaefer, J. B. Rowbotham, W. J. E. Parr, K. Marat, and A. F. Janzen, 1322.
Marchessault, R. H.
Crystal structure of β-D-acetyl cellobiose, $C_{28}H_{38}O_{19}$. F. Leung, H. D. Chanzy, S. Perez, and R. H. Marchessault, 1365.
Marcotrigiano, G.
Coordination properties of β-alanine: new complexes with some transition metals cobalt(II), nickel(II), and copper(II). G. Marcotrigiano, L. Menabue, and G. C. Pellacani, 2426.
Marshall, I. R. H.
Formation and photolysis of alkyl and peroxy radicals in dilute glass matrices. F. C. Adam and I. R. H. Marshall, 3833.
Martin, T. I.
A ^{13}C nuclear magnetic resonance study of thiolane sulfoxides. The configurations of neothiobinulpharidine sulfoxides. R. T. LaLonde, C. F. Wong, A. I-M. Tsai, J. T. Wróbel, J. Ruszkowska, K. Kabzinska, T. I. Martin, and D. B. MacLean, 3860.
Martino, R.
The nuclear Overhauser effect between phosphorus and hydrogen in selected organo phosphorus compounds. H. Beierbeck, R. Martino, J. K. Saunders, and C. Benezra, 1918.

Marty, R. A.
The flash thermolysis of allyl sulphides. H. G. Giles, R. A. Marty, and P. de Mayo, 537.
Flash thermolysis: multiple sigmatropic rearrangements in *ortho*-substituted aromatic compounds. P. de Champlain, J.-L. Luche, R. A. Marty, and P. de Mayo, 3749.
Marzin, C.
^{1}H nuclear magnetic resonance conformational study of medium-sized rings: 3,4-dihydro-1,6-benzodiazocine-2,5-diones. J. Elguero, A. Fruchier, G. Llouquet, and C. Marzin, 1135.
Masamune, S.
[4]Annulene. Comments on its infrared spectrum. S. Masamune, Y. Sugihara, K. Morio, and J. E. Bertie, 2679.
Mason, S. G.
Sphere tensiometry: an evaluation and critique. C. Huh and S. G. Mason, 969.
Orthokinetic collisions of hard spheres in simple shear flow. P. A. Arp and S. G. Mason, 3769.
Massardier, J.
Formation, mobilité et réactivité d'espèces paramagnétiques adsorbées sur zéolithes H—Y irradiées. Une étude par résonance paramagnétique électronique. J. C. Vedrine, J. Massardier et A. Abou-Kais, 1678.
Mathey, F.
Synthèse de nouveaux phospholènes et phospholes avec substituants fonctionnels sur le phosphore. F. Mathey, J.-P. Lampin et D. Thavard, 2402.
Matsoukas, J. M.
Synthesis of *d,l*-epiramulosin and the configuration of ramulosin. J. A. Findlay, J. M. Matsoukas, and U. Krepinsky, 3419.
Matsui, T.
Substituent and solvent effects on organic acids: an electrostatic theory. T. Matsui and L. G. Hepler, 1296.
Mazurek, M.
Empirical equations for predicting ^{13}C chemical shifts in nuclear magnetic resonance spectra of certain types of amino acids. J. C. MacDonald, G. G. Bishop, and M. Mazurek, 1226.
McAlpine, R. D.
Isotope effects in the gas phase radiolysis of H_2S and D_2S. R. D. McAlpine, O. A. Miller, and A. W. Boyd, 2767.
McBride, D. W.
cis and *trans* isomers in $R_fFe(CO)_4I$ compounds. K. Stanley and D. W. McBride, 1700.
McClelland, R. A.
A ^{13}C nuclear magnetic resonance study of aliphatic ketone protonation in sulfuric acid solutions. R. A. McClelland and W. F. Reynolds, 718.
McCulloch, A. W.
Addition of iodine to dimethyl norbornadiene-2,3-dicarboxylate: nuclear magnetic resonance (^{1}H and ^{13}C) spectra and stereochemistry of nortricyclenes. A. W. McCulloch, A. G. McInnes, D. G. Smith, and J. A. Walter, 2013.
McCurdy, K. G.
Heat capacities of aqueous electrolytes: eight 1:1 electrolytes and ΔC_p^0 for ionization of water at 298 K. P. P. Singh, E. M. Woolley, K. G. McCurdy, and L. G. Hepler, 3315.
McDowell, C. A.
The X-ray photoelectron spectrum of hydrogen peroxide. M. S. Banna, D. C. Frost, C. A. McDowell, and B. Wallbank, 3811.
McGuire, M. J.
Acid dissociation constants and rates as studied by ultrasonic absorption. L. W. Green, P. Kruus, and M. J. McGuire, 3152.
McInnes, A. G.
Addition of iodine to dimethyl norbornadiene-2,3-dicarboxylate: nuclear magnetic resonance (^{1}H and ^{13}C) spectra and stereochemistry of nortricyclenes. A. W. McCulloch, A. G. McInnes, D. G. Smith, and J. A. Walter, 2013.
McIntosh, J. M.
A simple synthesis of alkylated and acylated dihydrothiopyrans. J. M. McIntosh and H. Khalil, 1923.
McIntosh, R.
A re-examination of the nitrobenzene–2,2,4-trimethyl pentane system in the consolute region and of the thermodynamical considerations concerning the value of ϵ' at the consolute point. R. Halliwell, D. A. Hutchinson, and R. McIntosh, 1139.
McKinnon, A. E.
Confidence in fluorescence lifetime determinations: a ratio correction for the photomultiplier time response variation with wavelength. D. M. Rayner, A. E. McKinnon, A. G. Szabo, and P. A. Hackett, 3246.
McKinnon, D. M.
Carbon-13 nuclear magnetic resonance spectra of organic sulfur compounds. Comparison of chemical shifts for carbonyl and thiocarbonyl compounds in the pyrone, thiopyrone, and pyridone series. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 280.
Carbon-13 nuclear magnetic resonance spectra of organic sulfur compounds. Substituent chemical shift (s.c.s.) effects in the 4-thiazoline-2-thione series. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 1660.
The kinetics of the reactions of chlorodithioformate esters with azide ions in 70% aqueous acetone. A. Queen, D. M. McKinnon, and A. W. Bell, 1906.

The reaction of some heterocyclic thiones with ethyl azidoformate. M. S Chauhan and D. M. McKinnon, 3879.

McLean, S.

Constituents of *Nauclea diderrichii*. Part VII. Synthesis of naucledérine, naucleonine, and naucleonidine; spectroscopic evidence for the structures of 3α-dihydrocadambine and two other constituents. S. McLean, G. I. Dmitrienko, and A. Szakolcai, 1262.

McWhinnie, W. R.

A Mössbauer study of organotellurium compounds. Part I. C. H. W. Jones, R. Schultz, W. R. McWhinnie, and N. S. Dance, 3234.

Mead, E. L.

The effect of ultrasound on water in the presence of dissolved gases. E. L. Mead, R. G. Sutherland, and R. E. Verrall, 1114.

Meek, D. W.

Fragmentation and rearrangement processes in the mass spectra of perhalogenoaromatic compounds. Part X. Pentafluorophenyl dimethyl derivatives of Group V. T. R. B. Jones, J. M. Miller, J. L. Peterson, and D. W. Meek, 1478.

Melanson, R.

The crystal structure of potassium trichloro(2,6-lutidine)platinum(II). R. Melanson and F. D. Rochon, 1002.

Menabue, L.

Coordination properties of β-alanine: new complexes with some transition metals cobalt(II), nickel(II), and copper(II). G. Marcotrigiano, L. Menabue, and G. C. Pellacani, 2426.

Ménard, H.

L'étude de l'adsorption des halogenures d'ammonium quaternaire à l'interface mercure–solution. H. Ménard et F. M. Kimmerle, 2488.

Erratum: L'étude de l'adsorption des halogenures d'ammonium quaternaire à l'interface mercure–solution. H. Ménard et F. M. Kimmerle, 3303.

Menard, M.

Ring C substituted 14-hydroxymorphinans and isomorphinans as narcotic antagonists. M. Menard, P. Rivest, B. Belleau, J.-P. Daris, and Y. G. Perron, 429.

Menon, B. C.

Synthesis of azacyclic compounds by an aminium radical route: orbital overlap requirements. R. A. Perry, S. C. Chen, B. C. Menon, K. Hanaya, and Y. L. Chow, 2385.

Hydrogenolysis of organometallics and the acidity of hydrogen. E. Buncel and B. C. Menon, 3949.

Metras, F.

Analyse conformationnelle de trithiolannes-1,2,4. M. F. Guimon, C. Guimon, F. Metras et G. Pfister-Guillouzo, 146.

Metwally, S. A. M.

Heterocyclic compounds. VIII. Studies on oxazolophenoxazines. A. M. Osman, S. A. M. Metwally, and M. S. K. Youssef, 37.

Mezey, P. G.

A theoretical study on the stereochemistry and protonation of $^{-}$:CH_2—NO_2. P. G. Mezey, A. J. Kresge, and I. G. Csizmadia, 2526.

The application of iterative optimization techniques to chemical kinetic data of large random error. G. H. Schmid, V. M. Csizmadia, P. G. Mezey, and I. G. Csizmadia, 3330.

Middlemiss, N.

Crystal structure of tetraammonium diphosphate, $(NH_4)_4P_2O_7$ at 22 °C. N. Middlemiss and C. Calvo, 2025.

Mihichuk, L. M.

Seven coordinate metal carbonyl derivatives of *cis*-$(CH_3)_2AsC(CF_3)$=$C(CF_3)As(CH_3)_2$. W. R. Cullen and L. M. Mihichuk, 2548.

Mikhail, S. A.

Reduction of sulfates by hydrogen. F. Habashi, S. A. Mikhail, and K. Vo Van, 3646.

Reduction of binary sulfate mixtures containing $CuSO_4$ by H_2. F. Habashi and S. A. Mikhail, 3651.

Mille, G.

Transfert du champ de forces de l'isothiazole: étude des vibrations moléculaires des dérivés de l'isothiazole monosubstitués en position 3, 4 ou 5. G. Mille, J. Chouteau, T. Avignon et L. Bouscasse, 3850.

Millefiori, S.

Molecular conformations of *ortho*-substituted benzophenones. F. Zuccarello, S. Millefiori, and S. Trovato, 226.

Miller, J. M.

Fragmentation and rearrangement processes in the mass spectra of perhalogenoaromatic compounds. Part X. Pentafluorophenyl dimethyl derivatives of group V. T. R. B. Jones, J. M. Miller, J. L. Peterson, and D. W. Meek, 1478.

Miller, O. A.

Isotope effects in the gas phase radiolysis of H_2S and D_2S. R. D. McAlpine, O. A. Miller, and A. W. Boyd, 2767.

Milne, J. B.

The trifluoroacetic acid solvent system. Part V. Cryoscopic measurements. M. G. Harriss and J. B. Milne, 3031.

Mitchell, R. H.
2,3,12,13-Tetraselena[4,4]metacyclophane. A disparity with the literature. R. H. Mitchell, 238.
Mitura, W.
Action of Grignard reagents on hexuronic esters and attempted dehydration of tertiary alcohols to give hex-5-enopyranosides. G. O. Aspinall, O. Igarashi, T. N. Krishnamurthy, W. Mitura, and M. Funabashi, 1708.
Modro, A.
The addition of 4-chlorobenzenesulfenyl chloride to phenyl-substituted acetylenes: the structures of the intermediate thiirenium ion. G. H. Schmid, A. Modro, D. G. Garratt, and K. Yates, 3045.
Modro, T. A.
Substituent effects of phosphorus and arsenic containing groups in aromatic substitution. VI. Orientation in nitration of some anilides and phenyl esters. T. A. Modro and J. Pioch, 560.
Medium effects on tetraalkylammonium ions in aqueous acid solutions. T. A. Modro, W. F. Reynolds, and K. Yates, 1439.
Monahan, A. R.
The synthesis and spectroscopic characterization of Indulin 6B tetrasulfonate. W. E. Solodar and A. R. Monahan, 2909.
Mongeot, H.
Préparation et étude des isothiocyanatoboranes halogénes. J. Dazord, H. Mongeot, H. Atchekzai et J P. Tuchagues, 2135.
Monković, I.
Synthetic morphinans and hasubanans. VI. Total synthesis of 3-hydroxyisomorphinans, 3-hydroxyhasubanans, and 3,9-dihydroxyhasubanans. I. Monković and H. Wong, 883.
Morales, G.
The alkaloids of *L. magellanicum* and the structure of magellanine. M. Castillo, L. A. Loyola, G. Morales, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2893.
The alkaloids of *L. paniculatum* and the structure of paniculatine. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2900
Moran, J. J.
An improved colorimetric procedure for the analysis of vitamin A. J. A. Blake and J. J. Moran, 1757.
Morio, K.
[4]Annulene. Comments on its infrared spectrum. S. Masamune, Y. Sugihara, K. Morio, and J. E. Bertie, 2679.
Moyes, R. B.
Mass spectra of some deuterium-labelled methylsilanes and the analysis of mixtures. D. I. Bradshaw, R. B. Moyes, and P. B. Wells, 599.
Mulliez, E.
Effets de substituants en résonance magnétique nucléaire du ^{13}C. Etude des dérivés du phényl-2 furanne et du phényl-2 pyrrole. G. Dana, O. Convert, J.-P. Girault et E. Mulliez, 1827.
Mumtaz, I.
Condensation of *cis*-9-methyl-2-decalone with cyclic β-amino esters: synthesis and X-ray crystallography of perhydroazacyclopentaanthracenes and perhydroazabenzanthracenes. R. B. Kelly, B. A. Beckett, I. Mumtaz, E. Stanley, and P. S. White, 1512.
Murray, R. M.
The crystal structures of $Cu_{1.8}Se$, Cu_3Se_2, α- and $\gamma CuSe$, $CuSe_2$, and $CuSe_2II$. R. D. Heyding and R. M. Murray, 841.
Murty, T.
Thermodynamic parameters for the basic ionization of some cyclic amines in water. S. T. Lobo, T. Murty, and R. E. Robertson, 3607.
Musumarra, G.
Conformation of 2-thiophenesulphonanilides from dipole moment studies. G. C. Pappalardo, S. Gruttadauria, E. Maccarone, and G. Musumarra, 1672.
Nag, K.
Metal complexes of sulfur–nitrogen chelating agents. V. 2-*N*-Ethylaminocyclopentene-1-dithiocarboxylic acid complexes of Ni(II), Pd(II), Pt(II), Co(II), Co(III), and Cu(I). K. Nag and D. S. Joardar, 2827.
Nagchaudhuri, J.
Donor–acceptor interactions in biomolecules. II. Spectroscopic and molecular orbital studies of amino acid–nicotinamide adenine dinucleotide complexes. J. Nagchaudhuri and R. Suri, 59.
Nagra, S. S.
Hydrogen forming reactions of thermal electrons in hydrogen halides: kinetics and thermodynamics. S. S. Nagra and D. A. Armstrong, 3580.
The xenon sensitised radiolysis of HBr. S. S. Nagra and D. A. Armstrong, 3592.
Naidu, P. R.
Thermodynamic properties of binary liquid mixtures. M. V. P. Rao and P. R. Naidu, 2280.
Excess volumes of binary mixtures of an alcohol + diethylketone. K. S. Reddy, M. V. P. Rao, and P. R. Naidu, 2676.

Nain, V. P. S.
Predictions of adiabatic Joule–Thomson coefficients based on modern potentials for noble gases. V. P. S. Nain and R. A. Aziz, 2617.
Naito, S.
Complexes of niobium(III) with bidentate ligands. A. D. Allen and S. Naito, 2948.
Nakagawa, Y.
On the use of the *n*-propylammonium and *n*-butylammonium salts of *d*-10-camphorsulfonic acid for the calibration of spectropolarimeters: the concentration and solvent dependency of the optical rotation dispersion parameters. Y. Nakagawa, M. F. Gillen, and R. E. Williams, 3200.
Nambiar, K. P.
The construction of the substituted denudatine system by diene addition. K. Wiesner, T. Y. R. Tsai, G. I. Dmitrienko, and K. P. Nambiar, 3307.
Narang, S. A.
Arylsulfonyltetrazoles as highly efficient condensing reagents for polynucleotide synthesis. J. Stawinski, T. Hozumi, and S. A. Narang, 670.
Neilson, T.
Oligoribonucleotide synthesis. IX. Synthesis of sequences corresponding to the dihydrouridine loop neck region common in several transfer RNA molecules. T. E. England and T. Neilson, 1714.
Oligoribonucleotide synthesis. X. An improved synthesis of the anticodon loop region of methionine transfer ribonucleic acid from *E. coli*. E. S. Werstiuk and T. Neilson, 2689.
Neville, G. A.
Stereoselective epimerization of pilocarpine in aqueous solution as determined by ^{13}C nuclear magnetic resonance spectroscopy. G. A. Neville, F. B. Hasan, and I. C. P. Smith, 2094.
Nolin, C.
Vibrational spectra of crystalline malononitrile. R. Savoie, R. Brousseau, and C. Nolin, 3293.
Normant, H.
Milieux hyperbasiques: préparation et alkylation de carbanions en α d'amides *N,N*-disubstitués. Application à la synthèse de la *d,l*-pipéritone. P. Hullot, T. Cuvigny, M. Larchevêque et H. Normant, 1098.
Nowlan, V. J.
The addition of 2,4-dinitrobenzenesulfenyl chloride to a series of phenyl substituted *cis*- and *trans*-1-phenylpropenes. G. H. Schmid and V. J. Nowlan, 695.
Nuyens, L. J.
Use of polymers as protecting groups in organic synthesis. III. Selective functionalization of polyhydroxy alcohols. J. M. J. Fréchet and L. J. Nuyens, 926.
Nyburg, S. C.
X-ray analysis of the structure and correlation with the spectra of haplophytine. P.-T. Cheng, S. C. Nyburg, F. N. MacLachlan, and P. Yates, 726.
O'Brien, R. N.
On the hydrodynamics of the polarographic maxima of the first kind. R. N. O'Brien and F. P. Dieken, 402.
The charge storage and other electrical properties of a series of polyacene quinone radical polymers. R. N. O'Brien and K. J. Lushington, 1841.
The effect of monolayers on the rate of evaporation of H_2O and solution of O_2 in H_2O. R. N. O'Brien, A. I. Feher, K. L. Li, and W. C. Tan, 2739.
Oka, M.
The reaction of *cis*- and *trans*-1,2-dianisyl-2-phenylvinyl-2-^{13}C bromides with acetic acid and silver acetate. C. C. Lee and M. Oka, 604.
Okotore, R. O.
The thermal (dark) decomposition of 2-(2′,4′-dinitrophenylamino)-2-deoxy-D-glucose (DNP-glucosamine) in alkaline borate buffer. R. O. Okotore, 1394.
Olivato, P. R.
On the photoelectron and ultraviolet spectra of molecules containing a divalent sulfur atom and a carbonyl group separated by a methylene group. P. R. Olivato, H. Viertler, B. Wladislaw, K. C. Cole, and C. Sandorfy, 3026.
Olson, M. E.
The oxidation of cyclobutanol by ruthenium tetroxide and sodium ruthenate. D. G. Lee, U. A. Spitzer, J. Cleland, and M. E. Olson, 2124.
Onyszchuk, M.
Synthesis and vibrational spectra of lead(II) thiocyanate complexes. A. D. Baranyi, R. Makhija, and M. Onyszchuk, 1189.
Synthesis and vibrational spectra of some lead(II) halide adducts with O-, S-, and N-donor atom ligands. I. Wharf, T. Gramstad, R. Makhija, and M. Onyszchuk, 3430.
Orvig, C.
A wide-line nuclear magnetic resonance study of molecular motions in piperidinium salts. M.-C. Bernard, C. Orvig, and D. F. R. Gilson, 3483.

Osman, A. M.
Heterocyclic compounds. VIII. Studies on oxazolophenoxazines. A. M. Osman, S. A. M. Metwally, and M. S. K. Youssef, 37.
Otsu, T.
The decomposition of dimethylbenzylanilinium chloride in alcoholic solvents. M. Ko, T. Sato, and T. Otsu, 1886.
Oudeman, E. M.
Kinetics and mechanism of substitution reactions of (dimethylsulfoxide)pentaamminecobalt(III) ion in dimethylsulfoxide solvent: complications due to redox and conjugate base processes. S. T. D. Lo, E. M. Oudeman, J. C. Hansen, T. W. Swaddle, 3685.
Ouellet, R.
C-Nucleosides and related compounds. VIII. Synthesis of 5-(4′β-hydroxymethyl-2′β,3′α-dihydroxycyclopent-1′β-yl)-6-azauracil. G. Just and R. Ouellet, 2925.
Owens, C. M.
The reactions of atomic oxygen with methanol and ethanol. C. M. Owens and J. M. Roscoe, 984.
Oxton, I. A.
Infrared spectra of the ammonium ion in crystals. III. The ammonium ion in crystal sites of symmetry S_4. I. A. Oxton, O. Knop, and M. Falk, 892.
Paice, M. G.
Metabolites of bird's nest fungi. Part 4. The isolation and structure determination of cybullol, a metabolite of *Cyathus bulleri* Brodie. W. A. Ayer and M. G. Paice, 910.
Paine, J. B.
The use of ceric ammonium nitrate in pyrrole chemistry. J. B. Paine III and D. Dolphin, 411.
Paliani, G.
The interaction of α-diazoketones with hydroxylic solvents. R. Cataliotti, S. Sorriso, and G. Paliani, 2445.
Infrared study of the C—H stretching region of five-membered heterocyclic compounds. R. Cataliotti and G. Paliani, 2451.
Pan, C.
A simplified form of Stokes–Robinson equation. C. Pan, 9.
Panda, K. N.
Thermodynamics of the dissociation of *trans*-cinnamic acid. R. C. Das, U. N. Dash, and K. N. Panda, 1916.
Pappalardo, G. C.
Conformation of 2-thiophenesulphonanilides from dipole moment studies. G. C. Pappalardo, S. Gruttadauria, E. Maccarone, and G. Musumarra, 1672.
Paquet, A.
Succinimidyl esters of fatty acids for amino acid acylations. A. Paquet, 733.
Pardo, M. d. C.
Spectre de l'indazole en résonance magnétique nucléaire du ^{13}C. J. Elguero, A. Fruchier et M. d. C. Pardo, 1329.
Paris, J.
Etude par résonance magnétique nucléaire des propriétés acides de l'éthyltrifluoroacétoacétate d'uranium(IV). J. Paris et G. Folcher, 1433.
Parker, B. M. C.
Interionic potentials for the alkali metal chlorides. J. Corish, B. M. C. Parker, and P. W. M. Jacobs, 3839.
Parr, W. J. E.
Nuclear magnetic resonance and molecular orbital studies of the conformational preferences of the fluoromethyl group in some benzylfluoride derivatives. T. Schaefer, J. B. Rowbotham, W. J. E. Parr, K. Marat, and A. F. Janzen, 1322.
A proton magnetic resonance determination of the rotational barrier in benzyl chloride and of the low energy conformations in benzyl bromide and iodide derivatives based on motionaliy averaged spin–spin interactions. T. Schaefer, L. J. Kruczynski, and W. J. E. Parr, 3210.
A proton magnetic resonance and molecular orbital study of the conformational preferences of the vinylic fragment in some 2-vinylfurans and in 2-vinylthiophene. W. J. E. Parr, R. E. Wasylishen, and T. Schaefer, 3216.
Through-space or proximate $^{19}F,^{19}F$, and $^{19}F,^{1}H$ spin–spin coupling constants in some benzenesulfonyl fluoride derivatives. W. J. E. Parr and T. Schaefer, 3564.
Parsons, J. M.
The photochemistry of 2-furaldehyde vapour. II. Photodecomposition: direct photolysis at 253.7 and 313 nm and $Hg(^3P_1)$-sensitized decomposition. A. Gandini, J. M. Parsons, and R. A. Back, 3095.
Passannanti, S.
^{13}C nuclear magnetic resonance spectra of alkyl indoles including derivatives of hexahydroechinulin. R. R. Fraser, S. Passannanti, and F. Piozzi, 2915.
Passmore, J.
The vibrational spectrum and normal coordinate analysis of tellurium chloride pentafluoride. W. V. F. Brooks, M. Eshaque, C. Lau, and J. Passmore, 817.

Payzant, J. D.
Gas-phase reactions of anions with halogenated methanes at 297 ± 2 K. K. Tanaka, G. I. Mackay, J. D. Payzant, and D. K. Bohme, 1643.
Pellacani, G. C.
Coordination properties of β-alanine: new complexes with some transition metals cobalt(II), nickel(II), and copper(II). G. Marcotrigiano, L. Menabue, and G. C. Pellacani, 2426.
Perez, S.
Crystal structure of β-D-acetyl cellobiose, $C_{28}H_{38}O_{19}$. F. Leung, H. D. Chanzy, S. Perez, and R. H. Marchessault, 1365.
Perin, F.
Les réactions de Friedel et Crafts d'acylation des hydrocarbures aromatiques polycycliques. IX. L'acétylation de l'anthracène et de ses homologues *méso*-méthylés. F. Perin, M. Croisy-Delcey et P. Jacquignon, 1777.
Perlin, A. S.
Configurational effects on ^{13}C chemical shifts of 1,6-anhydrohexopyranoses and related compounds. Utility of ^{13}C–^{1}H coupling patterns for signal assignments. R. G. S. Ritchie, N. Cyr, and A. S. Perlin, 2301.
Perron, G.
Thermodynamic properties of tetraalkylammonium halides: volumes, heat capacities, and expansibilities in H_2O, D_2O, and urea–water mixtures from 278 to 328 K. G. Perron, N. Desrosiers, and J. E. Desnoyers, 2163.
Perron, Y. G.
Ring C substituted 14-hydroxymorphinans and isomorphinans as narcotic antagonists. M. Menard, P. Rivest, B. Belleau, J.-P. Daris, and Y. G. Perron, 429.
Perry, R. A.
Synthesis of azacyclic compounds by an aminium radical route: orbital overlap requirements. R. A. Perry, S. C. Chen, B. C. Menon, K. Hanaya, and Y. L. Chow, 2385.
Persin, F.
Etude des mobilités ioniques dans les mélanges eau–hexaméthylphosphotriamide. I. Cas du HMPT pur à 25 °C. J.-C. Bollinger, T. Yvernault, J.-Y. Gal et F. Persin, 3060
Peterson, J. L.
Fragmentation and rearrangement processes in the mass spectra of perhalogenoaromatic compounds. Part X. Pentafluorophenyl dimethyl derivatives of Group V. T. R. B. Jones, J. M. Miller, J. L. Peterson, and D. W. Meek, 1478.
Peterson, L. K.
$[LM(CO)_{3,4}X]$ complexes of manganese(I) and rhenium(I) with phosphino- and thiophosphinatopyrazole ligands. J. Hoyano and L. K. Peterson, 2697.
Syntheses and properties of phosphino- and phosphinatopyrroles. S. Fischer, J. Hoyano, I. Johnson, and L. K. Peterson, 2706.
Syntheses and properties of phosphino- and phosphinatopyrazoles. S. Fischer, J. Hoyano, and L. K. Peterson, 2710.
Peterson, M. R.
Stereomutation of a 1,2,3-triketone: an example of an asymmetric reaction. S. Wolfe, J. E. Berry, and M. R. Peterson, 210.
Pfister-Guillouzo, G.
Structure électronique de dérivés sulfures. XVIII. Influence de l'environnement sur la réactivité nucléophile du groupement thiocarbonyle. D. Gonbeau et G. Pfister-Guillouzo, 118.
Analyse conformationnelle de trithiolannes-1,2,4. M. F. Guimon, C. Guimon, F. Metras et G. Pfister-Guillouzo, 146.
Phillips, S. E. V.
Crystal structures of phenacylkojate (2-(hydroxymethyl)-5-phenacyloxy-4*H*-pyran-4-one) and its complex with sodium chloride: bis(phenacylkojate)sodium chloride. S. E. V. Phillips and J. Trotter, 2723.
Phillipson, A.
Heats of formation of some hydrates. A. Phillipson and G. R. Finlay, 3163.
Pidcock, A.
Solvent, concentration, and temperature dependence of the platinum–phosphorus nuclear magnetic resonance coupling constants in *cis*- and *trans*-$PtCl_2(PBu^n_3)_2$. K. R. Dixon, M. Fakley, and A. Pidcock, 2733.
Pincock, R. E.
Carbon catalyzed organic reactions: racemization of 1,1′-binaphthyl by carbon surfaces. R. E. Pincock, W. M. Johnson, and J. Haywood-Farmer, 548.
Pioch, J.
Substituent effects of phosphorus and arsenic containing groups in aromatic substitution. VI. Orientation in nitration of some anilides and phenyl esters. T. A. Modro and J. Pioch, 560.
Piozzi, F.
^{13}C nuclear magnetic resonance spectra of alkyl indoles including derivatives of hexahydroechinulin. R. R. Fraser, S. Passannanti, and F. Piozzi, 2915.
Plavac, N.
Carbon-13 nuclear magnetic resonance spectra of organic sulfur compounds. Comparison of chemical shifts for carbonyl and thiocarbonyl compounds in the pyrone, thiopyrone, and pyridone series. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 280.

Carbon-13 nuclear magnetic resonance spectra of organic sulfur compounds. Substituent chemical shift (s.c.s.) effects in the 4-thiazoline-2-thione series. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 1660.

Plowman, K. R.

Vibrational spectra of η^5-cyclopentadienyldicarbonyl(thiocarbonyl)manganese(I) and η^5-cyclopentadienylcarbonyl-(dithiocarbonyl)manganese(I). G. G. Barna, I. S. Butler, and K. R. Plowman, 110.

Pommelet, J. C.

Réarrangement thermique comparé de vinylaziridines *cis* et *trans*. J. C. Pommelet et J. Chuche, 1571.

Pope, P. M.

Evidence for one-bond cleavage in the thermolysis of (−)-(*S*)-1-diphenylmethyl-2-(2-butyl)diazene and of 1-diphenylmethyl-2-phenyldiazene. K. R. Kopecky, P. M. Pope, and J. A. L. Sastre, 2639.

Porter, J. D.

The hydrolysis of maleimide in alkaline solution. R. G. Barradas, S. Fletcher, and J. D. Porter, 1400.

Pound, N. J.

Derivatives of 2-pyrazolin-5-one. IV. Preparation and properties of two spiro[benzothiazoline-2,4′-[2]pyrazoline] derivatives. R. T. Coutts, A.-m. El-hawari, N. J. Pound, and R. A. Abramovitch, 993.

Powell, J.

Heavy transition metal complexes of biologically important molecules. I. The crystal and molecular structure of *trans*-dichloro(bis(isopropyl)sulfoxide-*S*)-(1-methylcytosine-*N*)platinum(II). C. J. L. Lock, R. A. Speranzini, and J. Powell, 53.

Prasad, H. S.

Preparation, Mössbauer and vibrational spectra of diorganotin chromates and carbonates. R. G. Goel, H. S. Prasad, G. M. Bancroft, and T. K. Sham, 711.

Prasad, P. L.

Calculation of electro-optical parameters, a new approach. Part III. Applications to X_2CZ molecules (X = H, F, Cl, Br, and Z = O, S). P. L. Prasad and S. Singh, 1550.

Preti, C.

Spectroscopic studies of benzoxazole-2-thione complexes. Derivatives of cobalt(II) and nickel(II) halides. C. Preti and G. Tosi, 85.

Tautomeric equilibrium study of thiazolidine-2-thione. Transition metal complexes of the deprotonated ligand. C. Preti and G. Tosi, 1558.

Erratum: Tautomeric equilibrium study of thiazolidine-2-thione. Transition metal complexes of the deprotonated ligand. C. Preti and G. Tosi, 2967.

Price, S. J. W.

Studies of the pyrolysis of diethylzinc by the toluene carrier method and of the reaction of ethyl radicals with toluene. A. A. Koski, S. J. W. Price, and B. C. Trudell, 482.

Determination of $D[(C_2H_5)_3Sn—C_2H_5]$ by the toluene carrier method and studies of the reaction of C_2H_5 with toluene. M. Daly and S. J. W. Price, 1814.

Pyrolysis of iodobenzene by the toluene carrier technique and determination of $D[C_6H_5—I]$. R. J. Kominar, M. J. Krech, and S. J. W. Price, 2981.

Pritchard, H. O.

On the interpretation of measured rotational and vibrational relaxation times. I. Sound dispersion experiments. H. O. Pritchard and N. I. Labib, 329.

A re-examination of the adiabatic correction term for the hydrogen molecule. H. O. Pritchard and L. Wolniewicz, 651.

Highly excited 1*sns* states of the helium atom. M. Kuriyan and H. O. Pritchard, 1543.

An R.K.R.-like estimate of the effective non-adiabatic internuclear potential for the hydrogen molecule. M. Kuriyan and H. O. Pritchard, 1865.

On the interpretation of measured rotational and vibrational relaxation times. II. Sudden change experiments. H. O. Pritchard, 2372.

The thermal isomerisation of methyl isocyanide in the temperature range 120–320 °C. J. L. Collister and H. O. Pritchard, 2380.

Prokipcak, J. M.

Pyrolysis of benzophenone oxime carbonates: a potential route to aryl imino ethers (aryl imidates). P. E. Titus, P. A. Forte, and J. M. Prokipcak, 647.

Purdham, J. T.

Defensive substances of *Coccinella transversoguttata* and *Hippodamia caseyi*, ladybugs indigenous to western Canada. W. A. Ayer, M. J. Bennett, L. M. Browne, and J. T. Purdham, 1807.

Queen, A.

The kinetics of the reactions of chlorodithioformate esters with azide ions in 70% aqueous acetone. A. Queen, D. M. McKinnon, and A. W. Bell, 1906.

Quick, A.

The crystal structure of the complex salt imidazole imidazolium perchlorate. A. Quick and D. J. Williams, 2465.

The crystal structure of the complex salt: benzimidazole benzimidazolium fluoroborate. A. Quick and D. J. Williams, 2482.

Rabenstein, D. L.
Proton magnetic resonance and Raman spectroscopic studies of methylmercury(II) complexes of inorganic anions. D. L. Rabenstein, M. C. Tourangeau, and C. A. Evans, 2517.
Nuclear magnetic resonance studies of the acid–base chemistry of amino acids and peptides. III. Determination of the microscopic and macroscopic acid dissociation constants of α,ω-diaminocarboxylic acids. T. L. Sayer and D. L. Rabenstein, 3392.
Rabinovitch, B. S.
Intramolecular vibrational energy relaxation. Decomposition of chemically activated alkylcyclobutanes. F.-M. Wang and B. S. Rabinovitch, 943.
Rahaman, M. S.
Electronic and Raman spectroscopic studies of copper adrenalin complexes and copper induced compounds. M. S. Rahaman and S. M. Korenkiewicz, 3815.
Rahman, R.
A new depsipeptide from *Pithomyces chartarum*. R. Rahman, A. Taylor, B. C. Das, and J. A. Verpoorte, 1360.
Rajeshwar, K.
Phase transformation studies on anthranilic acid by thermal analysis, infrared absorption, and X-ray diffraction methods. K. Rajeshwar and E. A. Secco, 2509.
Ramakrishnan, L.
Complexes of lanthanide iodides with 3-methylpyridine-1-oxide. L. Ramakrishnan and S. Soundararajan, 3169.
Ramjeesingh, M.
Syntheses of *C*-nucleosides. IX. Reactions of D,L-3,4-di-*O*-isopropylidene-2,5-anhydroallose with Wittig reagents. Syntheses of bis-homo anhydro-*C*-nucleosides. G. Just, M. Ramjeesingh, and T. J. Liak, 2940.
Rao, M. V. P.
Thermodynamic properties of binary liquid mixtures. M. V. P. Rao and P. R. Naidu, 2280.
Excess volumes of binary mixtures of an alcohol + diethylketone. K. S. Reddy, M.V.P. Rao, and P. R. Naidu, 2676.
Ratcliffe, M.
Photoamidation of 2,3,4,6-tetra-*O*-acetyl-1-deoxy-D-*arabino*-hex-1-enopyranose and of (*Z*)-3-deoxy-3-*C*-(methoxycarbonyl)methylene-1,2:5,6-di-*O*-isopropylidene-α-D-*ribo*-hexofuranose. A. Rosenthal and M. Ratcliffe, 91.
Raveau, B.
Influence de la nature des ions et sur l'évolution structurale des weberites $A_2B_2O_7$: les weberites $Cd_{2-x}Sr_2Sb_2O_7$. G. Desgardin, C. Robert et B. Raveau, 1665.
Rawat, J. P.
Studies on inorganic ion exchangers. I. Preparation, properties, and applications of ferric phosphate. J. P. Rawat and P. S. Thind, 1892.
Studies on inorganic ion exchangers. II. Synthesis, ion exchange properties, and applications of ferric arsenate. J. P. Rawat and J. P. Singh, 2534.
Rayner, D. M.
Confidence in fluorescence lifetime determinations: a ratio correction for the photomultiplier time response variation with wavelength. D. M. Rayner, A. E. McKinnon, A. G. Szabo, and P. A. Hackett, 3246.
Reader, G.
C-Nucleosides and related compounds. VI. Carbocyclic analogues of *C*-nucleosides: synthesis and derivatives of some useful intermediates. G. Just, G. Reader, and B. Chalard-Faure, 849.
Reddy, K. S.
Excess volumes of binary mixtures of an alcohol + diethylketone. K. S. Reddy, M. V. P. Rao, and P. R. Naidu, 2676.
Reeve, W.
Alkaline methanolysis of 1,1,1-trichloro-2-hydroxy-4-alkanones. E. Kiehlmann, J. I. Wells, and W. Reeve, 1998.
Reeves, L. W.
Studies of *p*-nitrobenzoic acid and the *p*-nitrobenzoate ion in the electrical double layer of oriented cationic and anionic nematic phases. Y. Lee and L. W. Reeves, 500.
Reimer, K. J.
Perfluoroalkyl- and fluoroalkyl-complexes of rhodium(III). H. C. Clark and K. J. Reimer, 2077.
Reinsborough, V. C.
Chemical relaxations in micellar solutions by ultrasonic spectroscopy. II. Sodium heptylsulfate and hexylammonium chloride solutions. D. A. W. Adair, V. C. Reinsborough, H. M. Trenholm, and J. P. Valleau, 1162.
Molecular weight of lecithin micelles in toluene by osmometry and Brillouin spectroscopy. R. J. Braedley, D. H. Grant, V. C. Reinsborough, and P. A. Ross, 3070.
Ren, W.-Y.
Synthesis of pencolide and corroboration of its revised stereochemistry. G. M. Strunz and W.-Y. Ren, 2862.
Renaud, R. N.
Synthesis of 5,10,11,12,17,22,23,24-octahydrotetrabenzo[*a,d,i,l*]cyclohexadecene derivatives. R. N. Renaud and J. W. Bovenkamp, 3548.
Rettig, S. J.
Synthesis, physical properties, and crystal and molecular structure of a binuclear copper(II) complex incorporating 3-methylpyrazolylgallate ligands. R. T. Baker, S. J. Rettig, A. Storr, and J. Trotter, 343.

Crystal and molecular structure of (salicylaldehydato)diphenylboron. S. J. Rettig and J. Trotter, 1168.
Crystal and molecular structure of the salicylaldehydatogallium dimethyl dimer. S. J. Rettig, A. Storr, and J. Trotter, 1278.
Crystal and molecular structures of *B,B*-bis(*p*-tolyl)boroxazolidine and the orthorhombic form of *B,B*-diphenylboroxazolidine. S. J. Rettig and J. Trotter, 3130.
Crystal and molecular structure of 8,8-dimethyl-3,5-diphenyl-2,4,6-trioxa-1-azonia-3-bora-5-boranatabicyclo-[3.3.0]octane. S. J. Rettig, J. Trotter, W. Kliegel, and H. Becker, 3142.

Reynolds, W. F.
A ^{13}C nuclear magnetic resonance study of aliphatic ketone protonation in sulfuric acid solutions. R. A. McClelland and W. F. Reynolds, 718.
Medium effects on tetraalkylammonium ions in aqueous acid solutions. T. A. Modro, W. F. Reynolds, and K. Yates, 1439.
The assignment of ^{1}H and ^{13}C chemical shifts for dihydro-3(2*H*)-furanone derivatives by means of specific ^{2}H labelling experiments and $^{13}C\{^{1}H\}$ decoupling experiments. P. M. Burke, W. F. Reynolds, J. C. L. Tam, and P. Yates, 1449.

Richardson, M. F.
The crystal and molecular structure of thiamine iodide hydroiodide. W. E. Lee and M. F. Richardson, 3001.

Richer, J.-C.
Erratum: Esters chromiques dérivés d'alcools tertiaires. J.-C. Richer et J.-M. Hachey, 840.
Réactions de substitution homolytique. V. Stéréosélectivité de différents radicaux cyclohexyle. M. Gruselle, J. Fossey, D. Lefort, C. Lamarre et J. C. Richer, 905.

Richon, D.
Les systèmes eau/ester. I. Etude calorimétrique des systèmes eau/acétate d'alcoyle. D. Richon et A. Viallard, 2584.

Riddle, C.
ESCA investigations of Group IV derivatives. Part II. Binding-energy predictions for bromo- and iodo-silanes and -germanes. J. E. Drake, C. Riddle, H. E. Henderson, and B. Glavinčevski, 3876.

Rigaudy, J.
The reaction of catechol and derivatives with potassium superoxide. E. Lee-Ruff, A. B. P. Lever, and J. Rigaudy, 1837.
Erratum: The reaction of catechol and derivatives with potassium superoxide. E. Lee-Ruff, A. B. P. Lever, J. Rigaudy, and G. P. Khare, 3303.

Riggio, R.
Excess volume and viscosity of binary liquid acid–base mixtures. H. N. Sólimo, R. Riggio, J. A. Espindola, S. del V. Alonso, and M. Katz, 3125.

Rigny, P.
Etude des complexes aqueux d'uranium(IV) en milieu acide par resonance magnétique nucléaire. C. Kiener, G. Folcher, P. Rigny et J. Virlet, 303.

Rinfret, M.
Basicité de solvants dipolaires aprotoniques. R. Domain, M. Rinfret et R. L. Benoit, 2101.

Rioual, A.
Comportement photochimique de cétones α,β-insaturées sous excitation directe. A. Deflandre, A. Lheureux, A. Rioual et J. Lemaire, 2127.

Ripmeester, J. A.
Dielectric and nuclear magnetic resonance characterization of unstable clathrate hydrates of acetaldehyde and propionaldehyde. D. W. Davidson, S. R. Gough, and J. A. Ripmeester, 3085.
Molecular motion, phase transitions, and disorder in the pyridinium halides. J. A. Ripmeester, 3453.
Proton and deuteron nuclear magnetic resonance study of host and guest motions in ethylene oxide-d_4 clathrate hydrate. J. A. Ripmeester, 3677.

Ritchie, R. G. S.
Configurational effects on ^{13}C chemical shifts of 1,6-anhydrohexopyranoses and related compounds. Utility of ^{13}C–^{1}H coupling patterns for signal assignments. R. G. S. Ritchie, N. Cyr, and A. S. Perlin, 2301.

Riveros, J. M.
Gas phase nucleophilic reactions in 1,1-difluoroethylene. J. M. Riveros and K. Takashima, 1839.

Rivest, P.
Ring C substituted 14-hydroxymorphinans and isomorphinans as narcotic antagonists. M. Menard, P. Rivest, B. Belleau, J.-P. Daris, and Y. G. Perron, 429.

Robert, C.
Influence de la nature des ions et sur l'évolution structurale des weberites $A_2B_2O_7$: les weberites $Cd_{2-x}Sr_xSb_2O_7$. G. Desgardin, C. Robert et B. Raveau, 1665.

Robertson, G. B.
Chemistry of proximal π-bond systems. Part IV. The structure of 5,6-dimethylenebicyclo[2,2,1]hept-2-ene molybdenum tricarbonyl. B. F. Anderson, G. B. Robertson, and D. N. Butler, 1958.

Robertson, R. E.
Ion pairs and heat capacity of activation for 2,2-disubstituted cyclopropyl bromides. S. Singh and R. E. Robertson, 1246.

Thermodynamics of basic ionization of some aminoethers in water. S. T. Lobo and R. E. Robertson, 3600.
Thermodynamic parameters for the basic ionization of some cyclic amines in water. S. T. Lobo, T. Murty, and R. E. Robertson, 3607.
The hydrolysis of substituted benzyl nitrates in water. II. Effect of *ortho*-substitution. K. M. Koshy, R. E. Robertson, G. T. Dyson, and S. Singh, 3614.

Robins, J. R.
Conformational changes accompanying electronic excitation of trifluoronitrosomethane. R. D. Gordon, S. C. Dass, J. R. Robins, H. F. Shurvell, and R. F. Whitlock, 2658.

Robinson, M. G.
Reaction rates of electrons in liquid methanol and ethanol: effects of pressure. G. L. Bolton, M. G. Robinson, and G. R. Freeman, 1177.

Rochon, F. D.
The crystal structure of potassium trichloro(2,6-lutidine)platinum(II). R. Melanson and F. D. Rochon, 1002.
Reaction of dichlorobis(dimethylsulphoxide)platinum(II) with pyridine and isomerization of dichloro(dimethylsulphoxide)(pyridine)platinum(II). P.-C. Kong, D. Iyamuremye, and F. D. Rochon, 3224.

Röderer, R.
Nitration of *p*-cymene. Exchange and rearomatization reactions of *p*-cymene adducts. A. Fischer and R. Röderer, 423.
Nitration of *p-tert*-butyltoluene in acetic anhydride. 1,2 and 1,4 adducts. A. Fischer and R. Röderer, 3978.

Rodrigo, R. G. A.
Fumaramine and bicucullinine: two minor alkaloids of *Corydalis ochroleuca* Koch. R. G. A. Rodrigo, R. H. F. Manske, H. L. Holland, and D. B. MacLean, 471.

Roscoe, J. M.
The reactions of atomic oxygen with methanol and ethanol. C. M. Owens and J. M. Roscoe, 984.

Rosebery, G.
A simple synthesis of oxazolidine and thiazolidine derivatives of hydroxymethylglyceraldehyde acetonide. G. Just, B. Y. Chung, G. Rosebery, and M. Dupré, 1260.
Reactions of oxygen and sulphur anions with oxazolidine and thiazolidine derivatives of 2-mesyloxymethylglyceraldehyde acetonide. G. Just, B. Y. Chung, S. Kim, G. Rosebery, and P. Rossy, 2089.

Rosebush, W. J.
Photochemistry of *trans*-$[Cr(en)_2Br_2]^+$ and *trans*-$[Cr(en)_2Cl_2]^+$. W. J. Rosebush and A. D. Kirk, 2335.

Rosenberg, G.
Aqueous solutions of bromorhodate(III) complexes. Their use as catalysts for homogeneous hydrogenation, and their reactivity toward carbon monoxide. B. R. James and G. Rosenberg, 313.

Rosenfarb, J.
Nuclear magnetic resonance study of electrolytes in 1,3-dimethylethyleneurea. J. Rosenfarb and J. A. Caruso, 3492.

Rosenthal, A.
Photoamidation of 2,3,4,6-tetra-*O*-acetyl-1-deoxy-D-*arabino*-hex-1-enopyranose and of (*Z*)-3-deoxy-3-*C*-(methoxycarbonyl)methylene-1,2:5,6-di-*O*-isopropylidene-α-D-*ribo*-hexofuranose. A. Rosenthal and M. Ratcliffe, 91.
Branched-chain sugars. Reaction of 1,2:5,6:di-*O*-isopropylidene-α-D-*ribo*-hexofuranos-3-ulose with sodium cyanide and methyl nitroacetate. A. Rosenthal and B. L. Cliff, 543.

Rosowsky, A.
Chemical and biological studies on 1,2-dihydro-*s*-triazines. XIX. A nuclear magnetic resonance investigation of hindered internal rotation in 1-aryl derivatives. L. D. Colebrook, H. G. Giles, A. Rosowsky, W. E. Bentz, and J. R. Fehlner, 3757.

Ross, P. A.
Molecular weight of lecithin micelles in toluene by osmometry and Brillouin spectroscopy. R. J. Braedley, D. H. Grant, V. C. Reinsborough, and P. A. Ross, 3070.

Rossy, P.
Reactions of oxygen and sulphur anions with oxazolidine and thiazolidine derivatives of 2-mesyloxymethylglyceraldehyde acetonide. G. Just, B. Y. Chung, S. Kim, G. Rosebery, and P. Rossy, 2089.

Roth, J. G.
Concerning the influence of inert gas adsorption on the infrared spectrum of OH groups on powdered silica. J. G. Roth and M. J. Dignam, 1388.

Roussel, R.
Metals intercalated in graphite. III. The reactions of aromatic, olefinic, and acetylenic hydrocarbons with potassium–graphite intercalates. J. M. Lalancette and R. Roussel, 2110.
Metals intercalated in graphite. V. A concentration cell with intercalated bromine. J.-M. Lalancette and R. Roussel, 3541.

Roux, G.
Cinetique chimique en milieu miscellaire. Relation entre vitesse de réaction et structure du milieu. G. Roux et A. Viallard, 3658.

Rowbotham, J. B.
Nuclear magnetic resonance and molecular orbital studies of the conformational preferences of the fluoromethyl

group in some benzylfluoride derivatives. T. Schaefer, J. B. Rowbotham, W. J. E. Parr, K. Marat, and A. F. Janzen, 1322.
Proton spin–spin coupling constants and intramolecular hydrogen bonding in bromine derivatives of 1,3-dihydroxybenzene. T. Schaefer and J. B. Rowbotham, 2228.
Unexpected signs of five-bond and six-bond proton spin–spin coupling constants in some acyclic conjugated systems. Through-space couplings. T. Schaefer, H. D. Gesser, and J. B. Rowbotham, 2235.
A proton magnetic resonance estimate of the extent of intramolecular hydrogen bonding in derivatives of 2-trifluoromethyl phenol. Solvent effects. T. Schaefer and J. B. Rowbotham, 2243.
The proton magnetic resonance spectra of phenol in the absence of intermolecular proton exchange. T. Schaefer, J. B. Rowbotham, and K. Chum, 3666.

Roy, L.
Metals intercalated in graphite. IV. Intercalation from CCl_4 solution and extraction of intercalated species. J. M. Lalancette, L. Roy, and J. Lafontaine, 2505.

Ruddick, J. N.
The synthesis, Mössbauer and vibrational spectra of some triorganotin derivatives of phosphorus oxyacids. T. Chivers, J. H. G. Van Roode, J. N. Ruddick, and J. R. Sams, 2184.

Rumfeldt, R.
The photochemistry of some bisethylenediamine and cyclam complexes of rhodium(III). J. Sellan and R. Rumfeldt, 519.
The photochemistry of some *cis*-dihalo rhodium(III) complexes. J. Sellan and R. Rumfeldt, 1061.

Rummens, F. H. A.
Intermolecular interactions in nuclear magnetic resonance. X. A site-specific continuum model for the gas-to-liquid shifts of nonpolar solutes. Applications to proton medium shifts and the determination of cavity radii. F. H. A. Rummens, 254.
Spectroscopic studies in olefins. VI. The valence angle dependence of interproton nuclear magnetic resonance coupling constants. F. H. A. Rummens and L. Kaslander, 2884.

Rungta, K. K.
Behaviour of vanadia-catalyzed SO_2 oxidation in the presence of inert, diluent gases. K. K. Rungta, R. R. Hudgins, and P. L. Silveston, 665.

Russell, D. W.
Isolation and structure of pimaydolide, a cyclodepsipeptide metabolite of *Pithomyces maydicus*. D. W. Russell, W. D. Jamieson, A. Taylor, and B. C. Das, 1355.

Ruszkowska, J.
A ^{13}C nuclear magnetic resonance study of thiolane sulfoxides. The configurations of neothiobinulpharidine sulfoxides. R. T. LaLonde, C. F. Wong, A. I-M. Tsai, J. T. Wróbel, J. Ruszkowska, K. Kabzinska, T. I. Martin, and D. B. MacLean, 3860.

Sabaté-Alduy, C.
Etude de l'équilibre tautomère des pyrazolinones-4. C. Sabaté-Alduy et J. Bastide, 1752.

Sadar, M. H.
The basicity of aliphatic carboxylic acids. D. G. Lee and M. H. Sadar, 3464.

Sadoway, D. R.
Vapour pressures of solid and liquid $NbCl_5$ and $TaCl_5$. D. R. Sadoway and S. N. Flengas, 1692.

Sakurai, H.
Mercury photosensitization of 1-hexene and *cis*-2-octene vapor. Intramolecular hydrogen abstraction of vibrationally excited π,π^* triplet state. Y. Inoue, S. Takamuku, and H. Sakurai, 3117.

Salomon, M.
Solubilities of the silver halides in benzonitrile and trichloroacetonitrile mixtures with propylene carbonate. M. Salomon, 1487.

Saluja, P. S.
Enthalpies of transfer of aliphatic compounds from vapor to solvents. Steric hindrance to functional group solvation. R. Fuchs and P. S. Saluja, 3857.

Sams, J. R.
The synthesis, Mössbauer and vibrational spectra of some triorganotin derivatives of phosphorus oxyacids. T. Chivers, J. H. G. Van Roode, J. N. Ruddick, and J. R. Sams, 2184.
Disubstituted derivatives of $(L—L)Fe_2(CO)_6$ (L—L = fluorocarbon bridged ligand). L. S. Chia, W. R. Cullen, J. R. Sams, and J. C. Scott, 3185.

Sanchez, I. H.
Studies in the usnic acid series. I. The condensation of (+)-usnic acid with aliphatic and aromatic amines. J. P. Kutney and I. H. Sanchez, 2795.
Studies in the usnic acid series. II. The condensation of (+)-usnic acid with hydroxylamine. J. P. Kutney, I. H. Sanchez, and T. Yee, 3713.
Studies in the usnic acid series. III. The base catalyzed usnic acid – isousnic acid rearrangement. The synthesis of (+)-isousnic acid. J. P. Kutney, I. H. Sanchez, and T. Yee, 3721.

Sandorfy, C.
On the photoelectron and ultraviolet spectra of molecules containing a divalent sulfur atom and a carbonyl group separated by a methylene group. P. R. Olivato, H. Viertler, B. Wladislaw, K. C. Cole, and C. Sandorfy, 3026.
Sanford, W. E.
Molecular reorientation in crystalline thiophene and furan. W. E. Sanford and R. K. Boyd, 2773.
Sargent, F. P.
Spin trapping of radicals formed during radiolysis of aqueous solutions. Direct electron spin resonance observations. F. P. Sargent and E. M. Gardy, 275.
Sarkar, B.
Molecular design to mimic the copper(II) transport site of human albumin: studies of equilibria between copper(II) and glycylglycyl-L-histidine-*N*-methyl amide and comparison with human albumin. T. P. A. Kruck, S.-j. Lau, and B. Sarkar, 1300.
Molecular design to mimic the copper(II) transport site of human albumin. The crystal and molecular structure of copper(II) – glycylglycyl-L-histidine-*N*-methyl amide mono aquo complex. N. Camerman, A. Camerman, and B. Sarkar, 1309.
Sarkar, S.
Nuclear charge distribution in the region of symmetric fission of ^{238}U by protons of energy 20–85 MeV. S. Sarkar and L. Yaffe, 2349.
Sastre, J. A. L.
Evidence for one-bond cleavage in the thermolysis of (−)-(*S*)-1-diphenylmethyl-2-(2-butyl)diazene and of 1-diphenylmethyl-2-phenyldiazene. K. R. Kopecky, P. M. Pope, and J. A. L. Sastre, 2639.
Sathe, G. M.
The synthesis of chasmanine: aromatic intermediate. S.-F. Lee, G.M. Sathe, W. W. Sy, P.-t. Ho, and K. Wiesner, 1039.
Sato, T.
The decomposition of dimethylbenzylanilinium chloride in alcoholic solvents. M. Ko, T. Sato, and T. Otsu, 1886.
Medium-sized cyclophanes. XX. ^{13}C nuclear magnetic resonance of cyclophanes: *p*-orbital compression shift and orbital deformation. T. Takemura and T. Sato, 3412.
Sato, Y.
Ormosia alkaloids. VII. Total synthesis of ormosanine, piptanthine, 18-epiormosanine, and *d,l*-panamine. H.-J. Liu, Y. Sato, Z. Valenta, J. S. Wilson, and T. T.-J. Yu, 97.
Saunders, J. K.
Revised structure for the γ-lactone derived from acid treatment of dihydroisopimaric acid. J. W. ApSimon, A. M. Holmes, H. Beierbeck, and J. K. Saunders, 418.
The shielding effect of heterosubstituents in ^{13}C nuclear magnetic resonance spectroscopy. H. Beierbeck and J. K. Saunders, 632.
The nuclear Overhauser effect between phosphorus and hydrogen in selected organo phosphorus compounds. H. Beierbeck, R. Martino, J. K. Saunders, and C. Benezra, 1918.
A reinterpretation of beta, gamma, and delta substituent effects on ^{13}C chemical shifts. H. Beierbeck and J. K. Saunders, 2985.
Savard, J.-B.
Esters chromiques dérivés du tertiobutanol. J.-M. Hachey, H. Ghali et J.-B. Savard, 572.
Savoie, R.
Vibrational spectra of crystalline malononitrile. R. Savoie, R. Brousseau, and C. Nolin, 3293.
Sayer, T. L.
Nuclear magnetic resonance studies of the acid–base chemistry of amino acids and peptides. III. Determination of the microscopic and macroscopic acid dissociation constants of α,ω-diaminocarboxylic acids. T. L. Sayer and D. L. Rabenstein, 3392.
Sayler, A. A.
The crystal and molecular structure of tribromo-*m*-carborane. A. A. Sayler and H. Beall, 1771.
Scaiano, J. C.
A kinetic study of the reaction of adamantanethione with 2-adamantanethiol. J. C. Scaiano, J. P.-A. Tremblay, and K. U. Ingold, 3407.
Schaal, R.
Influence du substituant tertiobutyl-4 sur les constantes d'acidité du cation cyclohexylammonium et de l'acide cyclohexane carboxylique dans les milieux mixtes eau–DMSO et méthanol–DMSO. J. T. Edward, P. G. Farrell, J. Kirchnerova, J.-C. Halle et R. Schaal, 1899.
Schaefer, T.
The sign of the 'through-space' spin–spin coupling between methyl protons and the fluorine nucleus in 2,6-dimethylbenzoyl fluoride. T. Schaefer, K. Chum, K. Marat, and R. E. Wasylishen, 800.
Nuclear magnetic resonance and molecular orbital studies of the conformational preferences of the fluoromethyl group in some benzylfluoride derivatives. T. Schaefer, J. B. Rowbotham, W. J. E. Parr, K. Marat, and A. F. Janzen, 1322.
Proton spin–spin coupling constants and intramolecular hydrogen bonding in bromine derivatives of 1,3-dihydroxybenzene. T. Schaefer and J. B. Rowbotham, 2228.

Spin–spin coupling between proximate protons on neighbouring aromatic rings and between hydroxyl protons in 2,2'-dihydroxy-4-methoxy-benzophenone. Coupling through the hydrogen bond. T. Schaefer and K. Chum, 2231.
Unexpected signs of five-bond and six-bond proton spin–spin coupling constants in some acyclic conjugated systems. Through-space couplings. T. Schaefer, H. D. Gesser, and J. B. Rowbotham, 2235.
A proton magnetic resonance estimate of the extent of intramolecular hydrogen bonding in derivatives of 2-trifluoromethyl phenol. Solvent effects. T. Schaefer and J. B. Rowbotham, 2243.
A proton magnetic resonance determination of the rotational barrier in benzyl chloride and of the low energy conformations in benzyl bromide and iodide derivatives based on motionally averaged spin–spin interactions. T. Schaefer, L. J. Kruczynski, and W. J. E. Parr, 3210.
A proton magnetic resonance and molecular orbital study of the conformational preferences of the vinylic fragment in some 2-vinylfurans and in 2-vinylthiophene. W. J. E. Parr, R. E. Wasylishen, and T. Schaefer, 3216.
Through-space or proximate $^{19}F,^{19}F$, and $^{19}F,^{1}H$ spin–spin coupling constants in some benzenesulfonyl fluoride derivatives. W. J. E. Parr, and T. Schaefer, 3564.
The proton magnetic resonance spectra of phenol in the absence of intermolecular proton exchange. T. Schaefer, J. B. Rowbotham, and K. Chum, 3666.

Schinzel, K.
The lithium–indium system. W. A. Alexander, L. D. Calvert, R. H. Gamble, and K. Schinzel, 1052.

Schioberg, D.
The influence of neutral salts on the easily polarizable hydrogen bond of $H_5O_2^+$ groupings in acid solutions. D. Schiöberg and G. Zundel, 2193.

Schlegel, H. B.
An inequality formulation of conformational energy differences. J. P. Colpa, H. B. Schlegel, and S. Wolfe, 526.
On the rigidity of planar tricoordinate carbon. S. Wolfe, H. B. Schlegel, and M.-H. Whangbo, 795.

Schmid, G. H.
The addition of 2,4-dinitrobenzenesulfenyl chloride to a series of phenyl substituted *cis*- and *trans*-1-phenylpropenes. G. H. Schmid and V. J. Nowlan, 695.
The effect of alkene structure upon the rates and product composition of addition of 4-chlorobenzenesulfenyl chloride. G. H. Schmid, C. L. Dean, and D. G. Garratt, 1253.
The addition of 4-chlorobenzenesulfenyl chloride to phenyl-substituted acetylenes: the structures of the intermediate thiirenium ion. G. H. Schmid, A. Modro, D. G. Garratt, and K. Yates, 3045.
The application of iterative optimization techniques to chemical kinetic data of large random error. G. H. Schmid, V. M. Csizmadia, P. G. Mezey, and I. G. Csizmadia, 3330.

Schmidt, C.
A synthesis of homosafranic acid and related compounds. C. Schmidt, 2310.

Schmitz, G.
Réaction oscillante de Belousov. 1. Cinétique de la réaction bromate–céreux. C. Herbo, G. Schmitz et M. Van Glabbeke, 2628.

Schriver, L.
Effets des cations alcalins et pseudo-alcalins sur quelques équilibres et en particulier sur l'équilibre d'extraction de l'acide thiocyanique par la méthylisobutylcétone. L. Schriver, 19.

Schrobilgen, G. J.
Urea – boron trihalide adducts. IV. Ionic–covalent equilibria in the tetramethylthiourea–BF_3 and tetramethylselenourea–BF_3 systems and the influence of $B_2F_7^-$ formation. J. S. Hartman, G. J. Schrobilgen, and P. Stilbs, 1121.

Schultz, R.
A Mössbauer study of organotellurium compounds. Part I. C. H. W. Jones, R. Schultz, W. R. McWhinnie, and N. S. Dance, 3234.

Scott, D. S.
Equilibrium in the formation of barium carbonate from barium sulphate. H. Horlings, D. S. Scott, and J. R. Wynnyckyj, 3872.

Scott, J. C.
Disubstituted derivatives of $(L—L)Fe_2(CO)_6$ (L—L = fluorocarbon bridged ligand). L. S. Chia, W. R. Cullen, J. R. Sams, and J. C. Scott, 3185.

Scott, J. M. W.
Studies of solvolysis. Part IX. Some comments on anion–cation combination reactions. K. Hillier, J. M. W. Scott, D. J. Barnes, and F. J. P. Steele, 3312.

Secco, E. A.
Phase transformation studies on anthranilic acid by thermal analysis, infrared absorption, and X-ray diffraction methods. K. Rajeshwar and E. A. Secco, 2509.

Seddon, W. A.
Pulse radiolytic formation of solvated electrons in hydrazine. W. A. Seddon, J. W. Fletcher, and F. C. Sopchyshyn, 2807.
Correlation of optical and electron spin resonance spectra for alkali metal solutions in ethylamine and tetrahydrofuran. R. Catterall, J. Slater, W. A. Seddon, and J. W. Fletcher, 3110.

Pulse radiolytic formation of Na^- from alkali metal – sodium ion solutions in ethylamine. W. A. Seddon, J. W. Fletcher, and F. C. Sopchyshyn, 3672.

Séguin, J. P.

Composés carbonylés aromatiques: traitement semi-empirique des influences structurales sur leur basicité. D. Beaupère, J. P. Séguin, R. Uzan et J. P. Doucet, 297.

Sellan, J.

The photochemistry of some bisethylenediamine and cyclam complexes of rhodium(III). J. Sellan and R. Rumfeldt, 519.

The photochemistry of some *cis*-dihalo rhodium(III) complexes. J. Sellan and R. Rumfeldt, 1061.

Senoff, C. V.

Preparation and characterization of salts containing the triply bridged dimeric iridium(III) ion, $[H(Ar_3P)_2Ir(SAr')_2ClIr(PAr_3)_2H]^+$. T. L. Kelly and C. V. Senoff, 1860.

Sepulveda, L.

Decomposition of butyl dixanthogen in the presence of cationic micelles. L. Sepulveda and S. Contreras, 66.

Sham, T. K.

Preparation, Mössbauer and vibrational spectra of diorganotin chromates and carbonates. R. G. Goel, H. S. Prasad, G. M. Bancroft, and T. K. Sham, 711.

Sharma, N. K.

Synthesis of sultines via *tert*-butyl hydroxyalkyl sulfoxides. N. K. Sharma, F. de Reinach-Hirtzbach, and T. Durst, 3012.

Sharma, S. B.

Studies on di-μ-thiocyanato dithiocyanato nickel(II) diisothiocyanato tin(IV) or titanium(IV) and related complexes. P. P. Singh and S. B. Sharma, 1563.

Sharma, S. C.

Syntheses, structural and conformational assignments, and conversions of pyridine and triazolopyridine nucleosides. B. M. Lynch and S. C. Sharma, 1029.

Shaver, A.

Synthesis and reactions of some cyclopentadienyl complexes of platinum. H. C. Clark and A. Shaver, 2068.

Shawali, A. S.

Substituent effects on polarographic reduction of some photographic color intermediates. A. S. Shawali and B. E. El-Anadouli, 1205.

Substituent effects on the ionization constants of phenylazobenzaldoximes. A. S. Shawali and B. M. Altahou, 3260.

Sheppard, N.

Raman spectra of pyridine adsorbed on a series of ion-exchanged forms of zeolite Y. T. A. Egerton, A. H. Hardin, and N. Sheppard, 586.

Sherwood, A. G.

Hydrogen abstraction by perfluoroethyl radicals from methylfluorosilanes. T. N. Bell, T. Yokota, and A. G. Sherwood, 2359.

Shiner, Jr., V. J.

^{13}C kinetic isotope effects and reaction coordinate motions in transition states for S_N2 displacement reactions. W. E. Buddenbaum and V. J. Shiner, Jr., 1146.

Shinsaka, K.

Molecular structure effects on electron ranges and mobilities in liquid hydrocarbons: chain branching and olefin conjugation: mobility model. J.-P. Dodelet, K. Shinsaka, and G. R. Freeman, 744.

Shiota, M.

Study on the preparation of 3α-hydroxy-5α-cholestan-6-one and -7-one by stereoselective catalytic hydrogenation. M. Ishige, M. Shiota, and F. Suzuki, 2581.

Shoesmith, D. W.

The ionization constant of heavy water (D_2O) in the temperature range 298 to 523 K. D. W. Shoesmith and W. Lee, 3553.

Shum, F. Y.

Reactions of 4-hydroxy-6-methyl-2-pyridone with aldehydes. J. A. Findlay, J. Krepinsky, F. Y. Shum, and W. H. J. Tam, 270.

Shurvell, H. F.

The infrared and Raman spectra of 1,2-dibromotetrafluoroethane. H. F. Shurvell, F. Cahill, V. Devarajan, and D. W. James, 2220.

Conformational changes accompanying electronic excitation of trifluoronitrosomethane. R. D. Gordon, S. C. Dass, J. R. Robins, H. F. Shurvell, and R. F. Whitlock, 2658.

Silverman, R. B.

Alkylation of the dimethylglyoximato ligands in reduced cobaloxime. R. B. Silverman and D. Dolphin, 1425.

Silveston, P. L.

Behaviour of vanadia-catalyzed SO_2 oxidation in the presence of inert, diluent gases. K. K. Rungta, R. R. Hudgins, and P. L. Silveston, 665.

Sim, S.-K.
Studies related to antitumor antibiotics. Part VII. Synthesis of streptonigrin analogues and their single strand scission of DNA. J. W. Lown and S.-K. Sim, 2563.
Singh, I.
The alkaloids of *L. magellanicum* and the structure of magellanine. M. Castillo, L. A. Loyola, G. Morales, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2893.
The alkaloids of *L. paniculatum* and the structure of paniculatine. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2900.
Singh, J. P.
Studies on inorganic ion exchangers. II. Synthesis, ion exchange properties, and applications of ferric arsenate. J. P. Rawat and J. P. Singh, 2534.
Singh, P. P.
Studies on di-μ-thiocyanato dithiocyanato nickel(II) diisothiocyanato tin(IV) or titanium(IV) and related complexes. P. P. Singh and S. B. Sharma, 1563.
Heat capacities of aqueous electrolytes: eight 1:1 electrolytes and ΔC_p^0 for ionization of water at 298 K. P. P. Singh, E. M. Woolley, K. G. McCurdy, and L. G. Hepler, 3315.
Singh, S.
Ion pairs and heat capacity of activation for 2,2-disubstituted cyclopropyl bromides. S. Singh and R. E. Robertson, 1246.
Calculation of electro-optical parameters, a new approach. Part III. Applications to X_2CZ molecules (X = H, F, Cl, Br and Z = O, S). P. L. Prasad and S. Singh, 1550.
The hydrolysis of substituted benzyl nitrates in water. II. Effect of *ortho*-substitution. K. M. Koshy, R. E. Robertson, G. S. Dyson, and S. Singh, 3614.
Slater, J.
Correlation of optical and electron spin resonance spectra for alkali metal solutions in ethylamine and tetrahydrofuran. R. Catterall, J. Slater, W. A. Seddon, and J. W. Fletcher, 3110.
Smerchanski, R. G.
The aqueous photochemistry of sodium 9,10-anthraquinone-2-sulfonate. J. L. Charlton, R. G. Smerchanski, and C. E. Burchill, 512.
Smith, C. S.
Reactions of thiyl radicals. XII. Triplet mercury photosensitized decomposition of ethyl sulfide in the gas phase. C. S. Smith and A. R. Knight, 1290.
Smith, C. W.
Tertiary phosphine complexes of the cobalt(III) *NN'*-ethylenebis(salicylideneiminato) and bisdimethylglyoximato systems. C. W. Smith, G. W. Van Loon, and M. C. Baird, 1875.
Smith, D. G.
Addition of iodine to dimethyl norbornadiene-2,3-dicarboxylate: nuclear magnetic resonance (^{1}H and ^{13}C) spectra and stereochemistry of nortricyclenes. A. W. McCulloch, A. G. McInnes, D. G. Smith, and J. A. Walter, 2013.
Smith, D. M.
The radiation chemistry of aqueous solutions of sodium 9,10-anthraquinone-2-sulfonate. C. E. Burchill, D. M. Smith, and J. L. Charlton, 505.
Smith, I. C. P.
Stereoselective epimerization of pilocarpine in aqueous solution as determined by ^{13}C nuclear magnetic resonance spectroscopy. G. A. Neville, F. B. Hasan, and I. C. P. Smith, 2094.
Smith, P. J.
The effect of steric crowding on an E2 transition state. G. S. Dyson and P. J. Smith, 2339.
The acid cleavage of triphenylvinylmercuric salts. C. C. Lee and P. J. Smith, 3038.
Sólimo, H. N.
Excess volume and viscosity of binary liquid acid–base mixtures. H. N. Sólimo, R. Riggio, J. A. Espindola, S. del V. Alonso, and M. Katz, 3125.
Solodar, W. E.
The synthesis and spectroscopic characterization of Indulin 6B tetrasulfonate. W. E. Solodar and A. R. Monahan, 2909.
Somersall, A. C.
An exciplex mechanism for the quenching of singlet excited states of aliphatic ketones by carbon tetrachloride. Rafik O. Loutfy and A. C. Somersall, 760.
Sopchyshyn, F. C.
Pulse radiolytic formation of solvated electrons in hydrazine. W. A. Seddon, J. W. Fletcher, and F. C. Sopchyshyn 2807.
Pulse radiolytic formation of Na^- from alkali metal – sodium ion solutions in ethylamine. W. A. Seddon, J. W. Fletcher, and F. C. Sopchyshyn, 3672.
Sorriso, S.
The interaction of α-diazoketones with hydroxylic solvents. R. Cataliotti, S. Sorriso, and G. Paliani, 2445.

Soth, S.
Recherches en série hétérocyclique. XXVI. Etude de la condensation de l'azidoacétate d'éthyle sur le thiophènedicarbaldéhyde-2,3: nouvelle voie d'accès à des thiéno[2,3-*c*] et -[3,2-*c*] pyridines et pyridones. M. Farnier, S. Soth et P. Fournari, 1066.
Recherches en série hétérocyclique. XXVII. Etude de la condensation de l'azidoacétate d'éthyle sur les thiophènedicarbaldéhydes-2,5, -2,4 et -3,4. M. Farnier, S. Soth et P. Fournari, 1074.
Recherches en série hétérocyclique. XXVIII. Synthèse de bipyrroles. M. Farnier, S. Soth et P. Fournari, 1083.
Soundararajan, S.
Complexes of lanthanide iodides with 3-methylpyridine-1-oxide. L. Ramakrishnan and S. Soundararajan, 3169.
Spendjian, H. K.
Reactions of metal carbonyl complexes. VIII. Kinetics and mechanisms of the substitution reactions of *cis*-$Mn(CO)_4LBr$ (L = PPh_3, $AsPh_3$, $SbPh_3$) with group VA bidentate ligands. I. S. Butler and H. K. Spendjian, 2833.
Speranzini, R. A.
Heavy transition metal complexes of biologically important molecules. I. The crystal and molecular structure of *trans*-dichloro(bis(isopropyl)sulfoxide-*S*)-(1-methylcytosine-*N*)platinum(II). C. J. L. Lock, R. A. Speranzini, and J. Powell, 53.
Spitzer, U. A.
Aqueous trifluoroacetic acid as a medium for organic reactions. I. Acidity functions and the identity of the manganese(VII) species found in powerfully acidic media. U. A. Spitzer, T. W. Toone, and R. Stewart, 440.
The oxidation of cyclobutanol by ruthenium tetroxide and sodium ruthenate. D. G. Lee, U. A. Spitzer, J. Cleland, and M. E. Olson, 2124.
Srinivasan, V.
Base-catalyzed intramolecular displacements on certain 1,2-epoxides. V. Srinivasan and E. W. Warnhoff, 1372.
Srivastava, S. C.
Macroscopic viscosity and the dielectric relaxation of some substituted benzenes. S. C. Srivastava and J. Crossley, 1418.
Stanley, E.
Condensation of *cis*-9-methyl-2-decalone with cyclic β-amino esters: synthesis and X-ray crystallography of perhydroazacyclopentaanthracenes and perhydroazabenzanthracenes. R. B. Kelly, B. A. Beckett, I. Mumtaz, E. Stanley, and P. S. White, 1512.
Stanley, K.
cis and *trans* isomers in $R_fFe(CO)_4I$ compounds. K. Stanley and D. W. McBride, 1700.
Stawinski, J.
Arylsulfonyltetrazoles as highly efficient condensing reagents for polynucleotide synthesis. J. Stawinski, T. Hozumi, and S. A. Narang, 670.
Steele, F. J. P.
Studies of solvolysis. Part IX. Some comments on anion–cation combination reactions. K. Hillier, J. M. W. Scott, D. J. Barnes, and F. J. P. Steele, 3312.
Steigel, A.
Lewis base complexes of tungsten and molybdenum hexafluorides. S. Brownstein, B. H. Christian, G. Latremouille, and A. Steigel, 2343.
Steiner, R. P.
Geometry and rotational barriers in 1,3,5-triphenylpentadienyllithium by ^1H and ^{13}C nuclear magnetic resonance. D. H. Hunter, R. E. Klinck, R. P. Steiner, and J. B. Stothers, 1464.
Stewart, R.
Aqueous trifluoroacetic acid as a medium for organic reactions. I. Acidity functions and the identity of the manganese(VII) species found in powerfully acidic media. U. A. Spitzer, T. W. Toone, and R. Stewart, 440.
A comparison of methods for pK_a determination in strongly basic systems applied to the deprotonation of some heterocyclic methiodide salts. R. A. Cox, R. Stewart, M. J. Cook, A. R. Katritzky, and R. D. Tack, 900.
Stilbs, P.
Urea – boron trihalide adducts. IV. Ionic–covalent equilibria in the tetramethylthiourea–BF_3 and tetramethylselenourea–BF_3 systems and the influence of $B_2F_7^-$ formation. J. S. Hartman, G. J. Schrobilgen, and P. Stilbs, 1121.
Still, I. W. J.
Carbon-13 nuclear magnetic resonance spectra of organic sulfur compounds. Comparison of chemical shifts for carbonyl and thiocarbonyl compounds in the pyrone, thiopyrone, and pyridone series. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 280.
Photochemical rearrangements of substituted thiochromanone sulfoxides. I. W. J. Still, P. C. Arora, M. S. Chauhan, M.-H. Kwan, and M. T. Thomas, 455.
Carbon-13 nuclear magnetic resonance spectra of organic sulfur compounds. Substituent chemical shift (s.c.s.) effects in the 4-thiazoline-2-thione series. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 1660.
Stonehill, H. I.
Comments on "The aqueous photochemistry. . .", and "The radiation chemistry of aqueous solutions of sodium 9,10-anthraquinone-2-sulfonate." H. I. Stonehill and K. P. Clark, 516.

Storr, A.
Synthesis, physical properties, and crystal and molecular structure of a binuclear copper(II) complex incorporating 3-methylpyrazolylgallate ligands. R. T. Baker, S. J. Rettig, A. Storr, and J. Trotter, 343.
Crystal and molecular structure of the salicylaldehydatogallium dimethyl dimer. S. J. Rettig, A. Storr, and J. Trotter, 1278.
Stothers, J. B.
Mercury(I) chemistry. Part I. Complexes of the mercurous ion with some arenes. P. A. W. Dean, D. G. Ibbott, and J. B. Stothers, 166.
^{13}C nuclear magnetic resonance studies. 58. ^{13}C spectra of a variety of bicyclo[2.2.2]octane derivatives. Further definition of the deshielding δ effect. J. B. Stothers and C. T. Tan, 917.
^{13}C nuclear magnetic resonance studies. 55. A comparison of the stereochemical dependence of γ- and δ-substituent effects on ^{13}C shieldings in several norbornanols and norbornenols. J. B. Stothers, C. T. Tan, and K. C. Teo, 1211.
Oxidative decarboxylation of the 3-methyl-2-carboxynorbornanes with lead tetraacetate. J. B. Stothers and K. C. Teo, 1222.
Erratum: Mercury(I) chemistry. Part I. Complexes of the mercurous ion with some arenes. P. A. W. Dean, D. G Ibbott, and J. B. Stothers, 1439.
Geometry and rotational barriers in 1,3,5-triphenylpentadienyllithium by ^{1}H and ^{13}C nuclear magnetic resonance. D. H. Hunter, R. E. Klinck, R. P. Steiner, and J. B. Stothers, 1464.
^{13}C nuclear magnetic resonance studies. 61. The effect of solute–solvent association on internal rotation in substituted benzaldehydes. R. E. Klinck and J. B. Stothers, 3267.
Concerning stereochemical assignments from ^{13}C spectra of systems experiencing γ substituent effects. Deshielding antiperiplanar interactions can mislead the unwary. W. A. Ayer, L. M. Browne, S. Fung, and J. B. Stothers, 3272.
Strunz, G. M.
Butenolides from citraconic anhydride and acetophenone: rearrangement to a 2,3-dihydro-3-furanone related to bullatenone. G. M. Strunz and P. I. Kazinoti, 415.
Synthesis of pencolide and corroboration of its revised stereochemistry. G. M. Strunz and W.-Y. Ren, 2862.
Sugihara, Y.
[4]Annulene. Comments on its infrared spectrum. S. Masamune, Y. Sugihara, K. Morio, and J. E. Bertie, 2679.
Suri, R.
Donor–acceptor interactions in biomolecules. II. Spectroscopic and molecular orbital studies of amino acid–nicotinamide adenine dinucleotide complexes. J. Nagchaudhuri and R. Suri, 59.
Sutherland, R. G.
The effect of ultrasound on water in the presence of dissolved gases. E. L. Mead, R. G. Sutherland, and R. E. Verrall, 1114.
Suzuki, F.
Study on the preparation of 3α-hydroxy-5α-cholestan-6-one and -7-one by stereoselective catalytic hydrogenation. M. Ishige, M. Shiota, and F. Suzuki, 2581.
Swaddle, T. W.
Kinetics and mechanism of substitution reactions of (dimethylsulfoxide)pentaamminecobalt(III) ion in dimethylsulfoxide solvent: complications due to redox and conjugate base processes. S. T. D. Lo, E. M. Oudeman, J. C. Hansen, and T. W. Swaddle, 3685.
Sy, W. W.
The synthesis of chasmanine: aromatic intermediate. S.-F. Lee, G.-M. Sathe, W. W. Sy, P.-t. Ho, and K. Wiesner, 1039.
Szabo, A. G.
Confidence in fluorescence lifetime determinations: a ratio correction for the photomultiplier time response variation with wavelength. D. M. Rayner, A. E. McKinnon, A. G. Szabo, and P. A. Hackett, 3246.
Szakolcai, A.
Constituents of *Nauclea diderrichii*. Part VII. Synthesis of naucledérine, naucléonine, and naucléonidine: spectroscopic evidence for the structures of 3α-dihydrocadambine and two other constituents. S. McLean, G. I. Dmitrienko, and A. Szakolcai, 1262.
Szarek, W. A.
Selective, reductive dechlorination of chlorodeoxy sugars. Structural determination of chlorodeoxy and deoxy sugars by ^{13}C nuclear magnetic resonance spectroscopy. W. A. Szarek, A. Zamojski, A. R. Gibson, D. M. Vyas, and J. K. N. Jones, 3783.
Tack, R. D.
A comparison of methods for pK_a determination in strongly basic systems applied to the deprotonation of some heterocyclic methiodide salts. R. A. Cox, R. Stewart, M. J. Cook, A. R. Katritzky, and R. D. Tack, 900.
Tadayoni, R.
Synthesis of bridged azabicyclic ketones. Solvolysis of enol ether and ethylene ketal *N*-chloramines in acidic medium. R. Furstoss, R. Tadayoni, G. Esposito, J. Lacrampe, A. Heumann, and B. Waegell, 3569.
Tait, J. C.
Organometallic peroxy radicals. Part II. A kinetic electron spin resonance study of some organogermylperoxy radicals. J. A. Howard and J. C. Tait, 2669.

Takamuku, S.
Mercury photosensitization of 1-hexene and *cis*-2-octene vapor. Intramolecular hydrogen abstraction of vibrationally excited π,π^* triplet state. Y. Inoue, S. Takamuku, and H. Sakurai, 3117.
Takashima, K.
Gas phase nucleophilic reactions in 1,1-difluoroethylene. J. M. Riveros and K. Takashima, 1839.
Takemura, T.
Medium-sized cyclophanes. XX. ^{13}C nuclear magnetic resonance of cyclophanes: *p*-orbital compression shift and orbital deformation. T. Takemura and T. Sato, 3412.
Tam, J. C. L.
The assignment of ^{1}H and ^{13}C chemical shifts for dihydro-3(2*H*)-furanone derivatives by means of specific ^{2}H labelling experiments and $^{13}C\{^{1}H\}$ decoupling experiments. P. M. Burke, W. F. Reynolds, J. C. L. Tam, and P. Yates, 1449.
Tam, J. N. S.
Chemistry of amido radicals: stereochemical controls in II radical reactions. T. C. Joseph, J. N. S. Tam, M. Kitadani, and Y. L. Chow, 3517.
Tam, S. Y.-K.
Some synthetic routes to 2,3,6-trideoxy-hex-2-enopyranosides and -hex-2-enopyranosid-4-uloses. M. B. Yunker, S. Y.-K. Tam, D. R. Hicks, and B. Fraser-Reid, 2411.
Tam, W. H. J.
Reactions of 4-hydroxy-6-methyl-2-pyridone with aldehydes. J. A. Findlay, J. Krepinsky, F. Y. Shum, and W. H. J. Tam, 270.
Tan, C. T.
^{13}C nuclear magnetic resonance studies. 58. ^{13}C spectra of a variety of bicyclo[2.2.2]octane derivatives. Further definition of the deshielding δ effect. J. B. Stothers and C. T. Tan, 917.
^{13}C nuclear magnetic resonance studies. 55. A comparison of the stereochemical dependence of γ- and δ-substituent effects on ^{13}C shieldings in several norbornanols and norbornenols. J. B. Stothers, C. T. Tan, and K. C. Teo, 1211.
Tan, W. C.
The effect of monolayers on the rate of evaporation of H_2O and solution of O_2 in H_2O. R. N. O'Brien, A. I. Feher, K. L. Li, and W. C. Tan, 2739.
Tanaka, K.
Gas-phase reactions of anions with halogenated methanes at 297 $\pm$ 2 K. K. Tanaka, G. I. Mackay, J. D. Payzant, and D. K. Bohme, 1643.
Tanner, D. D.
The metal-ligand oxidations of dibenzobicyclo[2.2.2]octatriene by lead tetraacetate – hydrogen fluoride, lead tetraacetate, thallium(III) acetate, and mercuric acetate. D. D. Tanner, P. B. Van Bostelen, and M. Lai, 2004.
The mechanism of the reaction of lead tetraacetate – hydrogen fluoride with 1-octene. D. D. Tanner and P. Van Bostelen, 2417.
Taylor, A.
Isolation and structure of pimaydolide, a cyclodepsipeptide metabolite of *Pithomyces maydicus*. D. W. Russell, W. D. Jamieson, A. Taylor, and B. C. Das, 1355.
A new depsipeptide from *Pithomyces chartarum*. R. Rahman, A. Taylor, B. C. Das, and J. A. Verpoorte, 1360.
Taylor, D. R.
The environment of tertiary alcohols from nuclear magnetic resonance spectral shifts on formation of trichloroacetylcarbamates. D. R. Taylor, 189.
Metabolites of bird's nest fungi. Part 5. The isolation of 1-hydroxy-6-methyl-8-hydroxymethylxanthone, a new xanthone, from *Cyathus intermedius*. Synthesis via photoenolisation. W. A. Ayer and D. R. Taylor, 1703.
Taylor, G.
Radiolysis of ferric hexafluoroacetylacetonate – toluene solutions. K. W. Chambers, E. A. Cherniak, G. Taylor, and J. Yu, 2116.
Taylor, K. E.
Nicotinamide coenzyme regeneration. Flavin mononucleotide (riboflavin phosphate) as an efficient, economical, and enzyme-compatible recycling agent. J. B. Jones and K. E. Taylor, 2969.
Nicotinamide coenzyme regeneration. The rates of some 1,4-dihydropyridine, pyridinium salt, and flavin mononucleotide hydrogen-transfer reactions. J. B. Jones and K. E. Taylor, 2974.
Tee, O. S.
The pseudobase behaviour of 1,3-disubstituted-1,2-dihydro-2-oxopyrimidinium cations. O. S. Tee and M. Endo, 2681.
Templeton, J. F.
Polybrominated derivatives of 5α-androstane and 5α-estrane 3-ketones: cyclopropanol formation. J. F. Templeton, C. W. Wie, and F. E. Hruska, 2865.
Teo, K. C.
^{13}C nuclear magnetic resonance studies. 55. A comparison of the stereochemical dependence of γ- and δ-substituent effects on ^{13}C shieldings in several norbornanols and norbornenols. J. B. Stothers, C. T. Tan, and K. C. Teo, 1211.
Oxidative decarboxylation of the 3-methyl-2-carboxynorbornanes with lead tetraacetate. J. B. Stothers and K. C. Teo, 1222.

Terlouw, J. K.
Metastable ion studies. VI. The identification of $C_2H_5N^{+\cdot}$ ion structures from their characteristic kinetic energy releases. J. L. Holmes and J. K. Terlouw, 1007.
Thavard, D.
Synthèse de nouveaux phospholènes et phospholes avec substituants fonctionnels sur le phosphore. F. Mathey, J.-P. Lampin et D. Thavard, 2402.
Thind, P. S.
Studies on inorganic ion exchangers. I. Preparation, properties, and applications of ferric phosphate. J. P. Rawat and P. S. Thind, 1892.
Thomas, M. T.
Photochemical rearrangements of substituted thiochromanone sulfoxides. I. W. J. Still, P. C. Arora, M. S. Chauhan, M.-H. Kwan, and M. T. Thomas, 455.
Thompson, W. T.
Some thermodynamic properties of K_3AlF_6-$KAlF_4$ melts. W. T. Thompson and D. G. W. Goad, 3342.
Thorne, M. P.
Carbamates and 2-oxazolidones from tertiary alcohols and isocyanates. T. Francis and M. P. Thorne, 24.
Tiffon, B.
Effet de solvant en résonance magnétique nucléaire du ^{13}C. I. Cas d'un soluté apolaire: *n*-pentane. B. Tiffon et J.-P. Doucet, 2045.
Titus, P. E.
Pyrolysis of benzophenone oxime carbonates: a potential route to aryl imino ethers (aryl imidates). P. E. Titus, P. A. Forte, and J. M. Prokipcak, 647.
Tong, J. P. K.
A kinetic study of nickel(II)–murexide complex formation in dimethylsulfoxide/nitromethane mixed solvents. J. P. K. Tong and C. H. Langford, 706.
The structure and equilibria of a manganese(II) complex of fulvic acid studied by ion exchange and nuclear magnetic resonance. D. S. Gamble, C. H. Langford, and J. P. K. Tong, 1239.
Toniolo, C.
Linear oligopeptides. XXVII. Contribution to the circular dichroism of internal peptide chromophores. C. Toniolo and G. M. Bonora, 70.
Toone, T. W.
Aqueous trifluoroacetic acid as a medium for organic reactions. I. Acidity functions and the identity of the manganese(VII) species found in powerfully acidic media. U. A. Spitzer, T. W. Toone, and R. Stewart, 440.
Tordeux, M.
Alcoxy-2, aryloxy-2, acyloxy-2, cyclohexanones. Synthèse et étude de leur équilibre conformationnel. D. Cantacuzene et M. Tordeux, 2759.
Tosi, G.
Spectroscopic studies of benzoxazole-2-thione complexes. Derivatives of cobalt(II) and nickel(II) halides. C. Preti and G. Tosi, 85.
Tauteromeric equilibrium study of thiazolidine-2-thione. Transition metal complexes of the deprotonated ligand. C. Preti and G. Tosi, 1558.
Erratum: Tautomeric equilibrium study of thiazolidine-2-thione. Transition metal complexes of the deprotonated ligand. C. Preti and G. Tosi, 2967.
Tourangeau, M. C.
Proton magnetic resonance and Raman spectroscopic studies of methylmercury(II) complexes of inorganic anions. D. L. Rabenstein, M. C. Tourangeau, and C. A. Evans, 2517.
Tracey, A. S.
A deuterium magnetic resonance study of a lamellar lyotropic liquid crystalline phase. A. S. Tracey and P. Diehl, 2283.
Tremblay, J. P.-A.
A kinetic study of the reaction of adamantanethione with 2-adamantanethiol. J. C. Scaiano, J. P.-A. Tremblay, and K. U. Ingold, 3407.
Trenholm, H. M.
Chemical relaxations in micellar solutions by ultrasonic spectroscopy. II. Sodium heptylsulfate and hexylammonium chloride solutions. D. A. W. Adair, V. C. Reinsborough, H. M. Trenholm, and J. P. Valleau, 1162.
Trinajstić, N.
On the extension of the Hückel rule to polycyclic non-alternant conjugated hydrocarbons. I. Gutman and N. Trinajstić, 1789.
Trotter, J.
Synthesis, physical properties, and crystal and molecular structure of a binuclear copper(II) complex incorporating 3-methylpyrazolylgallate ligands. R. T. Baker, S. J. Rettig, A. Storr, and J. Trotter, 343.
Crystal and molecular structure of (salicylaldehydato)diphenylboron. S. J. Rettig and J. Trotter, 1168.
Crystal and molecular structure of the salicylaldehydatogallium dimethyl dimer. S. J. Rettig, A. Storr, and J. Trotter, 1278.

Crystal structures of phenacylkojate (2-(hydroxymethyl)-5-phenacyloxy-4*H*-pyran-4-one) and its complex with sodium chloride: bis(phenacylkojate)sodium chloride. S. E. V. Phillips and J. Trotter, 2723.
Crystal and molecular structures of *B,B*-bis(*p*-tolyl)boroxazolidine and the orthorhombic form of *B,B*-diphenylboroxazolidine. S. J. Rettig and J. Trotter, 3130.
Crystal and molecular structure of 8,8-di nethyl-3,5-diphenyl-2,4,6-trioxa-1-azonia-3-bora-5-boranatabicyclo[3.3.0]-octane. S. J. Rettig, J. Trotter, W. Kliegel, and H. Becker, 3142.

Trovato, S.
Molecular conformations of *ortho*-substituted benzophenones. F. Zuccarello, S. Millefiori, and S. Trovato, 226.

Trudell, B. C.
Studies of the pyrolysis of diethylzinc by the toluene carrier method and of the reaction of ethyl radicals with toluene. A. A. Koski, S. J. W. Price, and B. C. Trudell, 482.

Tsai, A. I-M.
A ^{13}C nuclear magnetic resonance study of thiolane sulfoxides. The configurations of neothiobinulpharidine sulfoxides. R. T. LaLonde, C. F. Wong, A. I-M. Tsai, J. T. Wróbel, J. Ruszkowska, K. Kabzinska, T. I. Martin, and D. B. MacLean, 3860.

Tsai, T. Y. R.
The construction of the substituted denudatine system by diene addition. K. Wiesner, T. Y. R. Tsai, G. I. Dmitrienko, and K. P. Nambiar, 3307.

Tsang, C. W.
The hydrogen and methane chemical ionization mass spectra of some formate esters. A. G. Harrison and C. W. Tsang, 2029.

Tsau, J.
Polymorphism in *n*-alkylammonium chlorides: X-ray powder diffraction studies. D. F. R. Gilson, A. S. Kertes, R. St. J. Manley, J. Tsau, and G. Donnay, 765.

Tuchagues, J. P.
Préparation et étude des isothiocyanatoboranes halogénés. J. Dazord, H. Mongeot, H. Atchekzai et J. P. Tuchagues, 2135.

Tuck, D. G.
The Raman spectra of tricoordinate CdX_2Y^- halogenocadmate(II) anions in the solid state. J. G. Contreras and D. G. Tuck, 3641.

Turcotte, J.
Pouvoirs donneur et accepteur des ligands dans les dérivés de $Mo(CO)_6$. C. Barbeau et J. Turcotte, 1603.
Moments dipolaires théoriques des dérivés de $Mo(CO)_6$. C. Barbeau et J. Turcotte, 1612.

Turner, R. C.
Effect of aging on properties of polynuclear hydroxyaluminum cations. R. C. Turner, 1528.
A second species of polynuclear hydroxyaluminum cation, its formation and some of its properties. R. C. Turner, 1910.

Turrell, S.
H_3O^+ ions in aqueous acid solutions. The infrared spectra revisited. P. A. Giguère and S. Turrell, 3477.

Ueda, Y.
A catalyst for ester hydrolysis showing electrostatic and hydrophobic binding properties. J. P. Guthrie and Y. Ueda, 2745.

Uzan, R.
Composés carbonylés aromatiques: traitement semi-empirique des influences structurales sur leur basicité. D. Beaupère, J. P. Séguin, R. Uzan et J. P. Doucet, 297.

Valenta, Z.
Ormosia alkaloids. VII. Total synthesis of ormosanine, piptanthine, 18-epiormosanine, and *d,l*-panamine. H.-J. Liu, Y. Sato, Z. Valenta, J. S. Wilson, and T. T.-J. Yu, 97.
Catalysed Diels–Alder reactions. The realization of orientation control with a bifunctional aliphatic dienophile. M. Kakushima, J. Espinosa, and Z. Valenta, 3304.

Valleau, J. P.
Chemical relaxations in micellar solutions by ultrasonic spectroscopy. II. Sodium heptylsulfate and hexylammonium chloride solutions. D. A. W. Adair, V. C. Reinsborough, H. M. Trenholm, and J. P. Valleau, 1162.

Van Bostelen, P. B.
The metal-ligand oxidations of dibenzobicyclo[2.2.2]octatriene by lead tetraacetate – hydrogen fluoride, lead tetraacetate, thallium(III) acetate, and mercuric acetate. D. D. Tanner, P. B. Van Bostelen, and M. Lai, 2004.
The mechanism of the reaction of lead tetraacetate – hydrogen fluoride with 1-octene. D. D. Tanner and P. B. Van Bostelen, 2417.

Van Glabbeke, M.
Réaction oscillante de Belousov. 1. Cinétique de la réaction bromate-céreux. C. Herbo, G. Schmitz et M. Van Glabbeke, 2628.

Van Loon, G. W.
Tertiary phosphine complexes of the cobalt(III) *NN'*-ethylenebis(salicylideneiminato) and bisdimethylglyoximato systems. C. W. Smith, G. W. Van Loon, and M. C. Baird, 1875.

Van Roode, J. H. G.
The synthesis, Mössbauer and vibrational spectra of some triorganotin derivatives of phosphorus oxyacids. T. Chivers, J. H. G. Van Roode, J. N. Ruddick, and J. R. Sams, 2184.
Vaughan, K.
Approaches to the synthesis of quinazolino[1,2,3]benzotriazinones. T. P. Ahern, H. Fong, and K. Vaughan, 290.
Vedrine, J. C.
Formation, mobilité et réactivité d'espèces paramagnétiques adsorbées sur zéolithes H—Y irradiées. Une étude par résonance paramagnétique électronique. J. C. Vedrine, J. Massardier et A. Abou-Kais, 1678.
Verpoorte, J. A.
A new depsipeptide from *Pithomyces chartarum*. R. Rahman, A. Taylor, B. C. Das, and J. A. Verpoorte, 1360.
Verrall, R. E.
The effect of ultrasound on water in the presence of dissolved gases. E. L. Mead, R. G. Sutherland, and R. E. Verrall, 1114.
Vessière, R.
Utilisation de la méthode de Wittig pour la synthèse de vinyl-2 aziridines N-substituées. D. Borel, Y. Gelas-Mialhe et R. Vessière, 1582.
Isomérisation thermique de vinyl-2 aziridines N-substituées. D. Borel, Y. Gelas-Mialhe et R. Vessière, 1590.
Viallard, A.
Les systèmes eau/ester. I. Etude calorimétrique des systèmes eau/acétate d'alcoyle. D. Richon et A. Viallard, 2584.
Cinetique chimique en milieu micellaire. Relation entre vitesse de réaction et structure du milieu. G. Roux et A. Viallard, 3658.
Viertler, H.
On the photoelectron and ultraviolet spectra of molecules containing a divalent sulfur atom and a carbonyl group separated by a methylene group. P. R. Olivato, H. Viertler, B. Wladislaw, K. C. Cole, and C. Sandorfy, 3026.
Virlet, J.
Etude des complexes aqueux d'uranium(IV) en milieu acide par resonance magnétique nucléaire. C. Kiener, G. Folcher, P. Rigny et J. Virlet, 303.
Vohra, K. N.
A convenient synthesis of the flavour and scent material (±)-γ-*Z*-6-dodecenolactone and some analogs via *N*-chloroamide thermolysis. M. Benn and K. N. Vohra, 136.
Vo Van, K.
Reduction of sulfates by hydrogen. F. Habashi, S. A. Mikhail, and K. Vo Van, 3646.
Vyas, D. M.
Selective, reductive dechlorination of chlorodeoxy sugars. Structural determination of chlorodeoxy and deoxy sugars by ^{13}C nuclear magnetic resonance spectroscopy. W. A. Szarek, A. Zamojski, A. R. Gibson, D. M. Vyas, and J. K. N. Jones, 3783.
Vyas, H. M.
Chemically induced dynamic nuclear and electron polarization. Part IX. The photolysis of tetrafluoro-*p*-benzoquinone in dioxane. H. M. Vyas and J. K. S. Wan, 979.
Waegell, B.
Synthesis of bridged azabicyclic ketones. Solvolysis of enol ether and ethylene ketal *N*-chloramines in acidic medium. R. Furstoss, R. Tadayoni, G. Esposito. J. Lacrampe, A. Heumann, and B. Waegell, 3569.
Wakselman, C.
Cycloaddition (2 + 3) d'aziridines avec les perfluoroalcènes. Synthèse de pyrroles fluorés. J. Leroy et C. Wakselman, 218.
Wallbank, B.
The X-ray photoelectron spectrum of hydrogen peroxide. M. S. Banna, D. C. Frost, C. A. McDowell, and B. Wallbank, 3811.
Walliser, F. M.
The reaction of steroid 2,4-dienes with acetylenes. P. Yates and F. M. Walliser, 3508.
Walter, J. A.
Addition of iodine to dimethyl norbornadiene-2,3-dicarboxylate: nuclear magnetic resonance (^1H and ^{13}C) spectra and stereochemistry of nortricyclenes. A. W. McCulloch, A. G. McInnes, D. G. Smith, and J. A. Walter, 2013.
Wan, J. K. S.
Chemically induced dynamic nuclear and electron polarization. Part IX. The photolysis of tetrafluoro-*p*-benzoquinone in dioxane. H. M. Vyas and J. K. S. Wan, 979.
The *cis–trans* isomerization of the radical anion of biacetyl. A. J. Elliot and J. K. S. Wan, 3637.
Wang, F.-M.
Intramolecular vibrational energy relaxation. Decomposition of chemically activated alkylcyclobutanes. F.-M. Wang and B. S. Rabinovitch, 943.
Warkentin, J.
Synthetic application of α-hydroxydiazene systems. I. Esters from radical chain reactions of unsaturated compounds with 2-hydroxy-2,5,5-trimethyl-Δ^3-1,3,4-oxadiazoline. P. Knittel and J. Warkentin, 1341.

Synthetic application of α-hydroxydiazene systems. II. Uncatalyzed and phenol catalyzed radical chain hydro-*tert*, butylation of unsaturated compounds with *tert*-butylazodiphenylcarbinol. D. W. K. Yeung and J. Warkentin-1345.
Synthesis and radical decomposition of α-hydroxydiazenes. II. *tert*-Butylazodiphenylcarbinol. D. W. K. Yeung and J. Warkentin, 1349.

Warnhoff, E. W.
On the oxidative dimerization of 2,3-dialkylindoles. V. Dave and E. W. Warnhoff, 1015.
New reactions of 2-substituted indoles. V. Dave and E. W. Warnhoff, 1020.
Base-catalyzed intramolecular displacements on certain 1,2-epoxides. V. Srinivasan and E. W. Warnhoff, 1372.

Wasylishen, R. E.
The influence of manganese(II) and copper(II) on ^{13}C nuclear relaxation rates in imidazole. R. E. Wasylishen and M. R. Graham, 617.
The sign of the 'through-space' spin–spin coupling between methyl protons and the fluorine nucleus in 2,6-dimethylbenzoyl fluoride. T. Schaefer, K. Chum, K. Marat, and R. E. Wasylishen, 800.
^{15}N–^{13}C spin–spin coupling constants in some aniline derivatives. R. E. Wasylishen, 833.
A proton magnetic resonance and molecular orbital study of the conformational preferences of the vinylic fragment in some 2-vinylfurans and in 2-vinylthiophene. W. J. E. Parr, R. E. Wasylishen, and T. Schaefer, 3216.

Webb, M. J.
The reactivity of cyclic germoxycarbene complexes of manganese and rhenium towards nucleophiles. M. J. Webb and W. A. G. Graham, 2557.

Weinman, J.
The ν_{CO} absorption of ketones in cooled solution. J. Weinman, M. Mailloux, and S. Weinman, 31.

Weinman, S.
The ν_{CO} absorption of ketones in cooled solution. J. Weinman, M. Mailloux, and S. Weinman, 31.

Wells, J. I.
Alkaline methanolysis of 1,1,1-trichloro-2-hydroxy-4-alkanones. E. Kiehlmann, J. I. Wells, and W. Reeve, 1998.

Wells, P. B.
Mass spectra of some deuterium-labelled methylsilanes and the analysis of mixtures. D. I. Bradshaw, R. B. Moyes, and P. B. Wells, 599.

Wendling, E.
Etude de Mn(II) en solution aqueuse perchlorique par résonance paramagnétique électronique. O. Benali-Baitich et E. Wendling, 878.

Werstiuk, E. S.
Oligoribonucleotide synthesis. X. An improved synthesis of the anticodon loop region of methionine transfer ribonucleic acid from *E. coli*. E. S. Werstiuk and T. Neilson, 2689.

Werstiuk, N. H.
The log k_{exo} *vs.* log k_{endo} correlation as a mechanistic criterion; on the mechanisms of solvolysis of norbornyl derivatives and base-catalyzed isotope exchange of norbornanones. S. Banerjee and N. H. Werstiuk, 678.
Reaction of organic compounds under high temperature – dilute acid (HTDA) conditions. II. The hydration–exchange of norbornadiene and benzonorbornadiene in aqueous acetic acid at 250 °C. N. H. Werstiuk and T. Kadai, 2201.
Reaction of organic compounds under high temperature – dilute acid (HTDA) conditions. III. The perdeuteration of bicyclo[2.2.1]heptanes. N. H. Werstiuk and T. Kadai, 2213.

Whalley, E.
Isothermal compressibility of water–glycerol mixtures at 60.0 °C measured relative to water. E. Whalley and J. B. R. Heath, 2249.

Whangbo, M.-H.
On the rigidity of planar tricoordinate carbon. S. Wolfe, H. B. Schlegel, and M.-H. Whangbo, 795.
Molecular orbitals from group orbitals. I. A perturbational molecular orbital treatment of the electronic structures, shapes and conformations of AH_mBH_n systems. M.-H. Whangbo and S. Wolfe, 949.
Molecular orbitals from group orbitals. II. Conformational analysis of systems with three heavy atoms. The XCH_2CH_2 system and the anomeric effect. M.-H. Whangbo and S. Wolfe, 963.

Wharf, I.
Synthesis and vibrational spectra of some lead(II) halide adducts with O-, S-, and N-donor atom ligands. I. Wharf, T. Gramstad, R. Makhija, and M. Onyszchuk, 3430.

White, P. S.
Condensation of *cis*-9-methyl-2-decalone with cyclic β-amino esters: synthesis and X-ray crystallography of perhydroazacyclopentaanthracenes and perhydroazabenzanthracenes. R. B. Kelly, B. A. Beckett, I. Mumtaz, E. Stanley, and P. S. White, 1512.
Pyrochlores. X. Madelung energies of pyrochlores and defect fluorites. W. W. Barker, P. S. White, and O. Knop, 2316.

Whitehead, M. A.
A self-consistent field wavefunction suited for calculation of the electric field gradient in HCl. J. E. Grabenstetter and M. A. Whitehead, 1948.

Whitlock, R. F.
Conformational changes accompanying electronic excitation of trifluoronitrosomethane. R. D. Gordon, S. C. Dass, J. R. Robins, H. F. Shurvell, and R. F. Whitlock, 2658.
Wie, C. W.
Polybrominated derivatives of 5α-androstane and 5α-estrane 3-ketones: cyclopropanol formation. J. F. Templeton, C. W. Wie, and F. E. Hruska, 2865.
Wiesner, K.
The synthesis of chasmanine: aromatic intermediate. S.-F. Lee, G.-M. Sathe, W. W. Sy, P.-t. Ho, and K. Wiesner, 1039.
The construction of the substituted denudatine system by diene addition. K. Wiesner, T. Y. R. Tsai, G. I. Dmitrienko, and K. P. Nambiar, 3307.
Wigfield, D. C.
Estimation of the stereoselectivity of reduction of 3,3,5,5-tetramethylcyclohexanone by sodium borohydride. D. C. Wigfield, G. W. Buchanan, C. A. Ashley, and S. Feiner, 3536.
Williams, D. J.
The crystal structure of the complex salt imidazole imidazolium perchlorate. A. Quick and D. J. Williams, 2465.
The crystal structure of the complex salt: benzimidazole benzimidazolium fluoroborate. A. Quick and D. J. Williams, 2482.
Williams, G. J.
Situselective α′-acetoxylation of some α,β-enones by manganic acetate oxidation. G. J. Williams and N. R. Hunter, 3830.
Williams, H. W. R.
Synthesis of some 4-pyranones and 4-pyridones structurally related to isoproterenol. H. W. R. Williams, 3377.
Williams, R. E.
On the use of the *n*-propylammonium and *n*-butylammonium salts of *d*-10-camphorsulfonic acid for the calibration of spectropolarimeters: the concentration and solvent dependency of the optical rotatory dispersion parameters. Y. Nakagawa, M. F. Gillen, and R. E. Williams, 3200.
Water-soluble lysine-containing polypeptides. III. Sequential lysine-glycine polypeptides. A circular dichroism and electron microscopy study of annealed complexes with DNA, sonicated DNA, and denatured DNA. S. L. Kielland and R. E. Williams, 3884.
Willis, C.
The heat of formation of N_2H_2 and the proton affinity of N_2. C. Willis, F. P. Lossing, and R. A. Back, 1.
Erratum: The heat of formation of N_2H_2 and the proton affinity of N_2. C. Willis, F. P. Lossing, and R. A. Back, 1493.
Wilshire, J. P.
Redox potentials of metal phthalocyanines in non-aqueous media. A. B. P. Lever and J. P. Wilshire, 2514.
Wilson, J. S.
Ormosia alkaloids. VII. Total synthesis of ormosanine, piptanthine, 18-epiormosanine, and *d,l*-panamine. H.-J. Liu, Y. Sato, Z. Valenta, J. S. Wilson, and T. T.-J. Yu, 97.
Winters, D. L.
Structure of radicals produced by γ-radiolysis. Part 5. Radicals derived from some aliphatic alkene molecules. R. E. Linder, D. L. Winters, and A. C. Ling, 1405.
Structure of radicals produced by γ-radiolysis. Part 4. Adamantane matrices doped with various 5-membered heterocyclic molecules. D. L. Winters and A. C. Ling, 1971.
Wladislaw, B.
On the photoelectron and ultraviolet spectra of molecules containing a divalent sulfur atom and a carbonyl group separated by a methylene group. P. R. Olivato, H. Viertler, B. Wladislaw, K. C. Cole, and C. Sandorfy, 3026.
Wolfe, S.
Stereomutation of a 1,2,3-triketone: an example of an asymmetric reaction. S. Wolfe, J. E. Berry, and M. R. Peterson, 210.
An inequality formulation of conformational energy differences. J. P. Colpa, H. B. Schlegel, and S. Wolfe, 526.
On the rigidity of planar tricoordinate carbon. S. Wolfe, H. B. Schlegel, and M.-H. Whangbo, 795.
Molecular orbitals from group orbitals. I. A perturbational molecular orbital treatment of the electronic structures, shapes and conformations of AH_mBH_n systems. M.-H. Whangbo and S. Wolfe, 949.
Molecular orbitals from group orbitals. II. Conformational analysis of systems with three heavy atoms. The XCH_2CH_2 system and the anomeric effect. M.-H. Whangbo and S. Wolfe, 963.
Stereochemical properties of 1,3-dissulfonium salts and 1,3-bissulfonium ylides. S. Wolfe, P. Chamberlain, and T. F. Garrard, 2847.
Wolniewicz, L.
A re-examination of the adiabatic correction term for the hydrogen molecule. H. O. Pritchard and L. Wolniewicz, 651.
Wong, C. F.
A ^{13}C nuclear magnetic resonance study of thiolane sulfoxides. The configurations of neothiobinulpharidine sulfoxides. R. T. LaLonde, C. F. Wong, A. I-M. Tsai, J. T. Wróbel, J. Ruszkowska, K. Kabzinska, T. I. Martin, and D. B. MacLean, 3860.

Wong, C. F. C.
Photosolvation of $[Co(CN)_6]^{3-}$, *trans*-$[Cr(NH_3)_2(NCS)_4]^-$ and *trans*-$[Cr(en)_2NCSF]^+$ in aqueous mixed solvent systems. C. F. C. Wong and A. D. Kirk, 3794.
Wong, H.
Synthetic morphinans and hasubanans. VI. Total synthesis of 3-hydroxyisomorphinans, 3-hydroxyhasubanans, and 3,9-dihydroxyhasubanans. I. Monković and H. Wong, 883.
Wood, J. L.
Complex hydrogen bonded cations. The imidazole/imidazolium complex cation. D. H. Bonsor, B. Borah, R. L. Dean, and J. L. Wood, 2458.
Complex hydrogen bonded cations. The benzimidazole benzimidazolium cation. B. Borah and J. L. Wood, 2470.
Woolley, E. M.
Heat capacities of aqueous electrolytes: eight 1:1 electrolytes and ΔC_p^0 for ionization of water at 298 K. P. P. Singh, E. M. Woolley, K. G. McCurdy, and L. G. Hepler, 3315.
Worsfold, D. J.
The polymerization of oxetane with hexafluorophosphate salts. P. E. Black and D. J. Worsfold, 3325.
Wróbel, J. T.
A ^{13}C nuclear magnetic resonance study of thiolane sulfoxides. The configurations of neothiobinulpharidine sulfoxides. R. T. LaLonde, C. F. Wong, A. I-M. Tsai, J. T. Wrobel, J. Ruszkowska, K. Kabzinska, T. I. Martin, and D. B. MacLean, 3860.
Wu, A. W.
Ditertiary(phosphines and arsines) with perfluoro-(bi-1-cycloalken-1-yl) bridging groups. Preparation and properties including a solid state structure of a tetracarbonylmolybdenum derivative. W. R. Cullen, A. R. Davis, A. W. Wu, F. W. B. Einstein, and J. D. Hazlett, 2871.
Wynnyckyj, J. R.
Equilibrium in the formation of barium carbonate from barium sulphate. H. Horlings, D. S. Scott, and J. R. Wynnyckyj, 3872.
Yaffe, L.
Nuclear charge distribution in the region of symmetric fission of ^{238}U by protons of energy 20–85 MeV. S. Sarkar and L. Yaffe, 2349.
Yamamoto, T.
Theoretical study of the ν_3 and ν_4 Raman bands of methane in rare gas matrices. K. Kobashi, Y. Kataoka, and T. Yamamoto, 2154.
Yates, K.
Medium effects on tetraalkylammonium ions in aqueous acid solutions. T. A. Modro, W. F. Reynolds, and K. Yates, 1439.
The addition of 4-chlorobenzenesulfenyl chloride to phenyl-substituted acetylenes: the structures of the intermediate thiirenium ion. G. H. Schmid, A. Modro, D. G. Garratt, and K. Yates, 3045.
Yates, P.
X-ray analysis of the structure and correlation with the spectra of haplophytine. P.-T. Cheng, S. C. Nyburg, F. N. MacLachlan, and P. Yates, 726.
The assignment of ^1H and ^{13}C chemical shifts for dihydro-3(2*H*)-furanone derivatives by means of specific ^2H labelling experiments and $^{13}C\{^1H\}$ decoupling experiments. P. M. Burke, W. F. Reynolds, J. C. L. Tam, and P. Yates, 1449.
The reaction of steroid 2,4-dienes with acetylenes. P. Yates and F. M. Walliser, 3508.
The synthesis of spiro[bicyclo[2.2.1]heptene-7,1′-cycloalkan]-2′-ones and related benzobicyclo[2.2.1]heptene derivatives. N. F. Feiner, G. D. Abrams, and P. Yates, 3955.
Yeddanapalli, L. M.
Vapour phase catalytic transformations of terpene hydrocarbons in the $C_{10}H_{16}$ series. III. Dehydrogenation of Δ^3-carene over modified chromia and chromia–alumina catalysts. V. Krishnasamy and L. M. Yeddanapalli, 3458.
Yee, T.
Studies in the usnic acid series. II. The condensation of (+)-usnic acid with hydroxylamine. J. P. Kutney, I. H. Sanchez, and T. Yee, 3713.
Studies in the usnic acid series. III. The base catalyzed usnic acid – isousnic acid rearrangement. The synthesis of (+)-isousnic acid. J. P. Kutney, I. H. Sanchez, and T. Yee, 3721.
Yetman, R. R.
Urea – boron trihalide adducts. V. Effects of acid strength on restricted rotation in adducts of tetramethylurea and 1,1-bis(dimethylamino)ethylene. J. S. Hartman and R. R. Yetman, 1130.
Yeung, D. W. K.
Synthetic application of α-hydroxydiazene systems. II. Uncatalyzed and phenol catalyzed radical chain hydro-*tert*-butylation of unsaturated compounds with *tert*-butylazodiphenylcarbinol. D. W. K. Yeung and J. Warkentin, 1345.
Synthesis and radical decomposition of α-hydroxydiazenes. II. *tert*-Butylazodiphenylcarbinol. D. W. K. Yeung and J. Warkentin, 1349.

Yokota, T.
Hydrogen abstraction by perfluoroethyl radicals from methylfluorosilanes. T. N. Bell, T. Yokota, and A. G. Sherwood, 2359.
Young, P. J.
Kinetics of radical exchange in the reaction of CF_3 radicals with tin tetramethyl. T. N. Bell and P. J. Young, 1617.
Youssef, M. S. K.
Heterocyclic compounds. VIII. Studies on oxazolophenoxazines. A. M. Osman, S. A. M. Metwally, and M. S. K. Youssef, 37.
Yu, J.
Radiolysis of ferric hexafluoroacetylacetonate – toluene solutions. K. W. Chambers, E. A. Cherniak, G. Taylor, and J. Yu, 2116.
Yu, T. T.-J.
Ormosia alkaloids. VII. Total synthesis of ormosanine, piptanthine, 18-epiormosanine, and *d,l*-panamine. H.-J. Liu, Y. Sato, Z. Valenta, J. S. Wilson, and T. T.-J. Yu, 97.
Yunker, M. B.
Some synthetic routes to 2,3,6-trideoxy-hex-2-enopyranosides and -hex-2-enopyranosid-4-uloses. M. B. Yunker, S. Y.-K. Tam, D. R. Hicks, and B. Fraser-Reid, 2411.
Ethyl 4-iodo-2,3,4-trideoxy-α-D-*threo*-hex-2-enopyranoside: synthesis and dehydroiodination. M. B. Yunker and B. Fraser-Reid, 3986.
Yvernault, T.
Etude des mobilités ioniques dans les mélanges eau–hexaméthylphosphotriamide. I. Cas du HMPT pur à 25 °C. J.-C. Bollinger, T. Yvernault, J.-Y. Gal et F. Persin, 3060.
Zador, M.
Cinétique de l'interaction des complexes Cu(II)–oxine, Cu(II)-biuret et Cu(II) – acide salicylique avec l'EDTA. E. Mallaret-Gout et M. Zador, 3743.
Zamojski, A.
Selective, reductive dechlorination of chlorodeoxy sugars. Structural determination of chlorodeoxy and deoxy sugars by ^{13}C nuclear magnetic resonance spectroscopy. W. A. Szarek, A. Zamojski, A. R. Gibson, D. M. Vyas, and J. K. N. Jones, 3783.
Zauhar, J.
Etude sur les carbéthoxy-3 pyrazolinones-5: contribution à l'étude des formes tautomériques et préparation de sels d'hydrazinium et de guanidinium. J. Zauhar et B. F. Ladouceur, 488.
Zuccarello, F.
Molecular conformations of *ortho*-substituted benzophenones. F. Zuccarello, S. Millefiori, and S. Trovato, 226.
Zundel, G.
The influence of neutral salts on the easily polarizable hydrogen bond of $H_5O_2^+$ groupings in acid solutions. D. Schiöberg and G. Zundel, 2193.